

Special Wine 2022

LIEBHERR


Storage and perfect temperature





Contents

Ideal storage temperature	6
Optimum air quality	8
Best environment for fine wines.	10
Protection against UV light	12
Flexible accessories	14
The perfect range for wine aficionados	16
The Vinidor range	18
Wine storage cabinets GrandCru	32
Wine storage cabinets Vinothek	42
Humidor	47



- 1 The QR code for identifying the product in the EPREL (European Product Database for Energy Labeling) EU database.
- 2 The model identifier for identifying the product manually in the EPREL EU database, e.g. via the article number.
- 3 The new A to G efficiency scale. However G is only intended for wine coolers.
- 4 The sum of the volumes of the frozen compartment(s).
- 5 The sum of the volumes of the chill compartment(s) and the unfrozen compartment(s).
- 6 The noise level is now also classified into classes A to D.



Fully developed for the enjoyment of wine.

Where wine is concerned, correct temperatures are always important. From the air temperature which ensures perfect growth of the grapes, to that which governs the aging processes in production, to the balanced temperature for storage of the finished wine. Above all, temperature ultimately defines a wine's taste and palate – the serving temperature will determine how much it is savoured and enjoyed.

The ideal storage temperature for wine.

The ideal long term storage temperature for wine is between + 10 °C and + 12 °C. It is critical that the temperature is kept as constant as possible because this is the only way that a wine’s natural harmony will be preserved.

As the temperature rises, the wine molecules kinetic energy increases and this accelerates the aging process causing the wine to deteriorate. Consequently, storage temperatures of between +10 °C and +12 °C are recommended for storing wine over prolonged periods. Maintaining a constant temperature is most important, as fluctuations during storage will impair the quality of the wine. Furthermore, the temperature at which a wine is consumed also plays a crucial role in how it tastes. Red wines should be served at a warmer temperature than white wines because they contain more tannins (polyphenols). Tannins react with oxygen more quickly at higher temperatures. This is what happens in the process of allowing a wine to breathe, when the full aroma and taste are only achieved once the wine has combined with oxygen. The length of time for which a wine should breathe depends on its variety and quality. Barolo, Rioja, Burgundy and Bordeaux each take a different amount of time to develop. In general, the longer a wine matured in the barrel, the more likely it is to need a longer breathing time for full enjoyment.



Perfect storage and temperature control with Liebherr

Electronic control system.

Liebherr's highly precise electronic control systems and advanced air conditioning technologies guarantee appliances maintain a constant interior temperature, even in the event of major fluctuations in the ambient temperature.



Long-term storage.

With constant temperatures and a perfectly controlled climate, Liebherr's wine storage cabinets and Vinidor models provide the very best conditions for wine to age without disturbance, and to develop fully during storage.

Optimum drinking temperature.

In our Vinidor wine cabinets, which offer two or three wine safes, different wines can be stored according to their ideal serving temperature. Each wine safe can be independently programmed to between +5 °C and +20 °C, giving great storage flexibility.



Optimum air quality.

The quality of the ambient air is essential if the wine is to develop fully and be enhanced during storage – any airborne contaminants can be transferred to the wine and spoil it.

Classic natural corks very adequately keep the wine in the bottle, but in no way do they hermetically seal it. As a result, air, which is rarely completely odourless, infiltrates the bottle passing down the edges of the cork. If the bottles are stored in a cardboard box, the wine can take on the odour of the cardboard. But food odours in particular present problems. When storing wine at home, especially in a kitchen environment, wines will almost certainly lose their »terroir and type« characteristics – i.e. they will spoil!

Although glass stoppers and screw caps provide airtight closures for bottles, wines inevitably age more slowly because only the oxygen in the bottle is available to them. Synthetic corks allow too much air into the bottle, making them much less suitable for long-term storage of wine altogether.



Optimum air quality with Liebherr

Optimum air-freshness.

All Liebherr wine cabinets are fitted with FreshAir activated-charcoal filters, which ensure optimum air quality within the appliance. The active-charcoal reacts with any contaminants, binding them to its surface, and thereby filtering them from the incoming-air. In the Vinidor appliances, each individual wine zone has a FreshAir activated charcoal filter. Only the Vinidor appliances UWT 1682 (TipOpen under-worktop appliance), UWTeS 1672 (under-worktop appliance) and WTeS 1672 (table height, under-worktop) have one FreshAir activated charcoal filter in the divider to filter both zones. This prevents odours from the ambient air affecting the taste of the wines stored in the interior. Filters should ideally be replaced once a year. They can be ordered as an accessory and are easy to replace.

Ideal humidity.

If wines are to be stored for prolonged periods, the correct humidity is essential. At humidity levels below 50%, even the best natural corks start to shrink. This allows more and more oxygen to penetrate the bottle, and evaporation to occur; and, as the fill level drops, oxidation increases. Wines become gradually sweeter until they spoil completely. However, with humidity levels of at least 50%, Liebherr wine cabinets ensure the best conditions for both corks and wine. Thanks to an impressive vaporiser system and specially regulated air circulation, high humidity levels are sustained in all wine storage cabinets.

Best environment for fine wines.

For perfect storage the wine should not be disturbed.

Even small vibrations caused by the noise of machinery, road traffic or frequent footsteps can harm old wines. The wine is imperceptibly »shaken up«, and the sediment is disturbed. This leads to increased reactions between the different components of the wine, which then creates undesirable compounds that leave the wine tasting odd and inharmonious – something like what is seen straight after the filling process. Wine bottles are usually stored lying down so that their corks are constantly moistened and cannot dry out. On the other hand, bottles with screw caps or glass stoppers can be stored upright without any problem as they provide an airtight seal for the wine.



Optimum storage with Liebherr

Protection against vibration.

The specially developed, low-vibration compressors used in Liebherr wine cabinets provide gentle storage conditions. In the new Vinidor wine cabinets, the entire refrigeration system is fully vibration dampened to minimise vibration transmission. Accordingly, appliances make very little operating noise, and the wine can be stored with minimal disturbance.

Optimum position.

Wine is able to age in peace on stable, handcrafted wooden shelves. These shelves are unvarnished so that varnish vapours do not damage the wine. The wooden shelves are ideal for safely storing Bordeaux bottles, and positioning the wine bottles in opposite directions on the shelves allows optimum use of the appliance's capacity. In the Vinidor appliances, the wooden shelves are fitted to telescopic rails to provide a clear overview of the bottles, and to ensure easy access – even to those at the back. The presentation shelf is ideal for showcasing fine wines and also maintains opened bottles at a perfect temperature.

Soft closing.

The door automatically closes from an opening angle of about 45° (freestanding wine cabinets) and 30° (integrated wine cabinets) to prevent any vibrations that could damage the wine.

Protection against ultraviolet light.

Most wine bottles are tinted as ultraviolet rays pose a danger to all wines.

Light, in particular the invisible rays from the ultraviolet spectrum, is a common cause of undesirable chemical reactions in wines. The consequences of light-damage are visible to the eye: pale red wines, and white wines that take on a golden-yellow colour. »Light-strike« (or »Goût de Lumière« as the French know it) destroys the wine's balance and flattens its aroma and, to avoid it, most producers bottle their wine in brown or green glass, which absorbs a great deal of the UV rays. However, this alone is not enough for bottles that are not stored in the dark.

Slight temperature increases caused by light radiation can also damage the wine – they make it age quicker thereby altering the natural development processes, even to the extent that the wine can be permanently destroyed.



UV protection with Liebherr

Insulated glass doors with UV protection.

To minimise the effects of UV rays, Liebherr wine cabinets are fitted with special UV-resistant insulation glass. The UV protection is provided by a special dual-pane structure, which incorporates an inner, tinted-glass pane and an outer, metallised, low-E (low-emittance) pane. This glass composite reflects nearly all the damaging UV radiation and prevents any deterioration of the wine.

LED lighting concept.

This innovative technology ensures that the interior of the appliance is evenly lit without any UV radiation, as the LED light spectrum does not contain any UV rays. Furthermore, because of minimal heat generation with LEDs, the wines can be illuminated and beautifully presented permanently without any localised heating of the bottles.

Practical accessories for every need.

Discover the versatility of the original Liebherr accessories range for your wine appliance – and make your everyday life a little easier.

Organisation.

Design to suit your needs: Wine bottles can be presented clearly with the help of a presentation shelf, bottle holder and additional bottle shelves, for example. Clip-on labels provide an overview of wine stocks.



Accessories.

Wine appliances contain elements that should be replaced regularly in order to achieve optimum performance, such as the FreshAir activated charcoal filter. Care products designed for Liebherr appliances and materials make cleaning easier and maintain the high-quality appearance.



Perfect installation – perfect appearance.

Connecting sets, stainless steel frames and fronts with matching handles or drawers for accessories: the product range features many accessories that can help integrate a wine appliance in an individual and visually perfect fashion.




The perfect range for wine aficionados

2 - 3 temperature zones

+ 5 °C to + 20 °C

+ 5 °C to + 20 °C

+ 5 °C to + 20 °C



The **Vinidor range** offers ultimate flexibility and combines the advantages of both wine storage cabinets and multi-temperature wine cabinets in a single appliance. Appliances in the range come with either two or three temperature zones, which can be set independently to the required temperature between +5 °C and +20 °C. Accordingly, an appliance with three temperature zones can simultaneously store red wine, white wine, and champagne all at their optimum serving temperature. Vinidor appliances also offer the perfect climate for long-term wine storage. The varying sizes of the temperature zones, together with the fully adjustable temperature controls, make these appliances suitable for just about any collection of wines.

Temperature range

+ 5 °C to + 20 °C




Wine storage cabinets offer similar conditions to a wine cellar. They are therefore an ideal choice for both long-term storage and storage of large wine stocks, always achieving the perfect serving temperature. The temperature can be adjusted from +5 °C to +20 °C as appropriate, and is both even and constant throughout the entire appliance interior.



As a specialist in refrigeration and freezing, Liebherr offers a compact wine cabinet and Humidor cigar cabinet. Our cabinets have an elegant design while valuable cigars are kept under optimal storage conditions in the Humidor.

Bordeaux bottles capacity (0,75 l)

as per norm NF H 35-124



Quality in every detail



Touch-electronic

The electronic LC-Display is an innovative design feature. Clear menu navigation and a Touch-electronic control system provides yet more information for tailored storage conditions. The digital temperature display can be read from the outside of appliances with glass doors. The Touch-electronic navigation ensures easy selection and use of the numerous control functions.



LED lighting

The LED lighting in the individual wine compartments can be dimmed to give a pleasing ambient light inside the appliance. All Vinidor appliances are equipped with this innovative, no-heat LED lighting concept. The LED lighting can also be adjusted to operate continuously or in conjunction with door openings.



Side-by-Side concept

The Side-by-Side concept makes it possible to position fridges, freezers and wine cabinets to meet your needs. Special technology for controlling the environment between appliances with major temperature differences enables numerous combinations.



SuperSilent

The SuperSilent appliances are extremely quiet due to its design and low-noise components.



FreshAir activated charcoal filter

Environmental odours can have an impact on wine stored for longer periods. Fresh air is supplied to Liebherr wine cabinets through the easily replaceable FreshAir activated charcoal filter to ensure optimal air quality.



Presentation shelf

The practical presentation shelf of the Vinidor models fulfils both bottle storage and bottle presentation functions. The bottles can be stored horizontally at the back of the cabinet.



Wooden shelves mounted on telescopic rails

The Vinidor appliances are equipped with solid wooden shelves mounted on telescopic rails. The handcrafted shelves made from untreated wood are ideal for storing Bordeaux bottles safely, providing a clear view and easy access. Storing the bottles in opposite directions permits full use of the capacity.



TipOpen

The handle-free glazed door with TipOpen technology guarantees perfect integration into a handle-free kitchen. Not only provides UV protection you can trust but also ensures superb visibility of the stored wines.



SoftSystem

The SoftSystem feature provides added safety and convenience. Integrated within the door, the SoftSystem cushions movement when the door is closed. This SoftSystem ensures that the door closes gently even when fully loaded inside. The door automatically closes from an angle of approximately 45°.



Stainless steel frame with handle

The high-quality, easy-to-fit stainless steel frame and handle enables all EWTdf models to be elegantly integrated into any kitchen. The robust stainless steel handle makes opening the door effortless. Available as an optional accessory kit.



Clip-on labelling system

The clip-on labelling system provides a quick and clear overview of your wine store.



Tinted safety glass

The tinted safety glass in the Liebherr wine cabinets guarantees the essential UV protection for your fine wines. The practical aluminium door handle, with integrated opening mechanism, allows the door of the appliance to be opened conveniently with a minimum of effort.



WTes 5872



Touch-electronic

The electronic LC-Display is an innovative design feature. Clear menu navigation and a Touch-electronic control system provides yet more information for tailored storage conditions. The digital temperature display can be read from the outside of appliances with glass doors. The Touch-electronic navigation ensures easy selection and use of the numerous control functions.



WTes 5872
Vinidor

Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div> ²
Energy consumption year / 24 hrs:	206 / 0.564 kWh ²
Max. Bordeaux bottles 0.75 l:	178 ¹
Total volume ³ :	503 litre
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	Glass door with stainless steel frame
Side walls:	stainless steel
Exterior dimensions in cm (h / w / d):	192 / 70 / 74.2 ²



Controls

- LCD display in the interior, touch electronic
- Digital temperature display for 3 wine zones
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 3 Temperature zones, which can set from +5°C to +20 °C
- 3 independently controllable zones
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 13 Shelves, of which 10 set on telescopic rails, of which 1 is a presentation shelf

Key features

- HardLine
- Aluminium handle with integrated opening mechanism
- Reversible door hinging
- Replaceable door seal
- Concealed hinge with restricted opening
- Lock

¹ These models are only intended for storing wine.
Maximum DIN norm bordeaux bottles capacity (0.75 l) as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm).
You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.



WTes 5972
Vinidor

Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div> ²
Energy consumption year / 24 hrs:	191 / 0.523 kWh ²
Max. Bordeaux bottles 0.75 l:	211 ¹
Total volume ³ :	521 litre
Noise output / Sound power level:	38 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	Glass door with stainless steel frame
Side walls:	stainless steel
Exterior dimensions in cm (h / w / d):	192 / 70 / 74.2 ²



Controls

- LCD display in the interior, touch electronic
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 2 Temperature zones, which can set from +5°C to +20 °C
- 2 independently controllable zones
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 10 Shelves, of which 8 set on telescopic rails, of which 1 is a presentation shelf

Key features

- HardLine
- Aluminium handle with integrated opening mechanism
- Reversible door hinging
- Replaceable door seal
- Concealed hinge with restricted opening
- Lock

² To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm.
If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.
³ In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

Vinidor range



WTpes 5972
Vinidor

Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div> ²
Energy consumption year / 24 hrs:	191 / 0.523 kWh ²
Max. Bordeaux bottles 0.75 l:	155 ¹
Total volume ³ :	521 litre
Noise output / Sound power level:	38 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	Glass door with stainless steel frame
Side walls:	stainless steel
Exterior dimensions in cm (h / w / d):	192 / 70 / 74.2 ²



Controls

- LCD display in the interior, touch electronic
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 2 Temperature zones, which can set from +5°C to +20 °C
- 2 independently controllable zones
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 6 Shelves, of which 5 set on telescopic rails, of which 2 are pull-out baskets

Key features

- HardLine
- Stainless steel slimline door handle
- Reversible door hinging
- Replaceable door seal
- Lock



WTes 1672



LED lighting

The LED lighting in the wine cooling compartments can be dimmed to give a pleasing ambient light inside the appliance. The LED lighting system can be adjusted to activate during door openings or to be on continuously at various intensity settings (depending on model).



Wooden shelves mounted on telescopic rails


The Vinidor appliances are equipped with solid wooden shelves mounted on telescopic rails. The handcrafted shelves made from untreated wood are ideal for storing Bordeaux bottles safely, providing a clear view and easy access. Storing the bottles in opposite directions permits full use of the capacity.

Vinidor range



← 60 →

WTes 1672 Vinidor

Energy efficiency class:	
Energy consumption year / 24 hrs:	147 / 0.402 kWh
Max. Bordeaux bottles 0.75 l:	34 ¹
Total volume ² :	95 litre
Noise output / Sound power level:	36 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	Glass door with stainless steel frame
Side walls:	stainless steel
Exterior dimensions in cm (h / w / d):	82.2 / 59.8 / 57.5

LED	Wine	Telescopic Rails
-----	------	------------------

Controls

- MagicEye control in interior, touch electronic
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 2 Temperature zones, which can set from +5 °C to +20 °C
- 2 independently controllable zones
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 5 Shelves, of which 3 set on telescopic rails

Key features

- HardLine
- Aluminium handle
- Reversible door hinging
- Replaceable door seal
- Lock

^{1,2} see pages 25
You can find the full range of efficiency classes at page 3.
According to (EU) 2017/1369 6a.



Stainless steel frame with handle. Further information can be found online by desired model at: home.liebherr.com



FreshAir activated charcoal filter

Environmental odours can have an impact on wine stored for longer periods. Fresh air is supplied to Liebherr wine cabinets through the easily replaceable FreshAir activated charcoal filter to ensure optimal air quality.



EWTgb 3583

Vinidor

flush / Built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	178 / 0.487 kWh
Max. Bordeaux bottles 0,75 l:	83 ¹
Total volume ² :	271 litre
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN (from +10 °C to +32 °C)
Door:	black insulated glass door, handle and frame free
Aperture dimensions in cm (h / w / d):	177.2-178 / 56-57 / min. 55



Controls


- LCD display, touch electronic
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 2 Temperature zones, which can set from +5 °C to +20 °C
- 2 independently controllable zones
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 10 Shelves, of which 8 set on telescopic rails, of which 1 is a presentation shelf

Key features

- TouchOpen
- Height-adjustable feet at front
- Reversible door hinging
- Replaceable door seal
- Concealed hinge with restricted opening



EWTgw 3583

Vinidor

flush / Built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	178 / 0.487 kWh
Max. Bordeaux bottles 0,75 l:	83 ¹
Total volume ² :	271 litre
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN (from +10 °C to +32 °C)
Door:	white insulated glass door, handle and frame free
Aperture dimensions in cm (h / w / d):	177.2-178 / 56-57 / min. 55



Controls

- LCD display, touch electronic
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 2 Temperature zones, which can set from +5 °C to +20 °C
- 2 independently controllable zones
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 10 Shelves, of which 8 set on telescopic rails, of which 1 is a presentation shelf

Key features

- TouchOpen
- Height-adjustable feet at front
- Reversible door hinging
- Replaceable door seal
- Concealed hinge with restricted opening

¹ These models are only intended for storing wine. Maximum DIN norm bordeaux bottles capacity (0,75 l) as per norm NF H 35-124 (H: 300,5 mm, Ø 76,1 mm).

² In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.

Vinidor range



EWTdf 3553

Vinidor

Fixed door / Built-in appliance with decor panel	
Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	176 / 0.482 kWh
Max. Bordeaux bottles 0,75 l:	80 ¹
Total volume ² :	254 litre
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	Insulated glass door prepared for cabinet door or stainless steel front
Aperture dimensions in cm (h / w / d):	177.2-178 / 56-57 / min. 55



Controls

- LCD display, touch electronic
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 2 Temperature zones, which can set from +5 °C to +20 °C
- 2 independently controllable zones
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 10 Shelves, of which 8 set on telescopic rails, of which 1 is a presentation shelf

Key features


- Height-adjustable feet at front
- Reversible door hinging
- Replaceable door seal
- Concealed hinge with restricted opening

Vinidor range



EWTgb 2383
Vinidor

flush / Built-in appliance for integrated use

Energy efficiency class:	
Energy consumption year / 24 hrs:	160 / 0.438 kWh
Max. Bordeaux bottles 0.75 l:	51
Total volume*:	169 litre
Noise output / Sound power level:	31 dB(A) / B, SuperSilent
Climate rating:	SN (from +10 °C to +32 °C)
Door:	black insulated glass door, handle and frame free
Aperture dimensions in cm (h / w / d):	122-123.6 / 56-57 / min. 55

Super Silent Soft System LED **Wine** Tip Open Telescopic Rails

Controls

- LCD display, touch electronic
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 2 Temperature zones, which can set from +5°C to +20°C
- 2 independently controllable zones
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 6 Shelves, of which 4 set on telescopic rails, of which 1 is a presentation shelf

Key features

- TouchOpen
- Height-adjustable feet at front
- Reversible door hinging
- Replaceable door seal
- Concealed hinge with restricted opening



SuperSilent

The SuperSilent appliances are extremely quiet due to its design and low-noise components.




Presentation shelf

The practical presentation shelf of the Vinidor models fulfils both bottle storage and bottle presentation functions. The bottles can be stored horizontally at the back of the interior.



EWTgw 2383
Vinidor

flush / Built-in appliance for integrated use

Energy efficiency class:	
Energy consumption year / 24 hrs:	160 / 0.438 kWh
Max. Bordeaux bottles 0.75 l:	51
Total volume*:	169 litre
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN (from +10 °C to +32 °C)
Door:	white insulated glass door, handle and frame free
Aperture dimensions in cm (h / w / d):	122-123.6 / 56-57 / min. 55

Super Silent Soft System LED Wine Tip Open Telescopic Rails

Controls


- LCD display, touch electronic
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 2 Temperature zones, which can set from +5°C to +20°C
- 2 independently controllable zones
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 6 Shelves, of which 4 set on telescopic rails, of which 1 is a presentation shelf


Key features

- TouchOpen
- Height-adjustable feet at front
- Reversible door hinging
- Replaceable door seal
- Concealed hinge with restricted opening



EWTdf 2353
Vinidor

Fixed door / Built-in appliance with decor panel

Energy efficiency class:	
Energy consumption year / 24 hrs:	158 / 0.432 kWh
Max. Bordeaux bottles 0.75 l:	48 ¹
Total volume ² :	158 litre
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	Insulated glass door prepared for cabinet door or stainless steel front
Aperture dimensions in cm (h / w / d):	122-123.6 / 56-57 / min. 55

Super Silent Soft System LED Wine Telescopic Rails

Controls

- LCD display, touch electronic
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 2 Temperature zones, which can set from +5°C to +20°C
- 2 independently controllable zones
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 6 Shelves, of which 4 set on telescopic rails, of which 1 is a presentation shelf

Key features

- Height-adjustable feet at front
- Reversible door hinging
- Replaceable door seal
- Concealed hinge with restricted opening



Stainless steel frame with handle. Further information can be found online by desired model at: home.liebherr.com



TipOpen technology

The handle-free glazed door with TipOpen technology guarantees perfect integration into a handle-free kitchen. Not only provides UV protection you can trust but also ensures superb visibility of the stored wines.



EWTgb 1683
Vinidor

flush / Built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	151 / 0.413 kWh
Max. Bordeaux bottles 0,75 l:	33 ¹
Total volume ² :	104 litre
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN (from +10 °C to +32 °C)
Door:	black insulated glass door, handle and frame free
Aperture dimensions in cm (h / w / d):	87.4-89 / 56-57 / min. 55



Controls


- LCD display, touch electronic
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 2 Temperature zones, which can set from +5 °C to +20 °C
- 2 independently controllable zones
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 4 Shelves, of which 2 set on telescopic rails, of which 1 is a presentation shelf

Key features

- TouchOpen
- Height-adjustable feet at front
- Reversible door hinging
- Replaceable door seal
- Concealed hinge with restricted opening



EWTgw 1683
Vinidor

flush / Built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	151 / 0.413 kWh
Max. Bordeaux bottles 0,75 l:	33 ¹
Total volume ² :	104 litre
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN (from +10 °C to +32 °C)
Door:	white insulated glass door, handle and frame free
Aperture dimensions in cm (h / w / d):	87.4-89 / 56-57 / min. 55



Controls

- LCD display, touch electronic
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 2 Temperature zones, which can set from +5 °C to +20 °C
- 2 independently controllable zones
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 4 Shelves, of which 2 set on telescopic rails, of which 1 is a presentation shelf


Key features

- TouchOpen
- Height-adjustable feet at front
- Reversible door hinging
- Replaceable door seal
- Concealed hinge with restricted opening

¹ These models are only intended for storing wine. Maximum DIN norm bordeaux bottles capacity (0,75 l) as per norm NF H 35-124 (H: 300,5 mm, Ø 76,1 mm).

² In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.



EWTdf 1653
Vinidor

Fixed door / Built-in appliance with decor panel	
Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	150 / 0.411 kWh
Max. Bordeaux bottles 0,75 l:	30 ¹
Total volume ² :	97 litre
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	Insulated glass door prepared for cabinet door or stainless steel front
Aperture dimensions in cm (h / w / d):	87.4-89 / 56-57 / min. 55



Controls

- LCD display, touch electronic
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 2 Temperature zones, which can set from +5 °C to +20 °C
- 2 independently controllable zones
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 4 Shelves, of which 2 set on telescopic rails, of which 1 is a presentation shelf

Key features

- Height-adjustable feet at front
- Reversible door hinging
- Replaceable door seal
- Concealed hinge with restricted opening



UWTgb 1682

Vinidor range



UWTgb 1682
Vinidor

flush / Under-worktop appliance	
Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	146 / 0.400 kWh
Max. Bordeaux bottles 0.75 l:	34 ¹
Total volume ² :	94 litre
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	black insulated glass door, handle and frame free
Aperture dimensions in cm (h / w / d):	82-87 / 60 / min. 58



- Controls**
- LCD display, touch electronic
 - Digital temperature display for both wine zones
 - Alarm in case of malfunction: visual and acoustic
 - Door alarm: acoustic
 - Child lock
- Wine compartment**
- 2 Temperature zones, which can set from +5°C to +20 °C
 - 2 independently controllable zones
 - Convection cooling, fresh air supply via FreshAir activated charcoal filter
 - Humidity regulation via adjustable fan
 - LED lighting permanently on, dimmable
 - Beech wood fittings
 - 5 Shelves, of which 3 set on telescopic rails

- Key features**
- TouchOpen
 - Height-adjustable feet at front and back
 - Reversible door hinging
 - Replaceable door seal
 - Concealed hinge with restricted opening



UWTes 1672
Vinidor

flush / Under-worktop appliance	
Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	142 / 0.389 kWh
Max. Bordeaux bottles 0.75 l:	34 ¹
Total volume ² :	94 litre
Noise output / Sound power level:	38 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	Glass door with stainless steel frame
Aperture dimensions in cm (h / w / d):	82-87 / 60 / min. 58



- Controls**
- MagicEye, key electronic
 - Digital temperature display for both wine zones
 - Alarm in case of malfunction: visual and acoustic
 - Door alarm: acoustic
 - Child lock
- Wine compartment**
- 2 Temperature zones, which can set from +5°C to +20 °C
 - 2 independently controllable zones
 - Convection cooling, fresh air supply via FreshAir activated charcoal filter
 - Humidity regulation via adjustable fan
 - LED lighting permanently on, dimmable
 - Beech wood fittings
 - 5 Shelves, of which 3 set on telescopic rails

- Key features**
- Aluminium handle
 - Height-adjustable feet at front and back
 - Reversible door hinging
 - Replaceable door seal
 - Lock

¹ These models are only intended for storing wine. Maximum DIN norm bordeaux bottles capacity (0.75 l) as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm).

² In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.

Quality in every detail




Electronic control system

The precision electronic control system is clearly arranged in the insulation plate. The digital temperature display can be read from the outside of appliances with glass doors. The door and temperature alarm alerts the user to any irregularities, e.g. a door that has been left open. The child lock prevents any inadvertent changes to the control system.



LED-lighting

The LED lighting in the wine cooling compartment can be dimmed to give a pleasing ambient light inside the appliance. For ideal presentation of your best wines, the interior light with separate switch in appliances with glazed door.



Tinted safety glass

The tinted safety glass in the Liebherr wine cabinets guarantees the essential UV protection for your fine wines. The practical aluminium handle, with integrated opening mechanism, allows the door of the appliance to be opened conveniently with a minimum of effort.



Bottle shelves, made of untreated wood

The bottle shelves, made of untreated wood, are variably height-adjustable to provide an optimum overview and a clear storage layout. The bottles can be stored in opposite directions to make full use of the capacity. The wooden shelves are designed to safely hold Bordeaux bottles. The clip-on labelling system provides a quick and clear overview of your wine store.



TipOpen

Liebherr's touch opening door with TipOpen technology integrates perfectly into kitchens with a handle-free design. When gently touched, the glass door automatically opens by about 5 cm, ready for full opening. If the door is not opened further within three seconds (approx.), the SoftSystem closing mechanism automatically shuts it again.




Presentation shelf

The practical presentation shelf fulfils both bottle storage and bottle presentation functions. The bottles can be stored horizontally at the rear.



Wkt 5552



WKt 6451	
GrandCru	
Energy efficiency class:	
Energy consumption year / 24 hrs:	125 / 0.342 kWh
Max. Bordeaux bottles 0.75 l:	312 ¹
Total volume ² :	614 litre
Noise output / Sound power level:	39 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door / side walls:	Full door, terra / terra
Exterior dimensions in cm (h / w / d):	193 / 74.7 / 75.9



- Controls**
- MagicEye on front, key electronic
 - Digital temperature display
 - Alarm in case of malfunction: visual and acoustic
 - Door alarm: acoustic
 - Child lock

- Wine compartment**
- 1 Temperature zone, which can set from +5 °C to +20 °C
 - Convection cooling, fresh air supply via FreshAir activated charcoal filter
 - Humidity regulation via adjustable fan
 - LED interior lighting
 - Adjustable beech wood shelves
 - 7 Shelves

- Key features**
- SwingLine design
 - Aluminium handle with integrated opening mechanism
 - Reversible door hinging
 - Replaceable door seal
 - Lock



Bottle shelves, made of untreated wood


The bottle shelves, made of untreated wood, are variably height-adjustable to provide an optimum overview and a clear storage layout. The bottles can be stored in opposite directions to make full use of the capacity. The wooden shelves are designed to safely hold Bordeaux bottles. The clip-on labelling system provides a quick and clear overview of your wine store.



FreshAir activated charcoal filter

Environmental odours can have an impact on wine stored for longer periods. Fresh air is supplied to Liebherr wine cabinets through the easily replaceable FreshAir activated charcoal filter to ensure optimal air quality.



WKt 5552	
GrandCru	
Energy efficiency class:	
Energy consumption year / 24 hrs:	147 / 0.402 kWh
Max. Bordeaux bottles 0.75 l:	253 ¹
Total volume ² :	526 litre
Noise output / Sound power level:	39 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	Glass door, frame terra
Side walls:	terra
Exterior dimensions in cm (h / w / d):	192 / 70 / 74.2




- Controls**
- MagicEye in the interior, key electronic
 - Digital temperature display
 - Alarm in case of malfunction: visual and acoustic
 - Door alarm: acoustic
 - Child lock

- Wine compartment**
- 1 Temperature zone, which can set from +5 °C to +20 °C
 - Convection cooling, fresh air supply via FreshAir activated charcoal filter
 - Humidity regulation via adjustable fan
 - LED lighting permanently on
 - Adjustable beech wood shelves
 - 7 Shelves

- Key features**
- HardLine
 - Aluminium handle with integrated opening mechanism
 - Reversible door hinging
 - Replaceable door seal
 - Lock



WKt 5551	
GrandCru	
Energy efficiency class:	
Energy consumption year / 24 hrs:	94 / 0.257 kWh
Max. Bordeaux bottles 0.75 l:	253 ¹
Total volume ² :	500 litre
Noise output / Sound power level:	38 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door:	Full door, terra
Side walls:	terra
Exterior dimensions in cm (h / w / d):	192 / 70 / 74.2



- Controls**
- MagicEye in the interior, key electronic
 - Digital temperature display
 - Alarm in case of malfunction: visual and acoustic
 - Door alarm: acoustic
 - Child lock

- Wine compartment**
- 1 Temperature zone, which can set from +5 °C to +20 °C
 - Convection cooling, fresh air supply via FreshAir activated charcoal filter
 - Humidity regulation via adjustable fan
 - LED interior lighting
 - Adjustable beech wood shelves
 - 7 Shelves

- Key features**
- HardLine
 - Aluminium handle with integrated opening mechanism
 - Reversible door hinging
 - Replaceable door seal
 - Lock

¹ These models are only intended for storing wine. Maximum DIN norm bordeaux bottles capacity (0.75 l) as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm).
² In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.
You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.



Electronic control system

The precision electronic control system is clearly arranged in the insulation plate. The digital temperature display can be read from the outside of appliances with glass doors. The door and temperature alarm alerts the user to any irregularities, e.g. a door that has been left open. The child lock prevents any inadvertent changes to the control system.



LED-lighting

The LED lighting in the wine cooling compartment can be dimmed to give a pleasing ambient light inside the appliance. For ideal presentation of your best wines, the interior light with separate switch in appliances with glazed door.



WKes 4552 GrandCru	
Energy efficiency class:	<div><div>F</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	117 / 0.320 kWh
Max. Bordeaux bottles 0.75 l:	201 ¹
Total volume ² :	436 litre
Noise output / Sound power level:	38 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	Glass door with stainless steel frame
Side walls:	stainless steel
Exterior dimensions in cm (h / w / d):	165 / 70 / 74.2



Controls

- MagicEye in the interior, key electronic
- Digital temperature display
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 1 Temperature zone, which can set from +5°C to +20 °C
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on
- Adjustable beech wood shelves
- 6 Shelves

Key features

- HardLine
- Aluminium handle with integrated opening mechanism
- Reversible door hinging
- Replaceable door seal
- Lock



WKt 4552 GrandCru	
Energy efficiency class:	<div><div>F</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	117 / 0.320 kWh
Max. Bordeaux bottles 0.75 l:	201 ¹
Total volume ² :	436 litre
Noise output / Sound power level:	38 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	Glass door, frame terra
Side walls:	terra
Exterior dimensions in cm (h / w / d):	165 / 70 / 74.2



Controls

- MagicEye in the interior, key electronic
- Digital temperature display
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 1 Temperature zone, which can set from +5°C to +20 °C
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on
- Adjustable beech wood shelves
- 6 Shelves

Key features

- HardLine
- Aluminium handle with integrated opening mechanism
- Reversible door hinging
- Replaceable door seal
- Lock

¹ These models are only intended for storing wine. Maximum DIN norm bordeaux bottles capacity (0.75 l) as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm).
² In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.
You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.



WKt 4551 GrandCru	
Energy efficiency class:	<div><div>E</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	94 / 0.257 kWh
Max. Bordeaux bottles 0.75 l:	201 ¹
Total volume ² :	414 litre
Noise output / Sound power level:	38 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door:	Full door, terra
Side walls:	terra
Exterior dimensions in cm (h / w / d):	165 / 70 / 74.2



Controls

- MagicEye in the interior, key electronic
- Digital temperature display
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 1 Temperature zone, which can set from +5°C to +20 °C
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED interior lighting
- Adjustable beech wood shelves
- 6 Shelves

Key features


- HardLine
- Aluminium handle with integrated opening mechanism
- Reversible door hinging
- Replaceable door seal
- Lock



82-87

UWKes 1752

GrandCru

flush / Under-worktop appliance	
Energy efficiency class:	
Energy consumption year / 24 hrs:	139 / 0.380 kWh
Max. Bordeaux bottles 0.75 l:	46 *
Total volume ² :	110 litre
Noise output / Sound power level:	38 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	Glass door with stainless steel frame
Aperture dimensions in cm (h / w / d):	82-87 / 60-61 / min. 58



Controls

- MagicEye, key electronic
- Digital temperature display
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 1 Temperature zone, which can set from +5°C to +20°C
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on
- Beech wood fittings
- 4 Shelves, of which 3 set on telescopic rails


Key features

- Aluminium handle
- Height-adjustable feet at front and back
- Reversible door hinging
- Replaceable door seal
- Lock



Bottle shelves, made of untreated wood

The bottle shelves, made of untreated wood, are variably height-adjustable to provide an optimum overview and a clear storage layout. The bottles can be stored in opposite directions to make full use of the capacity. The wooden shelves are designed to safely hold Bordeaux bottles. The clip-on labelling system provides a quick and clear overview of your wine store.



FreshAir activated charcoal filter


Environmental odours can have an impact on wine stored for longer periods. Fresh air is supplied to Liebherr wine cabinets through the easily replaceable FreshAir activated charcoal filter to ensure optimal air quality.



← 43 →

WKes 653

GrandCru

Energy efficiency class:	
Energy consumption year / 24 hrs:	78 / 0.213 kWh
Max. Bordeaux bottles 0.75 l:	12 ¹
Total volume ² :	48 litre
Noise output / Sound power level:	37 dB(A) / C
Climate rating:	SN (from +10 °C to +32 °C)
Door:	Glass door with stainless steel frame and SmartSteel
Side walls:	stainless steel with SmartSteel
Exterior dimensions in cm (h / w / d):	61.2 / 42.5 / 47.8



Controls


- LCD display in the interior, touch electronic
- Digital temperature display
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 1 Temperature zone, which can set from +5°C to +20°C
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 3 Shelves

Key features

- HardLine
- Fixed door hinge, right
- Replaceable door seal
- Utensil drawer
- Suitable for wall mounting
- Lock



LED lighting

For ideal presentation of your best wine, the WKes 653 features LED lighting with dimmer function and separate switch. As the LEDs emit minimal heat and no UV radiation, the wine can be showcased bathed in light for lengthy periods, without compromising its quality.



Drawer

The practical drawer is used for storing wine accessories or for wine accompaniments, such as chocolate or candies, for serving at the right temperature to elevate the wine tasting experience.




Accessories drawer

The easy-glide accessories drawer can be used to store accessories directly below wine storage cabinets in the WKE 5 model range. This increases the 45 cm recess to 60 cm. Available in white glass (9792 449), black glass (9792 451) and stainless steel (9792 453).



TipOpen

Liebherr's touch opening door with TipOpen technology integrates perfectly into kitchens with a handle-free design. When gently touched, the glass door automatically opens by about 5 cm, ready for full opening. If the door is not opened further within three seconds (approx.), the SoftSystem closing mechanism automatically shuts it again.



WKEgb 582
GrandCru

flush / Built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	116 / 0.317 kWh
Max. Bordeaux bottles 0,75 l:	18 ¹
Total volume ² :	47 litre
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	black insulated glass door, handle and frame free
Aperture dimensions in cm (h / w / d):	45-45.2 / 56-57 / min. 55



Controls

- LCD display, touch electronic
- Digital temperature display
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 1 Temperature zone, which can set from +5°C to +20°C
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 3 Shelves, of which 2 set on telescopic rails

Key features

- Folding door with TipOpen technology
- Concealed hinge with restricted opening
- Replaceable door seal



WKEgw 582
GrandCru

flush / Built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	116 / 0.317 kWh
Max. Bordeaux bottles 0,75 l:	18 ¹
Total volume ² :	47 litre
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	white insulated glass door, handle and frame free
Aperture dimensions in cm (h / w / d):	45-45.2 / 56-57 / min. 55



Controls

- LCD display, touch electronic
- Digital temperature display
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 1 Temperature zone, which can set from +5°C to +20°C
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 3 Shelves, of which 2 set on telescopic rails

Key features

- Folding door with TipOpen technology
- Concealed hinge with restricted opening
- Replaceable door seal



WKEes 553
GrandCru

flush / Built-in appliance	
Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	140 / 0.383 kWh
Max. Bordeaux bottles 0,75 l:	18 ¹
Total volume ² :	51 litre
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN (from +10 °C to +32 °C)
Door:	Glass door with stainless steel frame
Aperture dimensions in cm (h / w / d):	45 / 56 / min. 55



Controls

- LCD display, touch electronic
- Digital temperature display
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 1 Temperature zone, which can set from +5°C to +20°C
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 3 Shelves, of which 2 set on telescopic rails

Key features

- Recessed handle
- Reversible door hinging
- Replaceable door seal

¹ These models are only intended for storing wine. Maximum DIN norm bordeaux bottles capacity (0,75 l) as per norm NF H 35-124 (H: 300,5 mm, Ø 76,1 mm).

² In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.

Quality in every detail



WKb 4212



Electronic control system

The precision electronic control system is located at the top of the cabinet housing. The digital temperature display can be read from the outside of appliances with glass doors. The door and temperature alarm alerts the user to any irregularities, e.g. a door that has been left open. The child lock prevents any inadvertent changes to the control system.



Interior light

The appliances with glass doors feature an interior light which has a separate switch for the ideal presentation of your best wines.



Tinted safety glass

The tinted safety glass in the Liebherr wine cabinets guarantees the essential UV protection for your fine wines. The slimline door handle in black is aesthetically pleasing and ergonomically designed for ease of opening.



Untreated wooden storage shelves

The untreated wooden storage shelves are variably height-adjustable to provide an optimum overview and a clear storage layout. Storing the bottles in opposite directions on the pull-out shelves permits full use of the capacity. The wooden shelves are designed to safely hold Bordeaux bottles.



FreshAir activated charcoal filter

Environmental odours can have an impact on wine stored for longer periods. Fresh air is supplied to Liebherr wine cabinets through the easily replaceable FreshAir activated charcoal filter to ensure optimal air quality.



Clip-on labelling system

The clip-on labelling system provides a quick and clear overview of your wine store. The labelled cards can be easily inserted into the clips which can be attached as required.



WKb 4212
Vinothek

Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	177 / 0.484 kWh
Max. Bordeaux bottles 0.75 l:	200 ¹
Total volume ² :	402 litre
Noise output / Sound power level:	39 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	Glass door, frame black
Side walls:	black
Exterior dimensions in cm (h / w / d):	165 / 60 / 73.9



- Controls**
- MagicEye on front, key electronic
 - Digital temperature display
 - Alarm in case of malfunction: visual and acoustic
 - Door alarm: acoustic
 - Child lock

- Wine compartment**
- 1 Temperature zone, which can set from +5 °C to +20 °C
 - Convection cooling, fresh air supply via FreshAir activated charcoal filter
 - Humidity regulation via adjustable fan
 - Interior lighting permanently on
 - Adjustable beech wood shelves
 - 6 Shelves

- Key features**
- HardLine
 - Ergonomically designed stimeline handle, black
 - Reversible door hinging
 - Replaceable door seal



WKr 4211
Vinothek

Energy efficiency class:	<div><div></div><div>F</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	108 / 0.295 kWh
Max. Bordeaux bottles 0.75 l:	200 ¹
Total volume ² :	383 litre
Noise output / Sound power level:	37 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door:	Full door, burgundy
Side walls:	black
Exterior dimensions in cm (h / w / d):	165 / 60 / 73.9



- Controls**
- MagicEye on front, key electronic
 - Digital temperature display
 - Alarm in case of malfunction: visual and acoustic
 - Door alarm: acoustic
 - Child lock

- Wine compartment**
- 1 Temperature zone, which can set from +5 °C to +20 °C
 - Convection cooling, fresh air supply via FreshAir activated charcoal filter
 - Humidity regulation via adjustable fan
 - Adjustable beech wood shelves
 - 6 Shelves

- Key features**
- HardLine
 - Ergonomically designed slimline handle, black
 - Reversible door hinging
 - Replaceable door seal



WKb 3212
Vinothek

Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	171 / 0.468 kWh
Max. Bordeaux bottles 0.75 l:	164 ¹
Total volume ² :	315 litre
Noise output / Sound power level:	37 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	Glass door, frame black
Side walls:	black
Exterior dimensions in cm (h / w / d):	135 / 60 / 73.9



- Controls**
- MagicEye on front, key electronic
 - Digital temperature display
 - Alarm in case of malfunction: visual and acoustic
 - Door alarm: acoustic
 - Child lock

- Wine compartment**
- 1 Temperature zone, which can set from +5 °C to +20 °C
 - Convection cooling, fresh air supply via FreshAir activated charcoal filter
 - Humidity regulation via adjustable fan
 - Interior lighting permanently on
 - Adjustable beech wood shelves
 - 4 Shelves

- Key features**
- HardLine
 - Ergonomically designed stimeline handle, black
 - Reversible door hinging
 - Replaceable door seal



WKr 3211
Vinothek

Energy efficiency class:	<div><div></div><div>E</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	92 / 0.252 kWh
Max. Bordeaux bottles 0.75 l:	164 ¹
Total volume ² :	300 litre
Noise output / Sound power level:	37 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door:	Full door, burgundy
Side walls:	black
Exterior dimensions in cm (h / w / d):	135 / 60 / 73.9



- Controls**
- MagicEye on front, key electronic
 - Digital temperature display
 - Alarm in case of malfunction: visual and acoustic
 - Door alarm: acoustic
 - Child lock

- Wine compartment**
- 1 Temperature zone, which can set from +5 °C to +20 °C
 - Convection cooling, fresh air supply via FreshAir activated charcoal filter
 - Humidity regulation via adjustable fan
 - Adjustable beech wood shelves
 - 4 Shelves


- Key features**
- HardLine
 - Ergonomically designed slimline handle, black
 - Reversible door hinging
 - Replaceable door seal

¹ These models are only intended for storing wine. Maximum DIN norm bordeaux bottles capacity (0.75 l) as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm).
² In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.
You can find the full range of efficiency classes at page 3. According to (EU) 2017/1369 6a.




WKb 1812

Vinothek

Energy efficiency class:	
Energy consumption year / 24 hrs:	123 / 0.337 kWh
Max. Bordeaux bottles 0.75 l:	66 *
Total volume*:	135 litre
Noise output / Sound power level:	38 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	Glass door, frame black
Side walls:	black
Exterior dimensions in cm (h / w / d):	89 / 60 / 61.3

**WKr 1811**

Vinothek

Energy efficiency class:	
Energy consumption year / 24 hrs:	76 / 0.208 kWh
Max. Bordeaux bottles 0.75 l:	66 ¹
Total volume ² :	128 litre
Noise output / Sound power level:	37 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door :	Full door, burgundy
Side walls:	black
Exterior dimensions in cm (h / w / d):	89 / 60 / 61.3



Controls

- MagicEye on front, key electronic
- Digital temperature display
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment


- 1 Temperature zone, which can set from +5°C to +20°C
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- Interior lighting permanently on
- Adjustable grid shelves
- 3 Shelves

Key features

- HardLine
- Ergonomically designed slimline handle, black
- Reversible door hinging
- Replaceable door seal

**WKb 1802**

Vinothek

Energy efficiency class:	
Energy consumption year / 24 hrs:	123 / 0.337 kWh
Max. Bordeaux bottles 0.75 l:	66 *
Total volume ² :	135 litre
Noise output / Sound power level:	38 dB(A) / C
Climate rating:	N (from +16 °C to +32 °C)
Door:	Glass door, frame black
Side walls:	black
Exterior dimensions in cm (h / w / d):	90.1 / 59.7 / 61.2



Controls

- Mechanical controls on front, control dial

Wine compartment

- 1 Temperature zone, which can set from +5°C to +20°C
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- Interior lighting permanently on
- Adjustable grid shelves
- 3 Shelves

Key features

- HardLine
- Ergonomically designed slimline handle, black
- Reversible door hinging
- Replaceable door seal

**ZKes 453**

Humidor

Energy efficiency class:	
Energy consumption year / 24 hrs:	162 / 0.443 kWh
Total volume:	43 litre
Noise output / Sound power level:	40 dB(A)
Climate rating:	N (from +16 °C to +32 °C)
Door:	Glass door with stainless steel frame and SmartSteel
Side walls:	stainless steel with SmartSteel
Exterior dimensions in cm (h / w / d):	61.2 / 42.5 / 47.8



Controls

- LCD display in the interior, touch electronic
- Digital display of temperature and humidity
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Humidor

- 1 Temperature zone, which can set from +16°C to +20°C
- Humidity range, adjustable between 68% to 75%
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Spanish cedar wood fittings
- 2 Shelves

Key features

- HardLine
- Fixed door hinge, right
- Replaceable door seal
- 2 presentation boxes
- Suitable for wall mounting
- Lock

Our catalogue programme

Ask your Liebherr dealer for our main catalogues for freestanding and fully integrated appliances and for our specials. All catalogues are also available for download at home.liebherr.com.



SmartDevice app: The smart companion for your Liebherr. Operate your appliances conveniently via app, receive important status messages and benefit from many other services relating to your fridge.



HNGRY: The smart every-day assistant for shopping, storage and supplies. The app helps you organise your shopping perfectly, keep an eye on your supplies at all times, and store them correctly.



You can download our apps here.



home.liebherr.com

