

---

Fully  
Integrated  
2022/2023

---

**LIEBHERR**

Refrigeration and freezing







## Timeless freshness

---

When it comes to groceries, you care about top quality and an authentic culinary experience. You take detours to visit stalls selling regional cheeses, you appreciate freshly caught fish, and you like to grow your own radishes. Wouldn't it be great if you could still taste this quality, even after several days in the fridge? Almost as if time were standing still? We think it would.

That is what motivates us to constantly develop new and even better solutions that guarantee perfect storage conditions for all kinds of groceries. For long-lasting freshness, to protect valuable vitamins, and for food that tastes as if it had just been bought or harvested. But why not find out for yourself? Check out our 2022 fully integrated range.





IRBd 5181 ▲ Peak-Serie

# Contents

Liebherr Corporate Group	6
Quality	8
Sustainability	10
Performance in balance	12
Freshness technologies	14
EasyFresh	16
BioFresh	17
BioFresh Professional with HydroBreeze	18
BioFresh Professional with Fish & Seafood-Safe	20
Design	22
Comfort and flexibility	24
Water and ice	26
Side-by-Side concept	28
Connectivity	32
User interface	34
Accessories	36
Side-by-Side Food Storage Centres	38
Series	42
Overview of product range	44
Side-by-Side	46
Fridge-freezers	56
Fridges	72
Freezers	94
Under-worktop	108
Wine cabinets	120
Glossary	136
Diagrams	138



# Global success: The Liebherr Group.

Liebherr is a third-generation, family-owned company founded in 1949 by Hans Liebherr with his ground-breaking invention of the world’s first mobile tower crane.

With over 70 years of success, Liebherr is known as a pioneer in high-quality, breakthrough innovations and countless cutting-edge technologies in numerous industries. One of the world's largest manufacturers of construction machinery, Liebherr has expanded its broadly diversified portfolio to 13 product segments including earthmoving, deep foundation machines, mobile and crawler cranes, tower cranes, concrete technology, material handling technology, mining, maritime cranes, aerospace and transportation systems, gear technology and automation systems, components, hotels and refrigeration and freezing. The company currently employs about 48,000 people in more than 140 companies in over 50 countries worldwide.



Earthmoving



Mobile cranes



Deep foundation



Crawler cranes



Refrigeration and freezing



Liebherr-Hausgeräte GmbH, Germany

## Liebherr-Hausgeräte – Specialists in refrigeration and freezing.

Liebherr-Hausgeräte covers the full range of refrigeration and freezing for domestic and commercial use. Headquartered in Germany, Liebherr-Hausgeräte has an impressive range of more than 3,000 products in its portfolio.



# Even the smallest detail deserves the utmost attention.

We prioritise uncompromising quality – down to the tiniest screw. And we have done so from the very start. We have been manufacturing high-quality refrigerators and freezers and selling them worldwide since 1954. However, at heart we are still a family business with deep roots in Germany. It is here that we continue to develop all our products just as before. German engineering – out of loyalty to our founder and with the knowledge built up by generations of engineers.



**Convenience for everybody.**

Our new fully integrated appliances are available in different series: Pure, Plus, Prime and Peak. But whatever series you opt for, every single Liebherr comes with uncompromising Liebherr quality. This is because even in the Pure series, every appliance comes with a wide range of features. One example is NoFrost – the automatic defrosting function. Another is our EasyFresh technology for storing fruit and vegetables. Then there is our DuoCooling feature. With two separate refrigerant circuits, it ensures that no air is exchanged between the fridge and freezer compartments. The stored groceries do not dry out and no odours are transferred.



EasyFresh for fruit and vegetables from the Pure series onwards



No more defrosting thanks to NoFrost (from the Pure series onwards)



IRBdi 5180 Δ Peak Series

**Built to last.**

You can experience our quality standards in the smallest of details. For example, before a door hinge is approved by us, it must pass through at least 100,000 opening cycles. This corresponds to a usage period of more than 15 years. We also test all other functional parts to ensure that they can last just as long.

And if, contrary to expectations, a small detail no longer meets your requirements, you or our premium service partners can usually correct it quickly. Because all our appliances are extremely repair-friendly. We keep all essential spare parts in stock for well over 10 years. This practice is not just sustainable, it also saves you money on minor repairs or the purchase of a new appliance.

**We don't just say it. We guarantee it.**

During manufacturing we inspect all components of our refrigerators with great care and test them far more rigorously than required by law – and we do this for the last time just before they are packaged. It is only then that our appliances can relax a little. All of our manufacturing sites are certified in accordance with the international standards for quality ISO 9001, energy management ISO 50001 and environmental management ISO 14001. Therefore, nothing could be easier for us than to guarantee for at least two years that our products are free of material and manufacturing faults and are particularly easy to install.

With WarrantyPlus, you can easily extend this warranty for up to 10 years.

In short: one thing is certain – you will be able to enjoy your Liebherr for a long time.



We are fastidious about sustainability when designing our appliances. In addition to a long service life for our appliances, the most important pillars are maximum energy efficiency, avoiding food waste, and using less plastic. Why do we do all this? Because we don't just want our appliances to last as long as possible, we want our planet to flourish as well.

Preventing waste.

By storing groceries in perfect climate conditions, you make a significant contribution in preventing food waste. Our appliances make this possible – with a combination of innovative features.

First: our freshness technologies. DuoCooling in our fridge-freezers, for example, prevents your groceries from drying out faster than need be. Innovative freshness technologies such as BioFresh ensure perfect storage conditions that significantly extend product life and freshness. So there's no need to throw food away before its time, and you don't need to go shopping so often. And the largest zero-degree compartments on the market provide enough space for extra-large amounts of groceries.

Second: our SmartDevice app helps you store your groceries correctly allowing you to keep and enjoy them for longer.

Third: our appliances are smart. They let you know if perfect storage for your groceries is at risk, for example by means of the door alarm, which alerts you when the appliance is left open.

Efficient, more efficient, Liebherr.


This year's range once again has a great many appliances with the best energy efficiency classes on the market – and that is true for all our product groups: fridges, freezers and fridge-freezers from the new generation of freestanding units.

But of course there are plenty of other details, some very minor, that make a significant difference to a Liebherr in terms of efficiency. The four energy-saving modes, for example. Like EnergySaver, which increases the standard temperature to 7°. Or HolidayMode, which cools only the essentials while you are on holiday. Then there is CleaningMode, which saves energy while you clean your appliance.

Quality that has an impact on the climate.

We work exclusively with long-life vacuum panels and natural refrigerants, and we will use absolutely no HFO propellants until their environmental effects are fully understood. We also bear the environment in mind during production. Mostly we install materials that can be recycled after the appliance is scrapped. We also ensure that excess plastic is consistently reused.



**Liebherr SIBa 3950**  **Prime series**  
With the full space BioFresh refrigerator, we have succeeded in reaching the highest energy efficiency class in a balanced overall package. There's only one reason for this: the extremely convenient vacuum panels, which provide good insulation.



For water without plastic.

Our InfinitySpring provides cold, perfectly filtered water in your kitchen. So you no longer need to buy bottled water, and carry bottles and crates around.



# Perfectly thought out: a powerful, complete package.

Our fridges are real all-rounders. Along with their low power consumption, they also have impressively low noise levels, plenty of space for groceries, a long service life and decent power reserves for when it really matters. We take account of a great many factors during the development stage and can offer a perfectly balanced appliance. Or to put it another way: all good things come in fours.



## Energy consumption

Our new fully integrated appliances units occupy top positions in the efficiency rankings. In this way, they protect the precious resources of our environment and – thanks to low electricity costs – your wallet too.

## Cooling volume

We have the perfect appliance for all family sizes, lifestyles and niche heights. We make sure that we do not waste a single litre of capacity in the extra-large drawers – right down to the smallest detail, for example with the lighting solutions that have been integrated in the housing to save space.

## Noise level


The boundaries between the kitchen and living areas are becoming ever more blurred in modern households. This underlines the importance of particularly quiet appliances. Our new freestanding range therefore offers a wide selection of extremely quiet appliances. In some cases, it even reaches the ultra-quiet noise level of 32 db.



## Cooling performance

Intelligent sensor technology constantly adapts the cooling performance to current use, making our freestanding units very energy-efficient and economical in everyday use. At the same time they also have plenty of power in reserve, for example to cool down a large quantity of groceries after the weekly shop.

### The current energy label for electronic appliances



- 1 The QR code for identifying the product in the EU's EPREL database (European Product Database for Energy Labelling).
- 2 The model identifier for manual identification of the product in the EU's EPREL database, e.g. using the article number.
- 3 The new A to G efficiency scale. Note: G is solely used for wine cabinets.
- 4 The total volume\* of all freezer compartments.
- 5 The total volume\* of all cold storage and refrigerator compartments.
- 6 The noise level is classified in classes A to D.

The term "volume" is defined in current Regulation (EU) 2019/2016. The label for Great Britain includes the Union Jack.



# Tasty for longer.

You don't compromise when you're shopping. You look for natural ingredients, the best quality and maximum freshness. Of course, anyone who values good food wants to keep it fresh for as long as possible. That is precisely why we have developed innovative freshness technologies and improve them year after year, so your food still tastes fresh after some time in the refrigerator.



**DuoCooling. No drying out.**  
Our basic technology in all fridge-freezers. Two completely separate cooling circuits ensure that there is no air exchange between the fridge and freezer compartments. The food neither dries out nor spreads odour.



**EasyFresh. Ideal for fruit and vegetables.**  
Unpackaged fruit and vegetables feel right at home here. Stored at the same temperature as the fridge compartment and sealed airtight in the safe, lettuce, for example, is still crisp and fresh after 7 days.



**BioFresh. Our all-rounder.**  
The reliable BioFresh technology keeps food at a temperature just above 0 °C, much cooler than in the rest of the appliance. Fruit and vegetables stay fresh even longer in the airtight Fruit & Vegetable safe with the perfect humidity. Meat, fish and dairy products can enjoy ideal conditions in the Meat & Dairy Safe.



**BioFresh Professional with HydroBreeze. Refrigerate like the professionals.**  
A cold mist that covers fruit and vegetables like a protective balm. It ensures crisp freshness and improves structure – the special wow effect for fruit and vegetables in the BioFresh Professional Safe.



**BioFresh Professional with Fish & Seafood Safe. Like freshly caught fish from the market.**  
Particularly delicate foods like fish and seafood are best stored in icy temperatures and at low humidity. The constant temperature of -2 °C in the Fish & Seafood Safe is therefore ideal to keep items tasting fresh for longer.



**SmartFrost. Less frequent defrosting.**  
SmartFrost technology significantly reduces frost build-up in the interior and on the frozen food. Defrosting is then required less regularly. The interior walls are particularly smooth and easy to clean.



**NoFrost. No more defrosting.**  
The automatic defrosting function guarantees that frozen foods remain fresh. There is no longer a need to store frozen food temporarily during a manual defrost. The constant optimal freezing remains the same without interruptions.









# Cool and misty. Perfect weather for your vegetables.

Our HydroBreeze feature exemplifies our highest standard of freshness. A cold mist covers fruit and vegetables like a protective balm in the BioFresh Professional Safe. The mist ensures crisp freshness, improves structure and keeps produce with fine leaves fresh for longer. It also creates an optical wow effect in the BioFresh Professional-Safe.




**Nature's freshness secret.**

The Salinas valley in California is known as the salad bowl of the USA. And that is because of the particularly favourable climatic conditions. Its proximity to the cool waters of the Pacific means a fine, moist mist covers the valley and its fields in summer. This prevents the crops growing here from drying out. It is precisely this idea which inspired our BioFresh Professional with HydroBreeze.



Every time the door is opened, a fresh, cold mist is generated.



More about  
HydroBreeze

Specifications made in days are comparisons  
to the normal fridge compartment.



As if freshly caught for the market. With our Fish & Seafood Safe.



To keep fish and seafood tasting as fresh as at the market stall, even after a few days, you need a fridge compartment which maintains their freshness; such as our Fish & Seafood Safe. Fish and seafood can be stored here at -2 °C and low humidity. Perfect conditions to enjoy that freshly caught flavour for much longer.



Day specifications are comparisons to the normal fridge compartment.



**Flexible use**  
The surface of the BioFresh Professional Safe can be adjusted to individual requirements. The -2 °C can be partially or even completely adjusted to a temperature zone at just above 0 °C. This is the optimal storage environment for meat and dairy products. We have illustrated these four options below:





# Timeless and elegant. Design for every kitchen.

Hidden behind the panels of your integrated kitchen, your Liebherr is inconspicuous and lets the design of the kitchen take the spotlight. But once you open it, it's immediately apparent that behind the door lies something very special.

**Design meets functionality.**

Puristic and timeless on one hand. Elegant and exclusive on the other. The new design language blends seamlessly into any interior: The high quality glass and stainless steel components are impressive. The precise craftsmanship, an eye for detail and the harmonious combination of materials, shapes and colours create an aesthetically pleasing whole. This is subtly highlighted by the new lighting concept, LightTower.



The new LightTower lighting concept evenly illuminates the interior while supporting the glass shelves. Flexible, space-saving, unique.



Just a fan? Not at all: the new fan with ambient lighting ensures almost uniform temperature distribution and also includes the FreshAir activated charcoal filter. Functionality at its best.



ICBdi 5182 Δ Peak Series



# Fits exactly to your needs.

Fridges and freezers are used daily. They have long been an essential part of our lives. And they should be as simple to use and convenient for you as possible. That's why we develop fully integrated appliance that impress with their ease of use, clarity and flexibility – from the first door opening to the smallest features. In this way they adapt perfectly to meeting your needs.

Do you like things to be well organised? With the VarioBox and the VarioSafe you can store smaller objects neatly in the door or interior – always exactly at the height you like.

How about a cold drink? The glass shelf above the BioFresh safe transforms into a bottle shelf in next to no time. The freezer compartment also ensures you are well prepared. VarioSpace creates space for an appliance from our new fully integrated series:

VarioSpace creates space for the largest turkey or the highest ice cream cake. Speaking of cake: For all those who love baking, our fridges and fridge-freezers offer enough space for a full baking tray.

## Sometimes in life we can have everything we want.

The features of the new fully integrated appliance give you more freedom. The divisible glass shelf, with its effortless one-handed operation, creates space for tall containers and carafes.

## Full of food. And convenience.

To ensure that all your food is always perfectly accessible, our appliances have telescopic rails in the fridge and freezer compartments which enable the drawers to slide back and forth with ease. And even once you have found all the ingredients, there is still further convenience with thanks to the SoftSystem. This means that our doors always close gently and quietly, even if the force applied is a little too strong.



IRCBf 5121 ♦ Plus Series





# This spring has its source in the fridge.

With the InfinitySpring, we bring a crystal clear, cold water source right into the heart of your kitchen. Because water is healthy. This makes lugging of heavy crates and water in plastic bottles a thing of the past. This relieves the strain on your back and on our environment. Simple and sustainable.

## Ice-cold water on tap with no heavy lifting.

The flush-mounted water dispenser is always there when it is needed and almost invisible when it's not. It is suitable for containers of almost any size, including carafes or bottles for soda makers. The integrated filter system ensures perfect water quality. By the way, unlike traditional table-top water filters, this one only needs to be replaced every six months.



# Our new space saving miracle.

The pull-out IceTower sets a new standard. It combines two large storage options: the automatic IceMaker for up to 5.7 kg of ice cubes and an additional spacious compartment, large enough to store a few family pizzas upright, for example. Plus, to ensure everything can be found easily at these dimensions, we have also provided lighting for our IceTower.



## Flexible installation.

The IceMaker is available with a direct connection to the drinking water supply. If such a connection is not available, there are also models with a water tank in the fridge compartment. So you can enjoy convenient ice cube production even without a fixed tap water connection.





Side  
by  
Side

## Creating an individually designed freshness centre (Mix and Match).

Combine your Liebherr appliance with complete flexibility to suit your individual freshness needs. All models labelled side-by-side, can be vertically and/or horizontally combined to form your individual freshness centre, providing perfect solutions to all your storage needs.

So you can have everything in one place: Generous cooling capacity, extra-long freshness with BioFresh, wines at just the right temperature and the comfort of never having to defrost again with NoFrost.

SIFNe 5188 Δ Peak Series

EWTdf 3553 Vinidor


IRBd 5180 Δ Peak Series



# Create your own individual freshness centre (Mix and Match).





In order to prevent condensation between the units, Side-by-Side Liebherr appliances are equipped with an integrated heating element in the ceiling and/or side walls. That means that different Liebherr models can be easily combined, protecting both themselves and the kitchen furniture perfectly.





### Freezers with heated ceilings

The heated ceiling enables freezers with a niche height of 72 or 88 cm to be combined vertically with a fridge or wine cabinet to any niche height.





### Side walls heated on both sides

The heated side walls enable appliances to be placed on both sides at any niche height.



### Heated ceiling and side walls

The heated ceiling and heated side walls enable appliances to be combined above at any niche height. Double-sided combinations up to a niche height of 178 cm are possible.





# We are already providing what the future will bring.

One thing is clear: Technology will get smarter and smarter in the future. But does a fridge need to be intelligent? It doesn't have to be. But we believe another cool head in the household can't do any harm. Thanks to many smart functions, our appliances have proven themselves to be reliable helpers behind the scenes.

## Built-in progress.

Your fridge thinks for you whenever it can. For example, it reminds you of forgotten drinks in the freezer – thanks to the integrated BottleTimer. So burst bottles are a thing of the past.

When you're on holiday, simply switch your fridge to HolidayMode. That way you can save a lot of energy. And especially interesting for all those who are also drawn to the fridge at night: NightMode. The interior is then only illuminated with a dimmed light. So after a midnight snack, you can go back to bed quickly and are guaranteed not to fully wake up from your slumbers.



Learn how digitally networked refrigeration makes your everyday life easier:  
[home.liebherr.com/shop/en/gbr/](http://home.liebherr.com/shop/en/gbr/)



## Always perfectly networked.

All our new fully integrated models are either already networked\* at the plant or can be retrospectively connected to a WiFi network using a SmartDeviceBox. You therefore benefit from all our SmartDevice app options and from integrating the refrigerator into an existing Smart Home environment.

Important status and alarm notifications are sent directly to your smartphone, for example notification via door alarm of a fridge door being left open. However, our SmartDevice app has much more to offer. Besides the simple management of all appliances and controlling them while on the move, the app also helps with storing food correctly and therefore provides even greater enjoyment and extends shelf lives. The right accessories for each refrigerator, access to warranty extensions and much more can also be found here.

In short, our appliances make you ready for tomorrow today.

## We play it very, very safe.

We take data protection very seriously. For this reason we have chosen a software partner who shares our high standards: Microsoft. Microsoft, as the first leading provider of cloud services, is certified in accordance with the international standard ISO/IEC 27018, which regulates data protection, and uses AES-256 – the same encryption technology employed in the banking sector.

\* Appliances with a built-in SmartDeviceBox can be identified by the "i" behind the model designation (e. g.: ICBdi 5182).

Availability may vary according to country.



You can download the SmartDevice app here:



Learn how digitally networked refrigeration makes your everyday life easier:  
[home.liebherr.com/getsmart](http://home.liebherr.com/getsmart)










# Refrigerators, that leave all your options open – and your doors closed.







We don't develop refrigerators with the most functions. We develop refrigerators with exactly the right functions to store food safely and give our customers what they really need. To make their lives noticeably easier. And then we implement these features to technical perfection.






You can never be too safe.

-  **Door alarm**  
Alarm when the door is open, visual as well with pulsating LED lighting.
-  **Temperature alarm**  
Visual and audible warning as soon as the temperature in the freezer compartment reaches a critical level.
-  **Power failure alarm**  
Visual and audible alarm in case of power failure for safe storage.
-  **Appliance failure alarm**  
Optical and acoustic warning in case of appliance failure.
-  **Reminder**  
Automatic reminder for maintenance and care.
-  **Input lock**  
Prevents all changes to settings or activation of functions.
-  **DemoMode**  
For optimal presentation of the appliance in showrooms: User interface and lighting on, cooling system off.




A touch more convenience.

-  **CleaningMode**  
For a perfect view when cleaning, the lights stay on while the cooling system switches off..
-  **PartyMode**  
PartyMode activates functions like SuperCool and maximum ice production.
-  **HolidayMode**  
The fan, SuperCool and SuperFrost are switched off and the fridge temperature is increased to +15 °C to save electricity. The freezer compartment stays switched on.
-  **EnergySaver**  
Raises the standard temperature to maximum 7 °C to reduce power consumption.
-  **SabbathMode**  
All lighting and sounds are switched off, deactivating themselves after 80 hours.
-  **Language settings\***  
Variable language setting for 12 languages on the display.

Core competence cooling.

-  **Temperature display**  
The display always shows the current temperature value. Flashing items in the menu indicate changes..
-  **SuperFrost**  
Increased cooling in the freezer compartment for vitamin-preserving freezing.
-  **SuperCool**  
Increase the cooling performance until the fresh food is as cool as the rest of the contents.

Simply smart with the app.

-  **NightMode**  
All sounds and noises are switched off – and the lighting is dimmed. For undisturbed quiet.
-  **BottleTimer**  
Extra fast cooling by activating SuperFrost. The app sends an automatic reminder to take the bottles out of the ice compartment.
-  **IceCubeTimer\***  
Faster rate of ice cube production. As soon as the ice cubes are ready, the app sends a notification.

\*Function only available with Touch & Swipe display.  
\*\*Available only in the Prime and Peak series.



# Flexible accessories for your appliance

Get more from your Liebherr appliance with our range of accessories - and make your daily life a little easier.



## Lifestyle features

Our butter dish offers space for a wide variety of butter sizes and fits perfectly into all shelves. The easy-to-fill ice cube tray is non-spill. Saving energy made easy: With the Vario energy-saving panel, you can reduce the energy consumption of your NoFrost freezer by up to 30% when you not using all drawers.



## Perfect installation – perfect appearance

Connecting sets, stainless steel frames and fronts with matching handles or drawers for accessories: the product range features many accessories that can help integrate a fully integrated appliance in the kitchen in an individual and visually perfect fashion.

## Accessories and Consumables

For details of which accessories fit your appliance, please visit our webshop.  
<https://home.liebherr.com/shop/en/gbr/accessory.html>



## Organisational systems

Set up your fridge how you want it: In addition to the VarioSafe and the VarioBoxes, to leave room on the shelves for larger items, we have solutions for loose produce such as the 2in1 egg tray and the FlexSystem. Or personalise your wine cabinet with our bottle shelves, presentation shelves and clip on labelling.





# Quality down to the finest detail



### SmartSteel rear wall

The rear wall in elegant SmartSteel gives your Liebherr a stylish look and feel. Your food will also love SmartSteel as stainless steel is food-safe and hygienic. SmartSteel also reduces the visibility of fingerprints – making the appearance even more pleasing.



### BioFresh

Crunchy salad and strawberries: the most delicate foods deserve a special place so they stay fresh longer – in BioFresh safes. In the Fruit & Vegetable safe the temperature is close to 0°C. Combined here with the constant humidity, thanks to the air-tight closure, unpackaged fruit and vegetables feel particularly at home. You do not have to adjust anything.



### IceMaker with fixed water connection

Are there any ice cubes left? An IceMaker means you never have to ask. With the IceMaker with fixed water connection, the water comes directly from the tap. The MaxIce function allows you to produce up to 1.5 kg of ice cubes a day. The ice cube separator helps to divide the drawer into any size you want – for example, ice cubes on the left, ice cream on the right – or just for ice cubes.



### LED side lighting on both sides

For a quick overview of everything in the refrigerator: thanks to the LED side lighting on both sides, your food is in view at all times. The LEDs are positioned so that your large refrigerator is also illuminated with food inside it. And the LEDs integrated flush into the side walls mean that the valuable usable area is fully maintained.



### NoFrost

When you open your freezer, you want to see frozen food – and certainly not ice and frost. NoFrost protects the freezer compartment from unwanted icing, which consumes a lot of energy and can be expensive. NoFrost means no more tedious and time-consuming defrosting of the freezer compartment, more time for other things – and saving money.



### Versatile bottle shelf

The versatile bottle shelf is an innovative feature in all BioFresh Premium models. It can be positioned above or below the glass shelf to suit individual requirements.



### ECBN 6256 PremiumPlus

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>F</div><div>A</div></div>
Energy consumption per year / 24 h:	341 / 0.935 kWh
Total volume <sup>1</sup> :	522 l
Volume: Fridge: 292.2 l / BioFresh compartment: 70.6 l / Freezer compartment: 160 l	
Noise output / Sound power level:	40 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	203.2 - 207.2 / 91.5 / at least 63.5
Special fitting depth see installation diagram	



#### Controls

- MagicEye, Touch electronics
- Digital temperature display for refrigerator and freezer compartment
- FrostControl
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock function

#### Freezer compartment \*\*\*\*

- 2 Self-closing drawers on telescopic rails
- IceMaker for plumbed-in connection 3/4"
- Ice cube production in 24 h: 1.3 kg
- Ice cube storage: 2.7 kg
- LED lighting
- Storage time in the event of power cut: 12 h
- Freezing capacity in 24 h: 10 kg

#### Fridge and BioFresh compartment

- PowerCooling
- Egg tray
- 3 GlassLine shelves
- Variable bottle shelves
- LED lighting column on both sides and LED ceiling light
- LED BioFresh lighting
- 2 BioFresh-Safes with telescopic rails, both variably adjustable from HydroSafe to DrySafe

#### Key features

- Height-adjustable feet at front and rear
- Door stop left fix / right fix
- Dry rear wall in stainless steel

Stainless steel panels and handles available as accessories.



### ECBN 6156 PremiumPlus

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>F</div><div>A</div></div>
Energy consumption per year / 24 h:	414 / 1.133 kWh
Total volume <sup>1</sup> :	522 l
Volume: Fridge: 292.2 l / BioFresh compartment: 70.6 l / Freezer compartment: 160 l	
Noise output / Sound power level:	41 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	203.2 - 207.2 / 91.5 / at least 63.5
Special fitting depth see installation diagram	



#### Controls

- MagicEye, Touch electronics
- Digital temperature display for refrigerator and freezer compartment
- FrostControl
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock function

#### Freezer compartment \*\*\*\*

- 2 Self-closing drawers on telescopic rails
- IceMaker for plumbed-in connection 3/4"
- Ice cube production in 24 h: 1.3 kg
- Ice cube storage: 2.7 kg
- LED lighting
- Storage time in the event of power cut: 12 h
- Freezing capacity in 24 h: 10 kg

#### Fridge and BioFresh compartment

- PowerCooling
- Egg tray
- 3 GlassLine shelves
- Variable bottle shelves
- LED lighting column on both sides and LED ceiling light
- LED BioFresh lighting
- 2 BioFresh-Safes with telescopic rails, both variably adjustable from HydroSafe to DrySafe

#### Key features

- Height-adjustable feet at front and rear
- Right hand hinge, fixed
- Dry rear wall in stainless steel

Choose from left (617) or right (001) hand hinge, fixed.

Stainless steel panels and handles available as accessories.

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point. You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.





Combined refrigerator-freezer with BioFresh and NoFrost for integrated use



ECBN 5066  
PremiumPlus

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div>F</div>
Energy consumption per year / 24 h:	326 / 0.893 kWh
Total volume <sup>1</sup> :	402 l
Volume:	Fridge: 215.3 l / BioFresh compartment: 62.1 l / Freezer compartment: 124.6 l
Noise output / Sound power level:	42 dB(A)
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	203.2-207.2 / 76.2 / at least 61.0
Special dimension depth see installation diagram	

Bio Fresh	Duo Cooling	No Frost	Ice Maker	Super Cool	Super Frost
-----------	-------------	----------	-----------	------------	-------------

Controls

- MagicEye, Touch electronics
- Digital temperature display for refrigerator and freezer compartment
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock function

Fridge and BioFresh compartment

- PowerCooling
- Egg tray
- 3 GlassLine shelves, of which 1 divisible
- Variable bottle shelf
- LED light column, both sides
- LED BioFresh lighting
- 2 BioFresh-Safes with telescopic rails, both variably adjustable from HydroSafe to DrySafe

Freezer compartment **\*\*\***

- 2 Self-closing drawers on telescopic rails
- IceMaker for plumbed-in connection 3/4"
- Ice cube production in 24 h: 1.0 kg
- Ice cube storage: 2.7 kg
- LED lighting
- Storage time in the event of power cut: 16 h
- Freezing capacity in 24 h: 6 kg

Key features

- Height-adjustable feet at front and rear
- Right hand hinge, reversible
- Dry rear wall in stainless steel

Choose from left (617) or right (001) hand hinge, fixed.  
Stainless steel panels and handles available as accessories.

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point. You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.



For a clear overview.  
Even before you  
open the fridge.

- Pure
- ◇ Plus
- ⬡ Prime
- △ Peak

Which appliance is right for me?  
This customer question is not always easy to answer.  
That’s why we have made things even simpler by dividing  
our product range into four easy to understand Series.

○ **Pure Series**  
The Pure Series is our basic class. Simple, clear and perfectly equipped for all essential needs. Appliances in the Pure Series are stripped down to the essentials. But full to the brim with the highest level of Liebherr quality.



◇ **Plus Series**  
The Plus Series builds on our Pure Series and has many impressive additional details. Above all, Plus means a plus in comfort. The appliances not only provide first-class refrigerating and freezing, they are also just that little bit smarter. They help make much of the handling a little easier.

⬡ **Prime Series**  
With the Prime Series things get much more classy. It makes an unmistakable mark in terms of design and material. Above all, genuine materials are used inside the appliances, such as stainless steel. But also special lighting solutions make the appliances in this Series particularly appealing.




△ **Peak Series**  
The Peak Series sits at the top of our Series. This combines the best with the best. There is no compromise. Innovative Liebherr technology meets high-end design and comfort solutions that are simply the best in its class. Appliances in this Series are for those who want everything.



# Overview of product range according to niche and series

## Side-by-Side Freshness Centres




Door on door	Combination   Combination	
BioFresh		
EasyFresh   BioFresh NoFrost   NoFrost   IceMaker	IXCC 5165	
	SICNd 5153	ICBNd 5163
EasyFresh   BioFresh NoFrost   NoFrost	IXCC 5155	
	SICNd 5153	ICBNd 5153

Door on door	Freezer   Fridge	
BioFresh Professional		
NoFrost   HydroBreeze IceTower   Fish & Seafood	IXRF 5185	
	SIFNe 5188	IRBd 5170
BioFresh		
NoFrost   IceTower   BioFresh	IXRF 5165	
	SIFNe 5188	IRBd 5150
NoFrost   BioFresh	IXRF 4155	
	SIFNd 4155	IRBd 4150
	IXRF 5125	
	SIFNf 5128	IRBe 5120
EasyFresh		
NoFrost   EasyFresh	IXRF 5100	
	SIFNf 5108	IRe 5100

Sliding door	Freezer   Fridge	
BioFresh		
NoFrost   BioFresh	IXRFS 5125	
	SIFNSf 5128	IRBSe 5120

## Combined refrigerator-freezer



Door on door	
BioFresh Professional	
NoFrost/HydroBreeze/ Fish & Seafood	ICBNd 5173
	ICBNdi 5173
NoFrost/HydroBreeze	ICBNdi 5183
	ICBNd 5183
SmartFrost	ICBdi 5182


BioFresh	
NoFrost	ICBNd 5163
	ICBNd 5153
	ICBNe 5123
SmartFrost	ICBb 5152
	ICBd 5122

EasyFresh	
NoFrost	ICNdi 5173
	SICNd 5153
	ICNe 5133
	ICNf 5103
SmartFrost	ICd 5123
	ICe 5103

Sliding door	
EasyFresh	
NoFrost	ICNSf 5103
SmartFrost	ICSe 5122
	ICSe 5103

- △ Peak Series
- Prime Series
- ◇ Plus Series
- Pure Series

## Fridges



Door on door							
BioFresh Professional							
HydroBreeze/ Fish & Seafood	IRBd 5170						
HydroBreeze	IRBA d 5190		IRBd 4570	IRBb 4170			
	IRBd 5180						
BioFresh	IRBd 5151	IRBe 4851		IRBd 4150		SIBa 3950	
	IRBd 5150						
	IRBe 5120				IRBd 4020		
EasyFresh				IRd 4151		IRd 3950	
	IRf 5101		IRe 4521	IRe 4101		IRf 3900	
	IRe 5100		IRe 4520	IRe 4100			
Bottle pull-out	IRDe 5120						
Cellar compartment/BioFresh	IRCBf 5121						
Sliding door							
BioFresh	IRBSe 5120						
EasyFresh						IRSf 3901	
						IRSf 3900	
Decor panel							
EasyFresh						DRf 3900	

## Freezers

Door-on-door							
NoFrost/IceTower	SIFNe 5188						
NoFrost			SIFNd 4556	SIFNd 4155			IFNe 3553
	SIFNf 5128				IFNe 3924		
	SIFNf 5108						IFNe 3503
SmartFrost						IFe 3904	
Sliding door							
NoFrost	SIFNSf 5128						
SmartFrost						IFSe 3904	



# Side-by-Side

SIFNe 5188 Δ Peak Series

IRBPd 5170 Δ Peak Series

Side  
by  
Side

Create your own freshness centre with our side by side fridges, freezers and wine cabinets in various recesses. For more information about the Side-by-Side concept see pages 28 - 31.





IXCC 5165  
Prime

SICNd 5153 Prime	
Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	181 / 0.497 kWh
Total volume <sup>1</sup> :	254 l
Volume:	Fridge: 184.4 l / Freezer compartment: 70 l
Noise output / Sound power level:	34 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Easy Fresh	Duo Cooling	No Frost	Glass & Steel Interior	Light Tower	Soft System	Touch & Swipe-Display	Vario Space	Super Cool
Super Frost	Smart Device							

<b>Controls</b> <ul style="list-style-type: none"><li>· 2.4" TFT-colour display, touch- &amp; swipe-electronics</li><li>· Digital temperature display for refrigerator and freezer compartment</li><li>· SmartDeviceBox: as an optional accessory</li><li>· Alarm in case of malfunction: visual and acoustic</li><li>· Door alarm Fridge-freezer compartment: visual and acoustic</li></ul>	<b>Freezer compartment</b> <b>****</b> <ul style="list-style-type: none"><li>· 3 drawers, VarioSpace</li><li>· Ice cube tray with lid</li><li>· LED lighting</li><li>· Storage time in the event of power cut: 9 h</li><li>· Freezing capacity in 24 h: 6 kg</li><li>· 2 cold storage accumultors</li><li>· Safety glass fittings</li></ul>
<b>Fridge compartment</b> <ul style="list-style-type: none"><li>· PowerCooling with FreshAir active carbon filter</li><li>· Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish</li><li>· 5 GlassLine shelves, of which 1 divisible</li><li>· VarioSafe</li><li>· 3 bottle shelf</li><li>· LightTower</li><li>· 1 EasyFresh-Safe on telescopic rails</li></ul>	<b>Key features</b> <ul style="list-style-type: none"><li>· Side-panel heating on both sides, suitable for combination with other fridges, freezers and/or wine appliances</li><li>· Height-adjustable feet at front</li><li>· Left hand hinge, reversible</li><li>· Replaceable door seal</li><li>· Dry rear wall in stainless steel with SmartSteel</li></ul>
<b>Controls</b> <ul style="list-style-type: none"><li>· 2.4" TFT-colour display, touch- &amp; swipe-electronics</li><li>· Digital temperature display for fridge, BioFresh and freezer compartments</li><li>· SmartDeviceBox: as an optional accessory</li><li>· Alarm in case of malfunction: visual and acoustic</li><li>· Door alarm Fridge-freezer compartment: visual and acoustic</li></ul>	<b>Freezer compartment</b> <b>****</b> <ul style="list-style-type: none"><li>· 3 drawers, VarioSpace</li><li>· IceMaker for plumbed-in connection 3/4"</li><li>· Ice cube production in 24 h: 1.2 kg</li><li>· Ice cube storage: 5 kg</li><li>· LED lighting</li><li>· Storage time in the event of power cut: 9 h</li><li>· Freezing capacity in 24 h: 6 kg</li><li>· 2 cold storage accumultors</li><li>· Safety glass fittings</li></ul>
<b>Fridge and BioFresh compartment</b> <ul style="list-style-type: none"><li>· PowerCooling with FreshAir active carbon filter</li><li>· Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish</li><li>· 3 GlassLine shelves, of which 1 divisible</li><li>· Bottle shelf</li><li>· LightTower</li><li>· LED BioFresh lighting</li><li>· 2 BioFresh-Safes with SoftTelescopic, 1 Fruit &amp; Vegetable-Safe, 1 Meat &amp; Dairy-Safe</li></ul>	<b>Key features</b> <ul style="list-style-type: none"><li>· Height-adjustable feet at front</li><li>· Right hand hinge, reversible</li><li>· Replaceable door seal</li><li>· Dry rear wall in stainless steel with SmartSteel</li></ul>



IXCC 5155  
Prime

SICNd 5153 Prime	
Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	181 / 0.497 kWh
Total volume <sup>1</sup> :	254 l
Volume:	Fridge: 184.4 l / Freezer compartment: 70 l
Noise output / Sound power level:	34 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Easy Fresh	Duo Cooling	No Frost	Glass & Steel Interior	Light Tower	Soft System	Touch & Swipe-Display	Vario Space	Super Cool
Super Frost	Smart Device							

<b>Controls</b> <ul style="list-style-type: none"><li>· 2.4" TFT-colour display, touch- &amp; swipe-electronics</li><li>· Digital temperature display for refrigerator and freezer compartment</li><li>· SmartDeviceBox: as an optional accessory</li><li>· Alarm in case of malfunction: visual and acoustic</li><li>· Door alarm Fridge-freezer compartment: visual and acoustic</li></ul>	<b>Freezer compartment</b> <b>****</b> <ul style="list-style-type: none"><li>· 3 drawers, VarioSpace</li><li>· Ice cube tray with lid</li><li>· LED lighting</li><li>· Storage time in the event of power cut: 9 h</li><li>· Freezing capacity in 24 h: 6 kg</li><li>· 2 cold storage accumultors</li><li>· Safety glass fittings</li></ul>
<b>Fridge compartment</b> <ul style="list-style-type: none"><li>· PowerCooling with FreshAir active carbon filter</li><li>· Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish</li><li>· 5 GlassLine shelves, of which 1 divisible</li><li>· VarioSafe</li><li>· 3 bottle shelf</li><li>· LightTower</li><li>· 1 EasyFresh-Safe on telescopic rails</li></ul>	<b>Key features</b> <ul style="list-style-type: none"><li>· Side-panel heating on both sides, suitable for combination with other fridges, freezers and/or wine appliances</li><li>· Height-adjustable feet at front</li><li>· Left hand hinge, reversible</li><li>· Replaceable door seal</li><li>· Dry rear wall in stainless steel with SmartSteel</li></ul>
<b>Controls</b> <ul style="list-style-type: none"><li>· 2.4" TFT-colour display, touch- &amp; swipe-electronics</li><li>· Digital temperature display for fridge, BioFresh and freezer compartments</li><li>· SmartDeviceBox: as an optional accessory</li><li>· Alarm in case of malfunction: visual and acoustic</li><li>· Door alarm Fridge-freezer compartment: visual and acoustic</li></ul>	<b>Freezer compartment</b> <b>****</b> <ul style="list-style-type: none"><li>· 3 drawers, VarioSpace</li><li>· Ice cube tray with lid</li><li>· LED lighting</li><li>· Storage time in the event of power cut: 9 h</li><li>· Freezing capacity in 24 h: 6 kg</li><li>· 2 cold storage accumultors</li><li>· Safety glass fittings</li></ul>
<b>Fridge and BioFresh compartment</b> <ul style="list-style-type: none"><li>· PowerCooling with FreshAir active carbon filter</li><li>· Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish</li><li>· 3 GlassLine shelves, of which 1 divisible</li><li>· Bottle shelf</li><li>· LightTower</li><li>· LED BioFresh lighting</li><li>· 2 BioFresh-Safes with SoftTelescopic, 1 Fruit &amp; Vegetable-Safe, 1 Meat &amp; Dairy-Safe</li></ul>	<b>Key features</b> <ul style="list-style-type: none"><li>· Height-adjustable feet at front</li><li>· Right hand hinge, reversible</li><li>· Replaceable door seal</li><li>· Dry rear wall in stainless steel with SmartSteel</li></ul>

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.



Integrated Side-by-Side Freshness Centres



IXRF 5185

Peak

SIFNe 5188 Peak	
Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	237 / 0.648 kWh
Total volume <sup>1</sup> :	213 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

No Frost	LED	Ice Tower	Ice Maker	Soft System	Telescopic Rails	Touch & Swipe-Display	Vario Space	Super Frost
Smart Device								

Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm freezer compartment: visual and acoustic

Freezer compartment **4\*\*\***

- 8 drawers, of which 5 on telescopic rails, VarioSpace
- IceTower
- IceMaker for plumbed-in connection 3/4"
- Ice cube storage: 5.7 kg
- LED lighting
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 10 kg
- 2 cold storage accumulators
- Safety glass fittings

Key features

- Side-panel heating on both sides, suitable for combination with other fridges, freezers and/or wine appliances
- Height-adjustable feet at front
- Left hand hinge, reversible
- Replaceable door seal

Stainless steel panel and handle available as optional accessory: No. 9902007



IRBd 5170 Peak

Peak

IRBd 5170 Peak	
Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	124 / 0.340 kWh
Total volume <sup>1</sup> :	293 l
Volume:	Fridge: 198.1 l / BioFresh compartment: 95.2 l
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Bio Fresh Professional	Hydro Breeze	Fish & Seafood	Glass & Steel Interior	Light Tower	Soft System	Soft-Telescopic Rails	Touch & Swipe-Display	Super Cool
Smart Device								

Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display for refrigerator compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge and BioFresh compartment

- PowerCooling with Ambilight and FreshAir active carbon filter
- Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish
- 7 GlassLine shelves, of which 1 divisible
- VarioSafe
- Bottle shelf
- LightTower
- LED BioFresh lighting
- 3 BioFresh-Safes with SoftTelescopic, 1 Fruit & Vegetable-Safe with HydroBreeze, 1 Fish & Seafood-Safe, 1 Meat & Dairy-Safe, 1 FlexSystem

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal
- Dry rear wall and door panel in stainless steel with SmartSteel

Integrated Side-by-Side Freshness Centres



IXRF 5165

Prime

SIFNe 5188 Peak	
Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	237 / 0.648 kWh
Total volume <sup>1</sup> :	213 l
Volume:	Freezer compartment: 213 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

No Frost	LED	Ice Tower	Ice Maker	Soft System	Telescopic Rails	Touch & Swipe-Display	Vario Space	Super Frost
Smart Device								

Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm freezer compartment: visual and acoustic

Freezer compartment **4\*\*\***

- 8 drawers, of which 5 on telescopic rails, VarioSpace
- IceTower
- IceMaker for plumbed-in connection 3/4"
- Ice cube storage: 5.7 kg
- LED lighting
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 10 kg
- 2 cold storage accumulators
- Safety glass fittings

Key features

- Side-panel heating on both sides, suitable for combination with other fridges, freezers and/or wine appliances
- Height-adjustable feet at front
- Left hand hinge, reversible
- Replaceable door seal

Stainless steel panel and handle available as optional accessory: No. 9902007



IRBd 5150 Prime

Prime

IRBd 5150 Prime	
Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	125 / 0.341 kWh
Total volume <sup>1</sup> :	296 l
Volume:	Fridge: 197.7 l / BioFresh compartment: 98.4 l
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Bio Fresh	Glass & Steel Interior	Light Tower	Soft System	Soft-Telescopic Rails	Touch & Swipe-Display	Super Cool	Smart Device

Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display for refrigerator and BioFresh compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge and BioFresh compartment

- PowerCooling with FreshAir active carbon filter
- Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish
- 6 GlassLine shelves, of which 1 divisible
- VarioSafe
- Bottle shelf
- LightTower
- LED BioFresh lighting
- 3 BioFresh-Safes with SoftTelescopic, 2 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal
- Dry rear wall in stainless steel with SmartSteel

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.





IXRF 5125

Plus

SIFNf 5128 Plus	
Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div>F</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	296 / 0.811 kWh
Total volume <sup>1</sup> :	213 l
Volume:	Freezer compartment: 213 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0



Controls

- LC monochrome display, touch electronic
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm freezer compartment: visual and acoustic

Freezer compartment **❄️❄️❄️**

- 8 drawers, VarioSpace
- Ice cube tray
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 10 kg

Key features

- Side-panel heating on both sides, suitable for combination with other fridges, freezers and/or wine appliances
- Height-adjustable feet at front
- Left hand hinge, reversible
- Replaceable door seal

Stainless steel panel and handle available as optional accessory: No. 9902007

Controls

- LC monochrome display, touch electronic
- Digital temperature display for refrigerator compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge and BioFresh compartment

- PowerCooling with FreshAir active carbon filter
- 6 GlassLine shelves, of which 1 divisible
- Bottle shelf
- LED ceiling lighting
- 3 BioFresh-Safes on telescopic rails, 2 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal



IXRFS 5125

Plus

SIFNSf 5128 Plus	
Sliding door / built-in appliance for integrated use	
Energy efficiency class:	<div><div>F</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	296 / 0.812 kWh
Total volume <sup>1</sup> :	213 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0



Controls

- LC monochrome display, touch electronic
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm freezer compartment: visual and acoustic

Freezer compartment **❄️❄️❄️**

- 8 drawers, VarioSpace
- Ice cube tray
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 10 kg

Key features

- Side-panel heating on both sides, suitable for combination with other fridges, freezers and/or wine appliances
- Height-adjustable feet at front
- Left hand hinge, reversible
- Replaceable door seal

Stainless steel panel and handle available as optional accessory: No. 9902007

IRBSe 5120 Plus	
Sliding door / built-in appliance for integrated use	
Energy efficiency class:	<div><div>E</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	156 / 0.426 kWh
Total volume <sup>1</sup> :	294 l
Volume:	Fridge: 195.8 l / BioFresh compartment: 98.2 l
Noise output / Sound power level:	37 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0



Controls

- LC monochrome display, touch electronic
- Digital temperature display for refrigerator compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge and BioFresh compartment

- PowerCooling with FreshAir active carbon filter
- 6 GlassLine shelves, of which 1 divisible
- Bottle shelf
- LED ceiling lighting
- 3 BioFresh-Safes on telescopic rails, 2 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.





IXRF 5100

Pure

<b>SIFNf 5108 Pure</b>	
Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div>F</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	296 / 0.812 kWh
Total volume <sup>1</sup> :	213 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

No Frost	Touch-Display	Vario Space	Super Frost	Smart Device
----------	---------------	-------------	-------------	--------------

Controls

- LC monochrome display, touch electronic
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm freezer compartment: visual and acoustic

Freezer compartment **\*\*\***

- 8 drawers, VarioSpace
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 10 kg
- Safety glass fittings

Key features

- Side-panel heating on both sides, suitable for combination with other fridges, freezers and/or wine appliances
- Height-adjustable feet at front
- Left hand hinge, reversible
- Replaceable door seal

Stainless steel panel and handle available as optional accessory: No. 9902007

<b>IRe 5100 Pure</b>	
Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div>E</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	114 / 0.313 kWh
Total volume <sup>1</sup> :	308 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Easy Fresh	Touch-Display	Super Cool	Smart Device
------------	---------------	------------	--------------

Controls

- LC monochrome display, touch electronic
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge compartment

- PowerCooling with FreshAir active carbon filter
- 7 GlassLine shelves
- LED ceiling lighting
- 1 EasyFresh-Safe on telescopic rails
- 1 vegetable drawer running on telescopic rails

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal



IXRF 4155

Prime

<b>SIFNd 4155 Prime</b>	
Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div>D</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	166 / 0.454 kWh
Total volume <sup>1</sup> :	129 l
Noise output / Sound power level:	34 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	121.6 - 122.6 / 56 - 57 / at least 55.0

No Frost	LED	Soft System	Touch & Swipe-Display	Vario Space	Super Frost	Smart Device
----------	-----	-------------	-----------------------	-------------	-------------	--------------

Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm freezer compartment: visual and acoustic

Freezer compartment **\*\*\***

- 5 drawers, VarioSpace
- Ice cube tray with lid
- LED lighting
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 8 kg
- 2 cold storage accumulators
- Safety glass fittings

Key features

- Side-panel heating and ceiling heating, suitable for combination with other fridges, freezers and/or wine appliances
- Height-adjustable feet at front
- Left hand hinge, reversible
- Replaceable door seal

<b>IRBd 4150 Prime</b>	
Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div>D</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	114 / 0.312 kWh
Total volume <sup>1</sup> :	191 l
Volume:	Fridge: 124.1 l / BioFresh compartment: 67.0 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	121.6 - 123.1 / 56 - 57 / at least 55.0

Bio Fresh	Glass & Steel Interior	Light Tower	Soft System	Soft-Telescopic Rails	Touch & Swipe-Display	Super Cool	Smart Device
-----------	------------------------	-------------	-------------	-----------------------	-----------------------	------------	--------------

Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display for refrigerator and BioFresh compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge and BioFresh compartment

- PowerCooling with FreshAir active carbon filter
- Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish
- 3 GlassLine shelves, of which 1 divisible
- VarioSafe
- Bottle shelf
- LightTower
- LED BioFresh lighting
- 2 BioFresh-Safes with SoftTelescopic, 1 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal
- Dry rear wall in stainless steel with SmartSteel

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.



## Fridge-freezers



SICNd 5153 ◯ Prime Series



# Fridge-freezers



○ Pure Series



◇ Plus Series



⬡ Prime Series



△ Peak Series

	○ Pure Series	◇ Plus Series	⬡ Prime Series	△ Peak Series
Freshness technology	EasyFresh	EasyFresh	EasyFresh on telescopic rails	EasyFresh on telescopic rails
		BioFresh on telescopic rails	BioFresh with SoftTelescopic	BioFresh Professional with SoftTelescopic
	DuoCooling	DuoCooling	DuoCooling	DuoCooling
	FreshAir filter	FreshAir filter	FreshAir filter	FreshAir filter
	SmartFrost	SmartFrost	SmartFrost	SmartFrost
	NoFrost	NoFrost	NoFrost	NoFrost on telescopic rails
Comfort & flexibility		Divisible glass shelf	Divisible glass shelf	Divisible glass shelf
		SoftSystem soft stop mechanism	SoftSystem soft stop mechanism	SoftSystem soft stop mechanism
		VarioSafe	VarioSafe	VarioSafe
			VarioBoxes	VarioBoxes
			Butter dish	Butter dish
	Egg tray	Egg tray	2in1 egg tray	2in1 egg tray
		Bottle shelf	Bottle shelf	Bottle shelf
		Ice cube tray	Ice cube tray with lid	Ice cube tray with lid
				FlexSystem
				Freezer tray
Design	Ceiling or side lighting fridge compartment	Ceiling or side lighting fridge compartment	LightTower	LightTower
			Lighting BioFresh safe	Lighting BioFresh safe
			Freezer light	Freezer light
				IceMaker lighting
				Fan lighting
			SmartSteel rear wall	SmartSteel rear wall
				SmartSteel door interior
	Transparant glass	Transparant glass	Satin finish glass	Satin finish glass
	Stainless steel look shelves	Stainless steel look shelves	Glass & stainless steel rack	Glass & stainless steel rack
	Touch display	Touch display	Touch & Swipe display	Touch & Swipe display
Connectivity (SmartDeviceBox)	Can be retrofitted	Can be retrofitted or is included with "i" models	Can be retrofitted or is included with "i" models	Can be retrofitted or is included with "i" models
Water & ice		IceMaker	IceMaker	IceMaker
				InfinitySpring



# Quality down to the finest detail



**EasyFresh**

The guarantee of market freshness in the home is our EasyFresh-Safe. Whether it's unpackaged vegetables or fruit, this ensures optimal storage for everything. Thanks to the air-tight closure, the food causes the humidity in the safe to rise. This keeps the food fresh for a long time.



**SuperSilent**

Shhh – listen carefully. Your Liebherr is so quiet that you have to strain your ears to hear it. How is this achieved? All refrigeration components such as compressors, valves, fans and evaporators are optimised and perfectly adapted to one another. This means you only hear what you want to hear in your kitchen.



**IceMaker**

Are there any ice cubes left? An IceMaker means you never have to ask. With the IceMaker with fixed water connection, the water comes directly from the tap. The MaxIce function allows you to produce up to 1.5 kg of ice cubes a day. The ice cube separator helps to divide the drawer into any size you want – for example, ice cubes on the left, ice cream on the right – or just for ice cubes.



**LED freezer compartment lighting**

The LED freezer compartment lighting ensures your freezer drawers are pleasantly lit. This makes it even easier for you to find the food you want. The energy-efficient LED unit is elegantly positioned above the drawers to save space.



**LightTower**

Enjoy an optimally illuminated interior: the LightTower shows off the food in its best light and is positioned so that all of your filled fridge is illuminated at all times. The flush mounting of the LightTower in the side walls means there is also more space for your food.



**FlexSystem**

Small and delicate fruit in the refrigerator can easily roll out of sight or become crushed. That's why your Liebherr comes with the FlexSystem. Two flexibly positionable boxes in the BioFresh safe ensure everything is clearly arranged and organised. And they also safely protect even the smallest raspberry from bruising or from being mixed up with other foods.



**NoFrost**

When you open your freezer, you want to see frozen food – and certainly not ice and frost. NoFrost protects the freezer compartment from unwanted icing, which consumes a lot of energy and can be expensive. NoFrost means no more tedious and time-consuming defrosting of the freezer compartment, more time for other things – and saving money.




**BioFresh Professional**

Do you want to cool fruit and vegetables like professionals? You'll be inspired by HydroBreeze. The cold mist combined with a temperature in the safe of around 0 °C gives food that extra a boost for longer shelf life. And it creates a genuine visual wow effect. HydroBreeze is activated every 90 min. for 4 seconds and for 8 seconds when the door is opened.



**DuoCooling**

DuoCooling uses two completely separate refrigeration circuits to ensure no air is exchanged between the fridge and freezer compartments. The food neither dries out nor is odour transferred. This means throwing less away, shopping less often, but saving more and greater enjoyment.



**Side-by-Side concept**

The side-by-side concept makes it possible to position fridges, freezers and wine cabinets to suit your needs. Special technology for controlling the environment between appliances with major temperature differences enables numerous combinations. More information see pages 28-31.



**Ice cube tray with lid**

The large ice cube tray is easy to fill with water thanks to its convenient fill opening. The lid seals on tightly so that the tray can be safely moved and placed in the appliance without spills.



**Egg tray 2in1**

Do you like chicken eggs? So does your Liebherr – that's why it has the 2in1 egg tray. This not only provides space for up to 20 chicken eggs, but also for up to 24 quail eggs. The egg tray consists of an outer and an inner part which can be slid into each other in different ways. By turning the tray over, the quail egg holes can be used.





ICBNdi 5183

Peak

ICBNd 5173

Peak

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	
Energy consumption per year / 24 h:	208 / 0.569 kWh
Total volume <sup>1</sup> :	246 l
Volume:	Fridge: 104.5 l / BioFresh compartment: 70.7 l / Freezer compartment: 71 l
Noise output / Sound power level:	34 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Bio Fresh Professional	Hydro Breeze	Duo Cooling	No Frost	Glass & Steel Interior	Light Tower	Infinity Spring	Ice Maker	Soft System
Soft-Telescopic Rails	Touch & Swipe-Display	Vario Space	Super Cool	Super Frost	Smart Device			

<b>Controls</b> <ul style="list-style-type: none"><li>· 2.4" TFT-colour display, touch- &amp; swipe-electronics</li><li>· Digital temperature display for fridge, BioFresh and freezer compartments</li><li>· SmartDeviceBox included</li><li>· Alarm in case of malfunction: visual and acoustic</li><li>· Door alarm Fridge-freezer compartment: visual and acoustic</li></ul>	<b>Freezer compartment</b> <ul style="list-style-type: none"><li>· 3 drawers, of which 2 on telescopic rails, VarioSpace</li><li>· IceMaker for plumbed-in connection 3/4"</li><li>· Ice cube production in 24 h: 1.2 kg</li><li>· Ice cube storage: 5 kg</li><li>· LED lighting</li><li>· Storage time in the event of power cut: 9 h</li><li>· Freezing capacity in 24 h: 6 kg</li><li>· 2 cold storage accumulators</li><li>· Safety glass fittings</li></ul>
<b>Fridge and BioFresh compartment</b> <ul style="list-style-type: none"><li>· PowerCooling with Ambilight and FreshAir active carbon filter</li><li>· Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish</li><li>· 3 GlassLine shelves, of which 1 divisible</li><li>· Bottle shelf</li><li>· LightTower</li><li>· LED BioFresh lighting</li><li>· 2 BioFresh-Safes with SoftTelescopic, 1 Fruit &amp; Vegetable-Safe with HydroBreeze, 1 Meat &amp; Dairy-Safe, 1 FlexSystem</li><li>· InfinitySpring with fixed water connection 3/4"</li></ul>	<b>Key features</b> <ul style="list-style-type: none"><li>· Height-adjustable feet at front</li><li>· Right hand hinge, reversible</li><li>· Replaceable door seal</li><li>· Dry rear wall and door panel in stainless steel with SmartSteel</li></ul> <p>Available as <b>ICBNd 5183</b> with SmartDevice ready</p>

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.



ICBNd 5163

Prime

ICBNd 5153

Prime

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	
Energy consumption per year / 24 h:	208 / 0.569 kWh
Total volume <sup>1</sup> :	246 l
Volume:	Fridge: 104.1 l / BioFresh compartment: 71.2 l / Freezer compartment: 71 l
Noise output / Sound power level:	34 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Bio Fresh	Duo Cooling	No Frost	Glass & Steel Interior	Light Tower	Ice Maker	Soft System	Soft-Telescopic Rails	Touch & Swipe-Display
Vario Space	Super Cool	Super Frost	Smart Device					

<b>Controls</b> <ul style="list-style-type: none"><li>· 2.4" TFT-colour display, touch- &amp; swipe-electronics</li><li>· Digital temperature display for fridge, BioFresh and freezer compartments</li><li>· SmartDeviceBox: as an optional accessory</li><li>· Alarm in case of malfunction: visual and acoustic</li><li>· Door alarm Fridge-freezer compartment: visual and acoustic</li></ul>	<b>Freezer compartment</b> <ul style="list-style-type: none"><li>· 3 drawers, VarioSpace</li><li>· IceMaker for plumbed-in connection 3/4"</li><li>· Ice cube production in 24 h: 1.2 kg</li><li>· Ice cube storage: 5 kg</li><li>· LED lighting</li><li>· Storage time in the event of power cut: 9 h</li><li>· Freezing capacity in 24 h: 6 kg</li><li>· 2 cold storage accumulators</li><li>· Safety glass fittings</li></ul>
<b>Fridge and BioFresh compartment</b> <ul style="list-style-type: none"><li>· PowerCooling with FreshAir active carbon filter</li><li>· Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish</li><li>· 3 GlassLine shelves, of which 1 divisible</li><li>· Bottle shelf</li><li>· LightTower</li><li>· LED BioFresh lighting</li><li>· 2 BioFresh-Safes with SoftTelescopic, 1 Fruit &amp; Vegetable-Safe, 1 Meat &amp; Dairy-Safe</li></ul>	<b>Key features</b> <ul style="list-style-type: none"><li>· Height-adjustable feet at front</li><li>· Right hand hinge, reversible</li><li>· Replaceable door seal</li><li>· Dry rear wall in stainless steel with SmartSteel</li></ul>

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	
Energy consumption per year / 24 h:	207 / 0.567 kWh
Total volume <sup>1</sup> :	245 l
Volume:	Fridge: 104.1 l / BioFresh compartment: 71.2 l / Freezer compartment: 70 l
Noise output / Sound power level:	34 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Bio Fresh	Duo Cooling	No Frost	Glass & Steel Interior	Light Tower	Soft System	Soft-Telescopic Rails	Touch & Swipe-Display	Vario Space
Super Cool	Super Frost	Smart Device						

<b>Controls</b> <ul style="list-style-type: none"><li>· 2.4" TFT-colour display, touch- &amp; swipe-electronics</li><li>· Digital temperature display for fridge, BioFresh and freezer compartments</li><li>· SmartDeviceBox: as an optional accessory</li><li>· Alarm in case of malfunction: visual and acoustic</li><li>· Door alarm Fridge-freezer compartment: visual and acoustic</li></ul>	<b>Freezer compartment</b> <ul style="list-style-type: none"><li>· 3 drawers, VarioSpace</li><li>· Ice cube tray with lid</li><li>· LED lighting</li><li>· Storage time in the event of power cut: 9 h</li><li>· Freezing capacity in 24 h: 6 kg</li><li>· 2 cold storage accumulators</li><li>· Safety glass fittings</li></ul>
<b>Fridge and BioFresh compartment</b> <ul style="list-style-type: none"><li>· PowerCooling with FreshAir active carbon filter</li><li>· Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish</li><li>· 3 GlassLine shelves, of which 1 divisible</li><li>· Bottle shelf</li><li>· LightTower</li><li>· LED BioFresh lighting</li><li>· 2 BioFresh-Safes with SoftTelescopic, 1 Fruit &amp; Vegetable-Safe, 1 Meat &amp; Dairy-Safe</li></ul>	<b>Key features</b> <ul style="list-style-type: none"><li>· Height-adjustable feet at front</li><li>· Right hand hinge, reversible</li><li>· Replaceable door seal</li><li>· Dry rear wall in stainless steel with SmartSteel</li></ul>



Combined refrigerator-freezer with BioFresh and NoFrost for integrated use



FlexSystem

Small and delicate fruit in the refrigerator can easily roll out of sight or become crushed. That's why your Liebherr comes with the FlexSystem. Two flexibly positionable boxes in the BioFresh safe ensure everything is clearly arranged and organised. And they also safely protect even the smallest raspberry from bruising or from being mixed up with other foods.



IceMaker

Are there any ice cubes left? The IceMaker means you never have to ask. With the IceMaker with fixed water connection, the water comes directly from the tap. The Maxice function allows you to produce up to 1.5 kg of ice cubes a day. The versatile ice compartment divider lets you choose the amount of ice cubes you want to store; easy and just as you like it.



ICBNe 5123  
Plus

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	259 / 0.709 kWh
Total volume <sup>1</sup> :	244 l
Volume:	Fridge: 103.3 l / BioFresh compartment: 70.9 l / Freezer compartment: 70 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Bio Fresh	Duo Cooling	No Frost	Soft System	Touch-Display	Vario Space	Super Cool	Super Frost	Smart Device
-----------	-------------	----------	-------------	---------------	-------------	------------	-------------	--------------

Controls

- LC monochrome display, touch electronic
- Digital temperature display for refrigerator and freezer compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm Fridge-freezer compartment: visual and acoustic

Freezer compartment **\*\*\*\***

- 3 drawers, VarioSpace
- Ice cube tray
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 6 kg
- Safety glass fittings

Key features


- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal

Fridge and BioFresh compartment

- PowerCooling with FreshAir active carbon filter
- 3 GlassLine shelves, of which 1 divisible
- Bottle shelf
- LED ceiling lighting
- 2 BioFresh-Safes on telescopic rails, 1 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

Combined refrigerator-freezer with BioFresh and NoFrost for integrated use



ICBdi 5182  
Peak

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	182 / 0.498 kWh
Total volume <sup>1</sup> :	256 l
Volume:	Fridge: 131.6 l / BioFresh compartment: 70.7 l / Freezer compartment: 54 l
Noise output / Sound power level:	34 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Bio Fresh Professional	Hydro Breeze	Duo Cooling	Smart Frost	Glass & Steel Interior	Light Tower	Infinity Spring	Soft System	Soft-Telescopic Rails
Touch & Swipe-Display	Vario Space	Super Cool	Smart Device					

Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display for fridge, BioFresh and freezer compartments
- SmartDeviceBox included
- Alarm in case of malfunction: visual and acoustic
- Door alarm Fridge-freezer compartment: visual and acoustic

Freezer compartment **\*\*\*\***

- 2 drawers, VarioSpace
- Ice cube tray with lid
- LED lighting
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 4 kg
- 2 cold storage accumulators
- Safety glass fittings

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal
- Dry rear wall and door panel in stainless steel with SmartSteel

Fridge and BioFresh compartment

- PowerCooling with Ambilight and FreshAir active carbon filter
- Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish
- 4 GlassLine shelves, of which 1 divisible
- VarioSafe
- Bottle shelf
- LightTower
- LED BioFresh lighting
- 2 BioFresh-Safes with SoftTelescopic, 1 Fruit & Vegetable-Safe with HydroBreeze, 1 Meat & Dairy-Safe, 1 FlexSystem
- InfinitySpring with fixed water connection 3/4"

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.



ICBb 5152  
Prime

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>B</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	116 / 0.318 kWh
Total volume <sup>1</sup> :	256 l
Volume:	Fridge: 131.0 l / BioFresh compartment: 71.2 l / Freezer compartment: 54 l
Noise output / Sound power level:	33 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Bio Fresh	Duo Cooling	Smart Frost	Glass & Steel Interior	Light Tower	Soft System	Soft-Telescopic Rails	Touch & Swipe-Display	Vario Space
Super Cool	Super Frost	Smart Device						

Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display for fridge, BioFresh and freezer compartments
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm Fridge-freezer compartment: visual and acoustic

Freezer compartment **\*\*\*\***

- 2 drawers, VarioSpace
- Ice cube tray with lid
- LED lighting
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 4 kg
- 2 cold storage accumulators
- Safety glass fittings

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal
- Dry rear wall in stainless steel with SmartSteel

Fridge and BioFresh compartment

- PowerCooling with FreshAir active carbon filter
- Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish
- 4 GlassLine shelves, of which 1 divisible
- VarioSafe
- Bottle shelf
- LightTower
- LED BioFresh lighting
- 2 BioFresh-Safes with SoftTelescopic, 1 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe



Combined refrigerator-freezer with BioFresh and SmartFrost for integrated use



Touch display

Fingertip control: the touch display enables easy and intuitive operation of your Liebherr. All functions are clearly arranged on the display. By gently tapping a finger, for example, you can easily select the functions or check the current temperature of your refrigerator.



NoFrost

When you open your freezer, you want to see frozen food – and certainly not ice and frost. NoFrost protects the freezer compartment from unwanted icing, which consumes a lot of energy and can be expensive. NoFrost means no more tedious and time-consuming defrosting of the freezer compartment, more time for other things – and saving money.



ICBd 5122  
Plus

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	182 / 0.498 kWh
Total volume <sup>1</sup> :	255 l
Volume:	Fridge: 130.0 l / BioFresh compartment: 70.9 l / Freezer compartment: 54 l
Noise output / Sound power level:	34 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Bio Fresh	Duo Cooling	Smart Frost	Soft System	Touch-Display	Vario Space	Super Cool	Super Frost	Smart Device
-----------	-------------	-------------	-------------	---------------	-------------	------------	-------------	--------------

Controls

- LC monochrome display, touch electronic
- Digital temperature display for refrigerator and freezer compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm Fridge-freezer compartment: visual and acoustic

Freezer compartment **\*\*\*\***

- 2 drawers, VarioSpace
- Ice cube tray
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 4 kg
- Safety glass fittings

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal

Fridge and BioFresh compartment

- PowerCooling with FreshAir active carbon filter
- 4 GlassLine shelves, of which 1 divisible
- Bottle shelf
- LED ceiling lighting
- 2 BioFresh-Safes on telescopic rails, 1 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe



ICNdi 5173  
Peak

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	183 / 0.501 kWh
Total volume <sup>1</sup> :	255 l
Volume:	Fridge: 184.4 l / Freezer compartment: 71 l
Noise output / Sound power level:	34 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Easy Fresh	Duo Cooling	No Frost	Glass & Steel Interior	Light Tower	Ice Maker	Soft System	Touch & Swipe-Display	Vario Space
Super Cool	Super Frost	Smart Device						

Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display for refrigerator and freezer compartment
- SmartDeviceBox included
- Alarm in case of malfunction: visual and acoustic
- Door alarm Fridge-freezer compartment: visual and acoustic

Fridge compartment

- PowerCooling with Ambilight and FreshAir active carbon filter
- Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish
- 5 GlassLine shelves, of which 1 divisible
- VarioSafe
- 3 bottle shelf
- LightTower
- 1 EasyFresh-Safe on telescopic rails

Freezer compartment **\*\*\*\***

- 3 drawers, of which 2 on telescopic rails, VarioSpace
- IceMaker for plumbed-in connection 3/4"
- Ice cube production in 24 h: 1.2 kg
- Ice cube storage: 5 kg
- LED lighting
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 6 kg
- 2 cold storage accumulators
- Safety glass fittings

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal
- Dry rear wall and door panel in stainless steel with SmartSteel

Combined refrigerator-freezer with NoFrost for integrated use



SICNd 5153  
Prime

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	181 / 0.495 kWh
Total volume <sup>1</sup> :	254 l
Volume:	Fridge: 184.4 l / Freezer compartment: 70 l
Noise output / Sound power level:	34 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Easy Fresh	Duo Cooling	No Frost	Glass & Steel Interior	Light Tower	Soft System	Touch & Swipe-Display	Vario Space	Super Cool
Super Frost	Smart Device							

Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display for refrigerator and freezer compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm Fridge-freezer compartment: visual and acoustic

Fridge compartment

- PowerCooling with FreshAir active carbon filter
- Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish
- 5 GlassLine shelves, of which 1 divisible
- VarioSafe
- 3 bottle shelf
- LightTower
- 1 EasyFresh-Safe on telescopic rails

Freezer compartment **\*\*\*\***

- 3 drawers, VarioSpace
- Ice cube tray with lid
- LED lighting
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 6 kg
- 2 cold storage accumulators
- Safety glass fittings

Key features

- Side-panel heating on both sides, suitable for combination with other fridges, freezers and/or wine appliances
- Height-adjustable feet at front
- Left hand hinge, reversible
- Replaceable door seal
- Dry rear wall in stainless steel with SmartSteel

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.



Combined refrigerator-freezer with NoFrost for integrated use



IceMaker with water tank

Whether it's for a party or a spontaneous cocktail, the integrated IceMaker means you always have enough ice cubes in stock. With the IceMaker with water tank, you simply fill the removable water tank with water. The MaxIce function allows you to produce up to 1.5 kg of ice cubes a day. The ice cube separator helps to divide the drawer as you wish, for example, ice cubes on the left, ice cream on the right.



3 bottle shelf

Now your bottles stay where they should. The 3 bottle shelf securely holds three bottles in your fridge ready to be used. The bottle shelf fits on every glass shelf and is therefore very flexible. And if you need the space for other reasons, simply take the shelf out of the fridge.



ICNe 5133  
Plus

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	228 / 0.624 kWh
Total volume <sup>1</sup> :	254 l
Volume:	Fridge: 183.3 l / Freezer compartment: 71 l
Noise output / Sound power level:	34 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Easy Fresh	Duo Cooling	No Frost	Ice Maker Water Tank	Soft System	Touch-Display	Vario Space	Super Cool	Super Frost
Smart Device								

Controls

- LC monochrome display, touch electronic
- Digital temperature display for refrigerator and freezer compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm Fridge-freezer compartment: visual and acoustic

Fridge compartment

- PowerCooling with FreshAir active carbon filter
- 3 GlassLine shelves, of which 1 divisible
- VarioSafe
- 3 bottle shelf
- LED ceiling lighting
- 1 EasyFresh-Safe on running rails

Freezer compartment **SN-T**

- 3 drawers, VarioSpace
- IceMaker with water tank
- Ice cube production in 24 h: 1.2 kg
- Ice cube storage: 5 kg
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 6 kg
- Safety glass fittings

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

Combined refrigerator-freezer with NoFrost for integrated use



ICNf 5103  
Pure

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>F</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	284 / 0.777 kWh
Total volume <sup>1</sup> :	253 l
Volume:	Fridge: 183.3 l / Freezer compartment: 70 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Easy Fresh	Duo Cooling	No Frost	Touch-Display	Vario Space	Super Cool	Super Frost	Smart Device
------------	-------------	----------	---------------	-------------	------------	-------------	--------------

Controls

- LC monochrome display, touch electronic
- Digital temperature display for refrigerator and freezer compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm Fridge-freezer compartment: visual and acoustic

Fridge compartment

- PowerCooling with FreshAir active carbon filter
- 4 GlassLine shelves
- LED ceiling lighting
- 1 EasyFresh-Safe on running rails

Freezer compartment **SN-ST**

- 3 drawers, VarioSpace
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 5 kg
- Safety glass fittings

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.



ICNSf 5103  
Pure

Sliding door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>F</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	284 / 0.777 kWh
Total volume <sup>1</sup> :	253 l
Volume:	Fridge: 183.3 l / Freezer compartment: 70 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Easy Fresh	Duo Cooling	No Frost	Touch-Display	Vario Space	Super Cool	Super Frost	Smart Device
------------	-------------	----------	---------------	-------------	------------	-------------	--------------

Controls

- LC monochrome display, touch electronic
- Digital temperature display for refrigerator and freezer compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm Fridge-freezer compartment: visual and acoustic

Fridge compartment

- PowerCooling with FreshAir active carbon filter
- 4 GlassLine shelves
- LED ceiling lighting
- 1 EasyFresh-Safe on running rails

Freezer compartment **SN-ST**

- 3 drawers, VarioSpace
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 5 kg
- Safety glass fittings

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal







# Fridges



IRBd 5180 ΔPeak Series



# Fridges



○ Pure Series



◇ Plus Series



⬡ Prime Series



△ Peak Series

	○ Pure Series	◇ Plus Series	⬡ Prime Series	△ Peak Series
Freshness technology	EasyFresh	EasyFresh	EasyFresh on telescopic rails	
		BioFresh on telescopic rails	BioFresh with SoftTelescopic	BioFresh Professional with SoftTelescopic
	FreshAir filter	FreshAir filter	FreshAir filter	FreshAir filter
Comfort & flexibility		Divisible glass shelf	Divisible glass shelf	Divisible glass shelf
		SoftSystem soft stop mechanism	SoftSystem soft stop mechanism	SoftSystem soft stop mechanism
		VarioSafe	VarioSafe	VarioSafe
			VarioBoxes	VarioBoxes
			Butter dish	Butter dish
	Egg tray	Egg tray	2in1 egg tray	2in1 egg tray
		Bottle shelf	Bottle shelf	Bottle shelf
		Ice cube tray	Ice cube tray with lid	Ice cube tray with lid
				FlexSystem
Design	Top or side fridge compartment lighting	Top or side fridge compartment lighting	LightTower	LightTower
			Lighting BioFresh safe	Lighting BioFresh safe
				Fan lighting
			SmartSteel rear wall	SmartSteel rear wall
				SmartSteel door interior
	Transparant glass	Transparant glass	Satin finish glass	Satin finish glass
	Stainless steel look shelves	Stainless steel look shelves	Glass & stainless steel rack	Glass & stainless steel rack
	Touch display	Touch display	Touch & Swipe display	Touch & Swipe display
Connectivity (SmartDeviceBox)	Can be retrofitted	Can be retrofitted or is included with "i" models	Can be retrofitted or is included with "i" models	Can be retrofitted or is included with "i" models
Water				InfinitySpring



# Quality down to the finest detail



**BioFresh**

At a temperature of just over 0 °C and with the ideal humidity, fresh food can keep its appetising appearance and retain healthy vitamins and minerals for considerably longer than in a normal fridge compartment.



**EasyFresh**

The guarantee of market freshness in the home is our EasyFresh-Safe. Whether it's unpackaged vegetables or fruit, this ensures optimal storage for everything. Thanks to the air-tight closure, the food causes the humidity in the safe to rise. This keeps the food fresher for longer.



**LED**

For a quick overview of everything in the refrigerator: the LED side lighting helps you to keep your food in view. The LEDs are positioned so that the light beams go up and down. And the LEDs integrated flush into the side walls mean that the valuable usable area is fully maintained.



**InfinitySpring**

A source of fresh, cool drinking water in your kitchen. InfinitySpring sounds like something from a fairy tale. The water dispenser enables drip-free water dispensing and provides fresh, cold water. Simply press the panel with the carafe or glass, and enjoy the water. This enables you to save on purchasing bottles of water and to live more sustainably.



**Side-by-Side concept**

Combine your Liebherr appliance with complete flexibility to suit your personal freshness needs. All models labelled side-by-side, can be vertically and/or horizontally combined to form your individual freshness centre, providing perfect solutions to all your storage needs. More information see pages 28-31.



**Versatile bottle shelf**

Expecting guests and want to chill a few more drinks than usual? The bottle shelf above the BioFresh safes exists for this very reason. Simply remove the glass shelf above the bottle shelf in one easy step – and you can now safely store and cool bottles of various sizes.



**VarioBoxes**

Where did I put that little packet of yeast? And where's the tube of mustard? To easily find the small items in the fridge, there are the VarioBoxes. They keep everything clearly arranged and organised in the inside door. Their transparent design means you immediately see what's inside. The boxes are easy to remove – and thanks to the pull-out stop, nothing will fall to the floor - guaranteed.



**PowerCooling**

Do you want to be sure that the cold is distributed as evenly as possible in your refrigerator? If so, the PowerCooling system is what you need. The fan – as powerful as it is quiet – distributes the cold air efficiently throughout the entire refrigeration compartment.



**Freezer compartment**

Do you want to avoid spending time changing the door hinge of the freezer compartment when installing your Liebherr in the furniture niche? The slider control means this can be done in seconds and without any manual skills. Simply slide the slider on the freezer compartment from right to left – that's it, done! This saves you a lot of time.



**SoftTelescopic**

Look forward to opening your BioFresh safes. And this is not just because of the fresh food – but also because opening is so easy, and closing is cushioned. The telescopic rails slide the safe gently towards you. And because these extend fully, you have the best overview of the contents.



**FlexSystem**

Small and delicate fruit in the refrigerator can easily roll out of sight or become crushed. That's why your Liebherr comes with the FlexSystem. Two flexibly positionable boxes in the BioFresh safe ensure everything is clearly arranged and organised. And they also safely protect even the smallest raspberry from bruising or from being mixed up with other foods.



**Versatile egg shelf**

Do you like chicken eggs? So does your Liebherr – that's why it has the 2in1 egg tray. This not only provides space for up to 20 chicken eggs, but also for up to 24 quail eggs. The egg tray consists of an outer and an inner part which can be slid into each other in different ways. By turning the tray over, the quail egg holes can be used.





IRCBf 5121



Cellar compartment

Simply store supplies such as potatoes or drinks in your Liebherr's cellar-temperature compartment. It contains a removable basket, a storage tray and a drawer. The cellar-temperature compartment moves out gently on telescopic rails and closes using a self-closing mechanism with soft stop. The temperature is adjustable between 6 °C and 14 °C – depending on the food being stored.



BioFresh

BioFresh provides the perfect climate for long-lasting food storage. When stored at just over 0 °C and at the ideal humidity level, fruit, vegetables, meat and fish all retain their nutritious vitamins for longer.

Refrigerators with BioFresh for integrated use



↑  
178  
↓

IRCBf 5121

Plus

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>F</div><div>A</div></div>
Energy consumption per year / 24 h:	221 / 0.605 kWh
Total volume <sup>1</sup> :	265 l
Volume:	Fridge: 83.0 l / BioFresh compartment: 70.9 l / Cellar compartment: 95.9 l / Freezer compartment: 16 l
Noise output / Sound power level:	37 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Bio Fresh	Duo Cooling	Soft System	Touch-Display	Super Cool	Smart Device
-----------	-------------	-------------	---------------	------------	--------------

Controls

- LC monochrome display, touch electronic
- Digital temperature indicator for the refrigeration and cellar compartments
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge and BioFresh compartment

- PowerCooling with FreshAir active carbon filter
- 2 GlassLine shelves, of which 1 divisible
- Bottle shelf
- LED lighting column on both sides
- 2 BioFresh-Safes on telescopic rails, 1 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe

Cellar compartment

- Pull-out drawer with SoftTelescopic
- Independently regulated cellar compartment temperature 6 °C to 14 °C
- Removable Bottle holder

Freezer compartment \*\*\*\*

- 4-star compartment, reversible door hinging
- Ice cube tray
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 2 kg

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal



↑  
178  
↓

IRBd 5170

Peak

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div></div>
Energy consumption per year / 24 h:	124 / 0.339 kWh
Total volume <sup>1</sup> :	293 l
Volume:	Fridge: 198.1 l / BioFresh compartment: 95.2 l
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Bio Fresh Professional	Hydro Breeze	Fish & Seafood	Glass & Steel Interior	Light Tower	Soft System	Soft-Telescopic Rails	Touch & Swipe-Display	Super Cool
Smart Device								

Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display for refrigerator compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge and BioFresh compartment

- PowerCooling with Ambilight and FreshAir active carbon filter
- Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish
- 7 GlassLine shelves, of which 1 divisible
- VarioSafe
- Bottle shelf
- LightTower
- LED BioFresh lighting
- 3 BioFresh-Safes with SoftTelescopic, 1 Fruit & Vegetable-Safe with HydroBreeze, 1 Fish & Seafood-Safe, 1 Meat & Dairy-Safe, 1 FlexSystem

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal
- Dry rear wall and door panel in stainless steel with SmartSteel

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point. You can find the full range of efficiency classes on page 13. According to [EU] 2017/1369 6a.





FlexSystem

Small and delicate fruit in the refrigerator can easily roll out of sight or become crushed. That's why your Liebherr comes with the FlexSystem. Two flexibly positionable boxes in the BioFresh safe ensure everything is clearly arranged and organised. And they also safely protect even the smallest raspberry from bruising or from being mixed up with other foods.



SoftTelescopic

Look forward to opening your BioFresh safes. And this is not just because of the fresh food – but also because opening is so easy, and closing is automatic and cushioned. The telescopic rails slide the safe gently towards you. And because these extend fully, you have the best overview of the contents.



IRBd 5180  
Peak

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	125 / 0.341 kWh
Total volume <sup>1</sup> :	296 l
Volume:	Fridge: 198.1 l / BioFresh compartment: 97.9 l
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Bio Fresh Professional	Hydro Breeze	Glass & Steel Interior	Light Tower	Infinity Spring	Soft System	Soft-Telescopic Rails	Touch & Swipe-Display	Super Cool
Smart Device								

Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display for refrigerator and BioFresh compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge and BioFresh compartment

- PowerCooling with Ambilight and FreshAir active carbon filter
- Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish
- 6 GlassLine shelves, of which 1 divisible
- VarioSafe
- Bottle shelf
- LightTower
- LED BioFresh lighting
- 3 BioFresh-Safes with SoftTelescopic, 2 Fruit & Vegetable-Safes, of which 1 with HydroBreeze, 1 Meat & Dairy-Safe, 1 FlexSystem
- InfinitySpring with fixed water connection 3/4"

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal
- Dry rear wall and door panel in stainless steel with SmartSteel

Stainless steel panel and handle available as optional accessory: No. 9902007

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.



IRBd 5150  
Prime

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	125 / 0.341 kWh
Total volume <sup>1</sup> :	296 l
Volume:	Fridge: 197.7 l / BioFresh compartment: 98.4 l
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Bio Fresh	Glass & Steel Interior	Light Tower	Soft System	Soft-Telescopic Rails	Touch & Swipe-Display	Super Cool	Smart Device
-----------	------------------------	-------------	-------------	-----------------------	-----------------------	------------	--------------

Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display for refrigerator and BioFresh compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge and BioFresh compartment

- PowerCooling with FreshAir active carbon filter
- Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish
- 6 GlassLine shelves, of which 1 divisible
- VarioSafe
- Bottle shelf
- LightTower
- LED BioFresh lighting
- 3 BioFresh-Safes with SoftTelescopic, 2 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal
- Dry rear wall in stainless steel with SmartSteel

Stainless steel panel and handle available as optional accessory: No. 9902007

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.



IRBd 5151  
Prime

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	164 / 0.447 kWh
Total volume <sup>1</sup> :	276 l
Volume:	Fridge: 151.3 l / BioFresh compartment: 98.4 l / Freezer compartment: 27 l
Noise output / Sound power level:	34 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

Bio Fresh	Glass & Steel Interior	Light Tower	Soft System	Soft-Telescopic Rails	Touch & Swipe-Display	Super Cool	Smart Device
-----------	------------------------	-------------	-------------	-----------------------	-----------------------	------------	--------------

Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display for refrigerator and BioFresh compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge and BioFresh compartment

- PowerCooling with FreshAir active carbon filter
- Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish
- 4 GlassLine shelves, of which 1 divisible
- VarioSafe
- Bottle shelf
- LightTower
- LED BioFresh lighting
- 3 BioFresh-Safes with SoftTelescopic, 2 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe

Freezer compartment **4\*\*\*\***

- 4-star compartment, reversible door hinging
- Ice cube tray
- Storage time in the event of power cut: 14 h
- Freezing capacity in 24 h: 2 kg

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal
- Dry rear wall in stainless steel with SmartSteel

Stainless steel panel and handle available as optional accessory: No. 9902007





IRBe 5120  
Plus

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	156 / 0.427 kWh
Total volume <sup>1</sup> :	294 l
Volume:	Fridge: 195.8 l / BioFresh compartment: 98.2 l
Noise output / Sound power level:	37 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0



Controls

- LC monochrome display, touch electronic
- Digital temperature display for refrigerator compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge and BioFresh compartment

- PowerCooling with FreshAir active carbon filter
- 6 GlassLine shelves, of which 1 divisible
- Bottle shelf
- LED ceiling lighting
- 3 BioFresh-Safes on telescopic rails, 2 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal

Stainless steel panel and handle available as optional accessory: No. 9902007



IRBSe 5120  
Plus

Sliding door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	156 / 0.427 kWh
Total volume <sup>1</sup> :	294 l
Volume:	Fridge: 195.8 l / BioFresh compartment: 98.2 l
Noise output / Sound power level:	37 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0



Controls

- LC monochrome display, touch electronic
- Digital temperature display for refrigerator compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge and BioFresh compartment

- PowerCooling with FreshAir active carbon filter
- 6 GlassLine shelves, of which 1 divisible
- Bottle shelf
- LED ceiling lighting
- 3 BioFresh-Safes on telescopic rails, 2 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal

Stainless steel panel and handle available as optional accessory: No. 9902007

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.



IRBe 4851  
Prime

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	194 / 0.531 kWh
Total volume <sup>1</sup> :	238 l
Volume:	Fridge: 144.2 l / BioFresh compartment: 67.0 l / Freezer compartment: 27 l
Noise output / Sound power level:	34 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	157.4 - 159 / 56 - 57 / at least 55.0



Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display for refrigerator and BioFresh compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge and BioFresh compartment

- PowerCooling with FreshAir active carbon filter
- Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish
- 4 GlassLine shelves, of which 1 divisible
- VarioSafe
- Bottle shelf
- LightTower
- LED BioFresh lighting
- 2 BioFresh-Safes with SoftTelescopic, 1 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe

Freezer compartment **\*\*\*\***

- 4-star compartment, reversible door hinging
- Ice cube tray
- Storage time in the event of power cut: 14 h
- Freezing capacity in 24 h: 2 kg

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal
- Dry rear wall in stainless steel with SmartSteel



IRBd 4570  
Peak

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	114 / 0.312 kWh
Total volume <sup>1</sup> :	224 l
Volume:	Fridge: 158.0 l / BioFresh compartment: 66.6 l
Noise output / Sound power level:	33 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	139.7 - 141.3 / 56 - 57 / at least 55.0



Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display for refrigerator and BioFresh compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge and BioFresh compartment

- PowerCooling with Ambilight and FreshAir active carbon filter
- Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish
- 4 GlassLine shelves, of which 1 divisible
- VarioSafe
- Bottle shelf
- LightTower
- LED BioFresh lighting
- 2 BioFresh-Safes with SoftTelescopic, 1 Fruit & Vegetable-Safe with HydroBreeze, 1 Meat & Dairy-Safe, 1 FlexSystem

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal
- Dry rear wall and door panel in stainless steel with SmartSteel

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.





### Meat & Dairy-Safe

Do you want the tender veal fillet or fresh milk to stay fresh for as long as possible? The BioFresh safes will ensure this is the case. In the Meat & Dairy Safe, the temperature is close to 0 °C – ideal storage conditions for even the most delicate of foods. And best of all, everything is perfectly adjusted in the factory for immediate use – and for longer freshness.

### Refrigerators with BioFresh for integrated use



IRBb 4170  
Peak

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	
Energy consumption per year / 24 h:	72 / 0.197 kWh
Total volume <sup>1</sup> :	191 l
Volume:	Fridge: 124.4 l / BioFresh compartment: 66.6 l
Noise output / Sound power level:	29 dB(A) / A, UltraSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	121.6 - 123.1 / 56 - 57 / at least 55.0

Bio Fresh Professional	Hydro Breeze	Glass & Steel Interior	Light Tower	Soft System	Soft-Telescopic Rails	Touch & Swipe-Display	Super Cool	Smart Device
------------------------	--------------	------------------------	-------------	-------------	-----------------------	-----------------------	------------	--------------

#### Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display for refrigerator and BioFresh compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

#### Fridge and BioFresh compartment

- PowerCooling with Ambilight and FreshAir active carbon filter
- Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish
- 3 GlassLine shelves, of which 1 divisible
- VarioSafe
- Bottle shelf
- LightTower
- LED BioFresh lighting
- 2 BioFresh-Safes with SoftTelescopic, 1 Fruit & Vegetable-Safe with HydroBreeze, 1 Meat & Dairy-Safe, 1 FlexSystem

#### Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal
- Dry rear wall and door panel in stainless steel with SmartSteel

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

### Refrigerators with BioFresh for integrated use



IRBd 4150  
Prime

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	
Energy consumption per year / 24 h:	114 / 0.312 kWh
Total volume <sup>1</sup> :	191 l
Volume:	Fridge: 124.1 l / BioFresh compartment: 67.0 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	121.6 - 123.1 / 56 - 57 / at least 55.0

Bio Fresh	Glass & Steel Interior	Light Tower	Soft System	Soft-Telescopic Rails	Touch & Swipe-Display	Super Cool	Smart Device
-----------	------------------------	-------------	-------------	-----------------------	-----------------------	------------	--------------

#### Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display for refrigerator and BioFresh compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

#### Fridge and BioFresh compartment

- PowerCooling with FreshAir active carbon filter
- Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish
- 3 GlassLine shelves, of which 1 divisible
- VarioSafe
- Bottle shelf
- LightTower
- LED BioFresh lighting
- 2 BioFresh-Safes with SoftTelescopic, 1 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe

#### Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal
- Dry rear wall in stainless steel with SmartSteel

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.



IRBd 4020  
Plus

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	
Energy consumption per year / 24 h:	116 / 0.317 kWh
Total volume <sup>1</sup> :	156 l
Volume:	Fridge: 88.0 l / BioFresh compartment: 68.7 l
Noise output / Sound power level:	37 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	102.4 - 104 / 56 - 57 / at least 55.0

Bio Fresh	Soft System	Touch-Display	Super Cool	Smart Device
-----------	-------------	---------------	------------	--------------

#### Controls

- LC monochrome display, touch electronic
- Digital temperature display for refrigerator compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

#### Fridge and BioFresh compartment

- PowerCooling with FreshAir active carbon filter
- 3 GlassLine shelves, of which 1 divisible
- Bottle shelf
- LED ceiling lighting
- 2 BioFresh-Safes on telescopic rails, 1 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe

#### Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal

Stainless steel panel and handle available as optional accessory: No. 9902007





### Full-space BioFresh appliance

If you like fresh food, you will love the full-space BioFresh appliance. It provides perfect storage conditions for your entire harvest: A temperature of nearly 0 °C and variable humidity ensure fruit and vegetables remain fresh and crisp. And, if it's a smaller harvest this year, the drawers keep dairy, meat and sausages fresh for longer than in the regular fridge compartment. This appliance is rated in the highest Energy Efficiency Class A.

### Refrigerators with BioFresh for integrated use



SIBa 3950  
Prime

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>A</div><div></div></div>
Energy consumption per year / 24 h:	63 / 0.173 kWh
Total volume <sup>1</sup> :	87 l
Volume:	BioFresh compartment: 87.2 l
Noise output / Sound power level:	34 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	87.4 - 89 / 56 - 57 / at least 55.0



#### Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm freezer compartment: visual and acoustic

#### Fridge and BioFresh compartment

- 2 GlassLine shelves
- LED lighting
- LED BioFresh lighting
- 4 BioFresh safes

#### Key features

- Side-panel heating and ceiling heating, suitable for combination with other fridges, freezers and/or wine appliances
- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal

### Refrigerators with EasyFresh for integrated use



IRDe 5120  
Plus

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div></div></div>
Energy consumption per year / 24 h:	114 / 0.313 kWh
Total volume <sup>1</sup> :	309 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0



#### Controls

- LC monochrome display, touch electronic
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

#### Fridge compartment

- PowerCooling with FreshAir active carbon filter
- 5 GlassLine shelves, of which 1 divisible
- VarioSafe
- LED ceiling lighting
- 1 EasyFresh-Safe on telescopic rails
- 1 vegetable drawer running on telescopic rails
- Pull-out shelf on telescopic rails
- 2 removable bottle baskets

#### Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal

Stainless steel panel and handle available as optional accessory: No. 9902007

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.



<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.





IRf 5101  
Pure

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>F</div><div></div></div>
Energy consumption per year / 24 h:	214 / 0.584 kWh
Total volume <sup>1</sup> :	286 l
Volume:	Fridge: 259.0 l / Freezer compartment: 27 l
Noise output / Sound power level:	37 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0



Controls

- LC monochrome display, touch electronic
- Digital temperature display for refrigerator compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge compartment

- PowerCooling with FreshAir active carbon filter
- 5 GlassLine shelves
- LED lighting column on both sides
- 1 EasyFresh-Safe on telescopic rails
- 1 vegetable drawer running on telescopic rails

Freezer compartment **SN-ST**

- 4-star compartment, reversible door hinging
- Storage time in the event of power cut: 14 h
- Freezing capacity in 24 h: 2 kg

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal

Stainless steel panel and handle available as optional accessory: No. 9902007



IRe 5100  
Pure

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>F</div><div></div></div>
Energy consumption per year / 24 h:	114 / 0.313 kWh
Total volume <sup>1</sup> :	308 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0



Controls

- LC monochrome display, touch electronic
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge compartment

- PowerCooling with FreshAir active carbon filter
- 7 GlassLine shelves
- LED ceiling lighting
- 1 EasyFresh-Safe on telescopic rails
- 1 vegetable drawer running on telescopic rails

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal

Stainless steel panel and handle available as optional accessory: No. 9902007

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.



IRe 4521  
Plus

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div></div></div>
Energy consumption per year / 24 h:	152 / 0.417 kWh
Total volume <sup>1</sup> :	217 l
Volume:	Fridge: 202.0 l / Freezer compartment: 16 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	139.7 - 141.3 / 56 - 57 / at least 55.0



Controls

- LC monochrome display, touch electronic
- Digital temperature display for refrigerator compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge compartment

- 6 GlassLine shelves, of which 1 divisible
- VarioSafe
- 3 bottle shelf
- LED lighting column on both sides
- 1 EasyFresh-Safe on running rails

Freezer compartment **SN-T**

- 4-star compartment, reversible door hinging
- Ice cube tray
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 2 kg

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.



IRe 4520  
Plus

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div></div></div>
Energy consumption per year / 24 h:	106 / 0.289 kWh
Total volume <sup>1</sup> :	235 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	139.7 - 141.3 / 56 - 57 / at least 55.0



Controls

- LC monochrome display, touch electronic
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge compartment

- PowerCooling with FreshAir active carbon filter
- 7 GlassLine shelves, of which 1 divisible
- VarioSafe
- 3 bottle shelf
- LED ceiling lighting
- 1 EasyFresh-Safe on running rails

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal





IRd 4151  
Prime

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div></div></div>
Energy consumption per year / 24 h:	119 / 0.326 kWh
Total volume <sup>1</sup> :	183 l
Volume:	Fridge: 167.3 l / Freezer compartment: 16 l
Noise output / Sound power level:	29 dB(A) / A, UltraSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	121.6 - 123.1 / 56 - 57 / at least 55.0



Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display for refrigerator compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge compartment

- Premium GlassLine shelving with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish
- 4 GlassLine shelves, of which 1 divisible
- VarioSafe
- 3 bottle shelf
- LightTower
- 1 EasyFresh-Safe on telescopic rails
- Pull-out shelf on telescopic rails

Freezer compartment **4\*\*\*\***

- 4-star compartment, reversible door hinging
- Ice cube tray
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 2 kg

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.



IRd 3950  
Prime

Door-on-door / Freestanding	
Energy efficiency class:	<div><div></div><div>D</div><div></div></div>
Energy consumption per year / 24 h:	75 / 0.205 kWh
Total volume <sup>1</sup> :	136 l
Noise output / Sound power level:	29 dB(A) / A, UltraSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	87.4 - 89 / 56 - 57 / at least 55.0



Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge compartment

- VarioBoxen ausziehbar. variabler Eierabsteller. Butterdose
- 5 GlassLine shelves, of which 1 divisible
- VarioSafe
- 3 bottle shelf
- LED ceiling lighting
- Pull-out shelf on telescopic rails

Key features

- Replaceable door seal

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.





IRSf 3901

Pure

Sliding door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>F</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	184 / 0.504 kWh
Total volume <sup>1</sup> :	117 l
Volume:	Fridge: 101.6 l / Freezer compartment: 16 l
Noise output / Sound power level:	37 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h/w/d):	87.4 - 89 / 56 - 57 / at least 55.0



Controls

- LC monochrome display, touch electronic
- Digital temperature display for refrigerator compartment
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge compartment

- 3 GlassLine shelves
- LED lighting column
- 1 EasyFresh-Safe

Freezer compartment **4\*\*\*\***

- 4-star compartment, reversible door hinging
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 2 kg

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal



IRf 3900

Pure

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>F</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	117 / 0.320 kWh
Total volume <sup>1</sup> :	136 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	87.4 - 89 / 56 - 57 / at least 55.0



Controls

- LC monochrome display, touch electronic
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge compartment

- 4 GlassLine shelves
- LED ceiling lighting
- 1 EasyFresh-Safe

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal



IRSf 3900

Pure

Sliding door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>F</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	117 / 0.320 kWh
Total volume <sup>1</sup> :	136 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h/w/d):	87.4 - 89 / 56 - 57 / at least 55.0



Controls

- LC monochrome display, touch electronic
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge compartment

- 4 GlassLine shelves
- LED ceiling lighting
- 1 EasyFresh-Safe

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal



DRf 3900

Pure

Flush / built-in appliance with décor panel	
Energy efficiency class:	<div><div></div><div>F</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	117 / 0.320 kWh
Total volume <sup>1</sup> :	136 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	87.4 - 88 / 56 - 57 / at least 55.0



Controls

- LC monochrome display, touch electronic
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm fridge compartment: visual and acoustic

Fridge compartment

- 4 GlassLine shelves
- LED ceiling lighting
- 1 EasyFresh-Safe

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.



# Freezers

SIFNe 5188 ▲ Peak Series

Side  
by  
Side

All Liebherr freezers with aperture heights of 122, 140 and 178 cm can be perfectly combined side by side with fridges and wine cabinets in various recesses to form a Mix and Match freshness centre. For more information about the Side-by-Side concept see pages 28-31.



# Freezers



○ Pure Series



◇ Plus Series



◻ Prime Series



△ Peak Series

	○ Pure Series	◇ Plus Series	◻ Prime Series	△ Peak Series
Freshness technology	SmartFrost			
	NoFrost	NoFrost	NoFrost	NoFrost
Comfort & flexibility		SoftSystem soft stop mechanism	SoftSystem soft stop mechanism	SoftSystem soft stop mechanism
	Drawer guide on glass plate (Niche: 72, 88)	Drawer guide on glass plate (Niche: 72, 88)	Drawer guide on glass plate (Niche: 88)	
	Integrated drawer guide (Niche: 178)	Integrated drawer guide (Niche: 178)	Integrated drawer guide (Niche: 122, 140)	
				Drawer guide on telescopic rails
		Ice cube tray	Ice cube tray with lid	Ice cube tray with lid
		Freezer tray	Freezer tray	Freezer tray
Design			2 Cold storage accumulators	2 Cold storage accumulators
	VarioSpace	VarioSpace	VarioSpace	VarioSpace
			Lighting	Lighting
				Lighting IceMaker
	Touch display	Touch display	Touch & Swipe display	Touch & Swipe display
	Can be retrofitted	Can be retrofitted	Can be retrofitted	Can be retrofitted or is included with "i" models
Connectivity (SmartDeviceBox)				
Ice				IceTower



# Unique features



## Freezer drawers

The top drawer in the freezer is often a bit of a mystery because you just can't see what's up there. A simple tilting function on the drawer allows it to be angled downwards when opened. This gives you a complete overview all the time. It also makes it easier to add and remove frozen goods. And the pull-out stop ensures the compartment does not fall out.



## Ice cube tray

The large ice cube tray is easy to fill with water thanks to its convenient fill opening. The lid seals on tightly so that the tray can be safely moved and placed in the appliance without spills.



## IceTower

You will never run out of cold drinks at your party. The IceTower, which holds 5.7 kg of ice cubes, makes sure of that. The ice cube scoop and the pull-out tray on telescopic rails allow easy access to the ice cubes. An extra insert tray means you can also store less ice and make room for frozen food underneath. The adjacent drawer provides storage space for frozen goods.



## SoftSystem

The stylish SoftSystem mechanism is integrated into the door and matches the colour of the interior door; it conveniently cushions movement to ensure extremely soft closure even when the door shelves are fully stocked. The door closes automatically from an opening angle of about 30°.



## Cold storage accumulator

The cold storage accumulators are doubly useful – both indoors and outdoors. Inside the freezer, they keep the frozen food cold for a period should there be a power failure. And they are on hand to chill your food and drinks when you're on outings.



## VarioSpace

Want to store a multi-layer ice cream cake safely until the summer party? No problem for your Liebherr freezer: Sometimes you just need more space and it's prepared for just that. With VarioSpace you can remove individual freezer drawers and the horizontal glass dividers below them, and hey presto, you have an extra large storage space.



## NoFrost

The NoFrost system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, longterm storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free.



## Side-by-Side-concept

Combine your Liebherr appliance with complete flexibility to suit your personal freshness needs. All models labelled side-by-side, can be vertically and/ or horizontally combined to form your individual freshness centre, providing perfect solutions to all your storage needs. More information see pages 28-31.



## LED-lighting

The LED lighting is positioned above the drawers in order to save space. It ensures the best overview of your goods, saves energy and has a long life.



## Touch & Swipe display

Control of your Liebherr at your fingertips: thanks to the Touch & Swipe display, you can operate your refrigerator intuitively and with ease. Simply select functions such as SuperCool on the colour display by tapping and swiping. The temperature is controlled just as easily. And, what if you are not actively using the display? Well, it then shows you the actual temperature.



## Ice cube scoop

The Liebherr ice scoop makes portioning and transporting of ice easy. Thanks to the slanted tip and the ergonomic handle, ice cubes can make it from your IceTower into your drinks quickly and easily. The robust ice scoop made of sturdy plastic is also pleasing to the eye thanks to its satin surface in transparent glacier green.



## Telescopic rails

The freezer drawers are mounted on high-quality, smooth-running telescopic rails for ease of use, even when heavily filled. The drawers offer ample storage space and have a single-piece design for easy removal and cleaning.



Freezer with NoFrost for integrated use



SIFNe 5188  
Peak

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div>A</div></div>
Energy consumption per year / 24 h:	237 / 0.648 kWh
Total volume <sup>1</sup> :	213 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

No Frost

LED

Ice Tower

Ice Maker

Soft System

Telescopic Rails

Touch & Swipe-Display

Vario Space

Super Frost

Smart Device

- Controls**
- 2.4" TFT-colour display, touch- & swipe-electronics
  - Digital temperature display
  - SmartDeviceBox: as an optional accessory
  - Alarm in case of malfunction: visual and acoustic
  - Door alarm freezer compartment: visual and acoustic

- Freezer compartment** **❄️❄️❄️❄️**
- 8 drawers, of which 5 on telescopic rails, VarioSpace
  - IceTower
  - IceMaker for plumbed-in connection 3/4"
  - Ice cube storage: 5.7 kg
  - LED lighting
  - Storage time in the event of power cut: 9 h
  - Freezing capacity in 24 h: 10 kg
  - 2 cold storage accumulators
  - Safety glass fittings

- Key features**
- Side-panel heating on both sides, suitable for combination with other fridges, freezers and/or wine appliances
  - Height-adjustable feet at front
  - Left hand hinge, reversible
  - Replaceable door seal



SIFNf 5128  
Plus

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>F</div><div>A</div></div>
Energy consumption per year / 24 h:	296 / 0.812 kWh
Total volume <sup>1</sup> :	213 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

No Frost

Soft System

Touch-Display

Vario Space

Super Frost

Smart Device

- Controls**
- LC monochrome display, touch electronic
  - Digital temperature display
  - SmartDeviceBox: as an optional accessory
  - Alarm in case of malfunction: visual and acoustic
  - Door alarm freezer compartment: visual and acoustic

- Freezer compartment** **❄️❄️❄️❄️**
- 8 drawers, VarioSpace
  - Ice cube tray
  - Storage time in the event of power cut: 9 h
  - Freezing capacity in 24 h: 10 kg

- Key features**
- Side-panel heating on both sides, suitable for combination with other fridges, freezers and/or wine appliances
  - Height-adjustable feet at front
  - Left hand hinge, reversible
  - Replaceable door seal

Freezer with NoFrost for integrated use



SIFNSf 5128  
Plus

Sliding door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>F</div><div>A</div></div>
Energy consumption per year / 24 h:	296 / 0.812 kWh
Total volume <sup>1</sup> :	213 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

No Frost

Touch-Display

Vario Space

Super Frost

Smart Device

- Controls**
- LC monochrome display, touch electronic
  - Digital temperature display
  - SmartDeviceBox: as an optional accessory
  - Alarm in case of malfunction: visual and acoustic
  - Door alarm freezer compartment: visual and acoustic

- Freezer compartment** **❄️❄️❄️❄️**
- 8 drawers, VarioSpace
  - Ice cube tray
  - Storage time in the event of power cut: 9 h
  - Freezing capacity in 24 h: 10 kg

- Key features**
- Side-panel heating on both sides, suitable for combination with other fridges, freezers and/or wine appliances
  - Height-adjustable feet at front
  - Left hand hinge, reversible
  - Replaceable door seal



SIFNf 5108  
Pure

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>F</div><div>A</div></div>
Energy consumption per year / 24 h:	296 / 0.812 kWh
Total volume <sup>1</sup> :	213 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	177.2 - 178.8 / 56 - 57 / at least 55.0

No Frost

Touch-Display

Vario Space

Super Frost

Smart Device

- Controls**
- LC monochrome display, touch electronic
  - Digital temperature display
  - SmartDeviceBox: as an optional accessory
  - Alarm in case of malfunction: visual and acoustic
  - Door alarm freezer compartment: visual and acoustic

- Freezer compartment** **❄️❄️❄️❄️**
- 8 drawers, VarioSpace
  - Storage time in the event of power cut: 9 h
  - Freezing capacity in 24 h: 10 kg
  - Safety glass fittings

- Key features**
- Side-panel heating on both sides, suitable for combination with other fridges, freezers and/or wine appliances
  - Height-adjustable feet at front
  - Left hand hinge, reversible
  - Replaceable door seal

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.





## Integrated drawer slides

When the freezer drawers are opened and loaded, the integrated drawer slides give you convenient access to your food at all times. The pull-out stop prevents drawers from falling out when opened. On closing, the drawers slide into their final position with ease which ensures ideal air distribution in front of the drawers and therefore the best possible cooling.




## SuperSilent

Shhh – listen carefully. Your Liebherr is so quiet that you have to strain your ears to hear it. How is this achieved? All refrigeration components such as compressors, valves, fans and evaporators are optimised and perfectly adapted to one another. This means you only hear what you want to hear in your kitchen.



**SIFNd 4556**

Prime

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	
Energy consumption per year / 24 h:	173 / 0.475 kWh
Total volume †:	156 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	139.7 - 141.3 / 56 - 57 / at least 55.0

No Frost	LED	Soft System	Touch & Swipe-Display	Vario Space	Super Frost	Smart Device
----------	-----	-------------	-----------------------	-------------	-------------	--------------

### Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm freezer compartment: visual and acoustic

Freezer compartment **\*\*\*\***

- 6 drawers, VarioSpace
- Ice cube tray with lid
- LED lighting
- Storage time in the event of power cut: 10 h
- Freezing capacity in 24 h: 10 kg
- 2 cold storage accumulators
- Safety glass fittings


### Key features

- Side-panel heating on both sides, suitable for combination with other fridges, freezers and/or wine appliances
- Height-adjustable feet at front
- Left hand hinge, reversible
- Replaceable door seal



**SIFNd 4155**

Prime

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	
Energy consumption per year / 24 h:	<b>166 / 0.454 kWh</b>
Total volume <sup>1</sup> :	<b>129 l</b>
Noise output / Sound power level:	<b>34 dB(A) / B, SuperSilent</b>
Climate rating:	<b>SN-T (from +10 °C to +43 °C)</b>
Aperture dimensions in cm (h/w/d):	<b>121.6 - 122.6 / 56 - 57 / at least 55.0</b>

No Frost   LED   Soft System   Touch & Swipe-Display   Vario Space   Super Frost   Smart Device

## Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm freezer compartment: visual and acoustic

## Freezer compartment ❄️❄️❄️

- 5 drawers, VarioSpace
- Ice cube tray with lid
- LED lighting
- Storage time in the event of power cut: 9 h
- Freezing capacity in 24 h: 8 kg
- 2 cold storage accumulators
- Safety glass fittings

### Key features

- Side-panel heating and ceiling heating, suitable for combination with other fridges, freezers and/or wine appliances
- Height-adjustable feet at front
- Left hand hinge, reversible
- Replaceable door seal

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point. You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.





Cold storage accumulator

The cold storage accumulators are doubly useful – both indoors and outdoors. Inside the freezer, they keep the frozen food cold for a period should there be a power failure. And they are on hand to chill your food and drinks when you're on outings.



NoFrost

The NoFrost system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, longterm storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free.



IFNe 3924  
Plus

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	191 / 0.524 kWh
Total volume <sup>1</sup> :	87 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	87.4 - 89 / 56 - 57 / at least 55.0

- No Frost
- Soft System
- Touch-Display
- Vario Space
- Super Frost
- Smart Device

Controls

- LC monochrome display, touch electronic-Elektronik
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm freezer compartment: visual and acoustic

Freezer compartment **❄️❄️❄️❄️**

- 4 drawers, VarioSpace
- Ice cube tray
- Storage time in the event of power cut: 10 h
- Freezing capacity in 24 h: 10 kg
- Safety glass fittings

Key features

- Ceiling heating for Side-by-Side concept
- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.



IFe 3904  
Pure

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	179 / 0.490 kWh
Total volume <sup>1</sup> :	101 l
Noise output / Sound power level:	34 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h/w/d):	87.4 - 89 / 56 - 57 / at least 55.0

- Smart Frost
- Touch-Display
- Vario Space
- Super Frost
- Smart Device

Controls

- LC monochrome display, touch electronic-Elektronik
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm freezer compartment: visual and acoustic

Freezer compartment **❄️❄️❄️❄️**

- 4 drawers, VarioSpace
- Storage time in the event of power cut: 10 h
- Freezing capacity in 24 h: 8 kg
- Safety glass fittings

Key features

- Ceiling heating for Side-by-Side concept
- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.



IFSe 3904  
Pure

Sliding door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	179 / 0.490 kWh
Total volume <sup>1</sup> :	101 l
Noise output / Sound power level:	33 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h/w/d):	87.4 - 89 / 56 - 57 / at least 55.0

- Smart Frost
- Touch-Display
- Vario Space
- Super Frost
- Smart Device

Controls

- LC monochrome display, touch electronic-Elektronik
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm freezer compartment: visual and acoustic

Freezer compartment **❄️❄️❄️❄️**

- 4 drawers, VarioSpace
- Storage time in the event of power cut: 10 h
- Freezing capacity in 24 h: 8 kg
- Safety glass fittings

Key features

- Ceiling heating for Side-by-Side concept
- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal





IFNe 3553 ♦ Plus Series

Freezers with NoFrost for integrated use



IFNe 3553  
Prime

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	
Energy consumption per year / 24 h:	185 / 0.505 kWh
Total volume <sup>1</sup> :	65 l
Noise output / Sound power level:	34 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	71.4 - 73 / 56 - 57 / at least 55.0



Controls

- 2.4" TFT-colour display, touch- & swipe-electronics
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm freezer compartment: visual and acoustic

Freezer compartment

- 3 drawers, VarioSpace
- Ice cube tray with lid
- LED lighting
- Storage time in the event of power cut: 10 h
- Freezing capacity in 24 h: 8 kg
- 2 cold storage accumulators
- Safety glass fittings

Key features

- Ceiling heating for Side-by-Side concept
- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal



IFNe 3503  
Pure

Door-on-door / built-in appliance for integrated use	
Energy efficiency class:	
Energy consumption per year / 24 h:	185 / 0.505 kWh
Total volume <sup>1</sup> :	65 l
Noise output / Sound power level:	34 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	71.4 - 73 / 56 - 57 / at least 55.0



Controls

- LC monochrome display, touch electronic
- Digital temperature display
- SmartDeviceBox: as an optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm freezer compartment: visual and acoustic

Freezer compartment

- 3 drawers, VarioSpace
- Storage time in the event of power cut: 10 h
- Freezing capacity in 24 h: 8 kg
- Safety glass fittings

Key features

- Ceiling heating for Side-by-Side concept
- Height-adjustable feet at front
- Right hand hinge, reversible
- Replaceable door seal

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point. You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.



## Under-worktop



SUIGN 1554 Premium

UIKP 1550 Premium



# Unique features



## BioFresh

BioFresh provides the perfect climate for long-lasting food storage. When stored at just over 0 °C and at the ideal humidity level, fruit, vegetables, meat and fish all retain their nutritious vitamins for longer.



## Pull-out glass shelves

Food is stored safely and easily accessible on the fully extendible pull-out glass shelves (UIKo 1550 / 1560). The glass pull-out shelves made of safety glass are sturdy and easy to clean as well as being adjustable using practical rail dividers.



## LiftUp-Box

The LiftUp Box allows you to fully utilise the storage space below the pull-out drawer. It is ergonomically attached, easy to take out and can hold up to 4 kg. When pulled out, the LiftUp Box pushes up out of the base recess, allowing the food to be removed easily.



## Bottle basket

Do your family and party guests love cold drinks? Often the inside door of the refrigerator isn't enough for bottle cooling. However, your Liebherr will be happy to help. There's plenty of room in the bottle baskets for bottles and Tetrapaks – or even a whole crate of beer. The shelves of the baskets rest on telescopic rails and slide out gently for easy removal.



## Deep shelves

A lot of goods can be stored on the deep shelves, reducing the need to bend down when storing and removing items (UIKP 1550 and UIKP 1554). The items are delivered to the customer. This is a great ergonomic advantage, especially for under-worktop appliances that are installed below the table edge.



## SoftSystem

The stylish SoftSystem mechanism is integrated into the door and matches the colour of the interior door; it conveniently cushions movement to ensure extremely soft closure even when the door shelves are fully stocked. The door closes automatically from an opening angle of about 30°.





Tray inserted into the base

The tray inserted into the base recess enables the optimal use of the lower space in the appliance. It can be easily removed and with a capacity of approx. 4 litres offers sufficient space for smaller goods.

Under-worktop, full-space BioFresh refrigerator for integrated use



SUIB 1550  
Premium

Door-on-door / under-worktop appliance for integrated use	
Energy efficiency class:	<div>C</div>
Energy consumption per year / 24 h:	96 / 0.263 kWh
Total volume <sup>1</sup> :	79 l
Volume:	BioFresh compartment: 79.9 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	82 - 88 / 60 / at least 55.0



Controls

- MagicEye, key electronics
- Digital temperature display
- Door alarm fridge compartment: visual and acoustic

BioFresh compartment

- 2 GlassLine shelves
- 3 BioFresh-Safes, 1 FlexSystem
- Cabinet can be adjusted from HydroSafe to DrySafe
- Removable tray (4 litres in the base recess)

Key features

- Side-panel heating on both sides, suitable for combination with other fridges, freezers and/or wine appliances
- Height-adjustable feet at front and rear
- Right hand hinge, reversible

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

Under-worktop refrigerators for integrated use



UIK 1514  
Comfort

Door-on-door / under-worktop appliance for integrated use	
Energy efficiency class:	<div>F</div>
Energy consumption per year / 24 h:	177 / 0.483 kWh
Total volume <sup>1</sup> :	119 l
Volume:	Fridge: 104.8 l / Freezer compartment: 15 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h/w/d):	82 - 88 / 60 / at least 55.0



Controls

- MagicEye, key electronics
- Digital temperature display for refrigerator compartment
- Door alarm fridge compartment: visual and acoustic

Fridge compartment

- Comfort GlassLine shelving with bottle carrier, adjustable egg tray
- 3 GlassLine shelves
- LED lighting
- 1 large fruit/vegetable compartment

Freezer compartment 

4

\*\*\*\*

- Hinged 4-star freezer compartment door
- Storage time in the event of power cut: 10 h
- Freezing capacity in 24 h: 4 kg

Key features

- Height-adjustable feet at front and rear
- Right hand hinge, reversible

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.



UIK 1510  
Comfort

Door-on-door / under-worktop appliance for integrated use	
Energy efficiency class:	<div>F</div>
Energy consumption per year / 24 h:	115 / 0.314 kWh
Total volume <sup>1</sup> :	136 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h/w/d):	82 - 88 / 60 / at least 55.0



Controls

- MagicEye, key electronics
- Digital temperature display
- Door alarm fridge compartment: visual and acoustic

Fridge compartment

- Comfort GlassLine shelving with bottle carrier, adjustable egg tray
- 4 GlassLine shelves
- LED ceiling lighting
- 1 large fruit/vegetable compartment

Key features

- Height-adjustable feet at front and rear
- Right hand hinge, reversible





UIKP 1554



### Deep shelves

A lot of goods can be stored on the deep shelves, reducing the need to bend down when storing and removing items. The items are delivered to the customer. This is a great ergonomic advantage, especially for under-worktop appliances that are installed below the table edge.



### VarioBase

The VarioBase permits the adjustment of kitchen units in height and depth. All four height-adjustable feet permit adjustment from the front with a 60 mm range. In addition, the ventilation grille can be adjusted within a range of 55 mm to match the front of the kitchen units.


## Under-worktop refrigerators for integrated use



82-88

### UIKP 1554 Premium

Door-on-door / under-worktop appliance for integrated use

Energy efficiency class:	<b>E</b> 
Energy consumption per year / 24 h:	<b>141 / 0.387 kWh</b>
Total volume <sup>1</sup> :	<b>119 l</b>
Volume:	<b>Fridge: 104.8 l / Freezer compartment: 15 l</b>
Noise output / Sound power level:	<b>33 dB(A) / B, SuperSilent</b>
Climate rating:	<b>SN-ST (from +10 °C to +38 °C)</b>
Aperture dimensions in cm (h/w/d):	<b>82 - 88 / 60 / at least 55.0</b>



#### Controls

- MagicEye, key electronics
- Digital temperature display for refrigerator compartment
- Door alarm fridge compartment: visual and acoustic

#### Fridge compartment

- Premium GlassLine shelving, extra deep, with bottle carrier, removable VarioBoxes, adjustable egg tray, butter dish
- 2 GlassLine shelves
- LED lighting
- 1 large fruit/vegetable compartment
- Drawer box

#### Freezer compartment **SN-ST**

- Hinged 4-star freezer compartment door
- Ice cube tray
- Storage time in the event of power cut: 7 h
- Freezing capacity in 24 h: 3 kg

#### Key features

- Height-adjustable feet at front and rear
- Right hand hinge, reversible


<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point. You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.



82-88

### UIKP 1550 Premium

Door-on-door / under-worktop appliance for integrated use

Energy efficiency class:	<b>E</b> 
Energy consumption per year / 24 h:	<b>92 / 0.251 kWh</b>
Total volume <sup>1</sup> :	<b>136 l</b>
Noise output / Sound power level:	<b>34 dB(A) / B, SuperSilent</b>
Climate rating:	<b>SN-ST (from +10 °C to +38 °C)</b>
Aperture dimensions in cm (h/w/d):	<b>82 - 88 / 60 / at least 55.0</b>



#### Controls

- MagicEye, key electronics
- Digital temperature display
- Door alarm fridge compartment: visual and acoustic

#### Fridge compartment

- Premium GlassLine shelving, extra deep, with bottle carrier, removable VarioBox, adjustable egg tray, butter dish
- 3 GlassLine shelves
- LED ceiling lighting
- 1 large fruit/vegetable compartment
- Drawer box

#### Key features

- Height-adjustable feet at front and rear
- Right hand hinge, reversible





UIKo 1560



LiftUp Box

The LiftUp Box allows you to fully utilise the storage space below the pull-out drawer. It is ergonomically attached, easy to take out and can hold up to 4 kg. When pulled out, the LiftUp Box pushes up out of the base recess, allowing the food to be removed easily.



Pull-out glass shelves

Food is stored safely and easily accessible on the fully extendible pull-out glass shelves. The glass pull-out shelves made of safety glass are sturdy and easy to clean as well as being adjustable using practical rail dividers.

Under-worktop refrigerators with extendible pull-out drawer for integrated use



82-88

UIKo 1560  
Premium

Door-on-door / under-worktop appliance for integrated use	
Energy efficiency class:	<div><div>F</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	114 / 0.311 kWh
Total volume <sup>1</sup> :	132 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h/w/d):	82 - 88 / 60 / at least 55.0

Soft System

Soft-Telescopic Rails

LiftUp Box

Super Cool

Controls

- MagicEye, key electronics
- Digital temperature display
- Door alarm fridge compartment: visual and acoustic

Fridge compartment

- Butter dish
- 2 Premium GlassLine shelving, removable, with adjustable egg tray
- Bottle compartment, integrated in the lowest drawer
- LED ceiling lighting
- 1 large fruit/vegetable compartment
- LiftUp-Box

Key features

- Height-adjustable feet at front and rear
- Pull-out drawer, fully extendible



82-88

UIKo 1550  
Premium

Door-on-door / under-worktop appliance for integrated use	
Energy efficiency class:	<div><div>F</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	114 / 0.311 kWh
Total volume <sup>1</sup> :	132 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h/w/d):	82 - 88 / 60 / at least 55.0

Soft System

Soft-Telescopic Rails

Super Cool

Controls

- MagicEye, key electronics
- Digital temperature display
- Door alarm fridge compartment: visual and acoustic

Fridge compartment

- Butter dish
- 2 Premium GlassLine shelving, removable, with adjustable egg tray
- Bottle compartment, integrated in the lowest drawer
- LED ceiling lighting
- 1 large fruit/vegetable compartment

Key features

- Height-adjustable feet at front and rear
- Pull-out drawer, fully extendible

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point. You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.





SUIG 1514 Comfort



SuperSilent

Shhh – listen carefully. Your Liebherr is so quiet that you have to strain your ears to hear it. How is this achieved? All refrigeration components such as compressors, valves, fans and evaporators are optimised and perfectly adapted to one another. This means you only hear what you want to hear in your kitchen.



VarioSpace

Want to store a multi-layer ice cream cake safely until the summer party? No problem for your Liebherr freezer: Sometimes you just need more space and it's prepared for just that. With VarioSpace you can remove individual freezer drawers and the horizontal glass dividers below them, and hey presto, you have an extra large storage space.

Under-worktop freezers for integrated use



SUIGN 1554  
Premium

Door-on-door / under-worktop appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	181 / 0.496 kWh
Total volume <sup>1</sup> :	79 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	82 - 88 / 60 / at least 55.0

- No Frost
- Soft System
- Vario Space
- Super Frost

- Controls**
- MagicEye, key electronics
  - Digital temperature display
  - FrostControl
  - Alarm in case of malfunction: visual and acoustic
  - Door alarm freezer compartment: visual and acoustic

- Freezer compartment** **\*\*\* \*\***
- 3 drawers, of which 2 on roller tracks, VarioSpace
  - Ice cube tray with lid
  - Storage time in the event of power cut: 9 h
  - Freezing capacity in 24 h: 8 kg
  - 2 cold storage accumulators
  - Safety glass fittings
  - Removable tray (4 litres in the base recess)

- Key features**
- Side-panel heating on both sides, suitable for combination with other fridges, freezers and/or wine appliances
  - Height-adjustable feet at front and rear
  - Right hand hinge, reversible



SUIG 1514  
Comfort

Door-on-door / under-worktop appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div>A</div><div>G</div></div>
Energy consumption per year / 24 h:	168 / 0.460 kWh
Total volume <sup>1</sup> :	95 l
Noise output / Sound power level:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h/w/d):	82 - 88 / 60 / at least 55.0

- Smart Frost
- Vario Space
- Super Frost

- Controls**
- MagicEye, key electronics
  - Digital temperature display
  - Alarm in case of malfunction: visual and acoustic
  - Door alarm freezer compartment: visual and acoustic

- Freezer compartment** **\*\*\* \*\***
- 3 drawers, VarioSpace
  - Storage time in the event of power cut: 10 h
  - Freezing capacity in 24 h: 6 kg
  - Safety glass fittings

- Key features**
- Side-panel heating on both sides, suitable for combination with other fridges, freezers and/or wine appliances
  - Height-adjustable feet at front and rear
  - Right hand hinge, reversible

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point. You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.



## Wine cabinets





# An overview of our Wine cabinets

2 temperature zones

+5 °C to +20 °C

+5 °C to +20 °C



The **Vinidor range** offers maximum flexibility with two separately controlled temperature zones. The temperature of these can be set independently between +5 °C and +20 °C. This means that red and white wines can be stored at their ideal serving temperatures in the same cabinet. These cabinets not only provide the ideal climate conditions for long-term storage of wine, but with differently sized zones and fully adjustable temperature controls, they are suitable for every wine collection.

1 temperature zone

+20 °C





+5 °C



The GrandCru range storage cabinets offer similar conditions to a wine cellar. This range facilitates the storage of red and white wines at the correct long term storage temperatures or individual serving temperatures. The temperature can be adjusted from +5 °C to +20 °C as appropriate, and is both even and constant throughout the entire appliance interior.

# Overview of product range according to niche and series

Vinidor	2 temperature zones
GrandCru	1 temperature zone



Dimensions in cm					
Multi-temperature wine cabinet	EW Tgb 3583 p. 126	EW Tgb 2383 p. 128	EW Tgb 1683 p. 130		WKEgb 582 p. 134
	EW Tgw 3583 p. 126	EW Tgw 2383 p. 128	EW Tgw 1683 p. 130		WKEgw 582 p. 134
	EW Tdf 3553 p. 127	EW Tdf 2353 p. 129	EW Tdf 1653 p. 131		WKEes 553 p. 135
Under-worktop Wine cabinets				UW Tgb 1682 p. 132	
				UW Tes 1672 p. 132	
				UW Kes 1752 p. 133	
Under-worktop Beverage centre				UKes 1752 p. 133	



# Quality down to the finest detail



### Stainless steel frame

The high-quality, easy-to-fit stainless steel frame and handle enables all EWTdf models to be elegantly integrated into any kitchen. The robust stainless steel handle makes opening the door effortless. Available as an optional accessory kit for EWTdf 3553 (9901573-00), EWTdf 2353 (9901575-00), EWdf 1653 (9901577-00)



### SuperSilent

You've probably never heard of this Liebherr – simply because it is quieter than almost any other refrigerator. Its extra-low-noise design means it has virtually “unheard of” levels of quietness. Thanks to its maximum levels of noiselessness, it sets new standards even compared to the quietest refrigerators.



### TipOpen

The handle-free glazed door guarantees perfect integration into a handle-free kitchen. Not only provides UV protection you can trust but also ensures superb visibility of the stored wines. The TipOpen technology opens the glazed door 7 cm when tapped and, if the door is not opened further within three seconds, the soft-closing system will shut it again.



### Presentation shelf

The presentation shelf is ideal for keeping open bottles at the perfect temperature and without the risk of spills.



### FreshAir activated

The integrated FreshAir activated charcoal filter purifies the internal air and traps unpleasant odours. It is easy to replace and guarantees optimum air quality.



### Electronic control

The electronic LCD display offers clear menu navigation and a Touch-electronic control system provides bespoke storage conditions. The digital temperature display can be read from the outside of appliances with glass doors. The Touch-electronic navigation ensures easy selection and use of the numerous control functions. The Vinidor 2 and 3 zone models feature an integrated door seal in the dividing shelf to maintain correct individual temperatures.



### Tinted isolation glass door

The handle-free glazed door guarantees perfect integration into a handle-free kitchen. Not only provides UV protection you can trust but also ensures superb visibility of the stored wines.



### LED lighting

All wine cabinets feature dimmable LED lighting, which evenly illuminates the interior and can be left on permanently if desired. Because LEDs generate minimal heat, wines can be sympathetically illuminated and beautifully presented for an extended period of time.



### SoftSystem

The SoftSystem feature provides added safety and convenience. Integrated within the door, the SoftSystem cushions movement when the door is closed. This SoftSystem ensures that the door closes gently even when fully loaded inside. The door automatically closes from an angle of approximately 30°.



### Telescopic rails

The Vinidor appliances are equipped with solid wooden shelves mounted on telescopic rails. The handcrafted shelves made from untreated wood are ideal for storing Bordeaux bottles safely, providing a clear view and easy access.



### Clip-on labelling

The clip-on labelling system provides a quick and clear overview of your wine store.



### Accessories drawer

The easy-glide accessories drawer can be used to store accessories directly below wine storage cabinets in the WKE 5 model range. This increases the 45 cm recess to a 60 cm one. Available in white glass (9901086-00), black glass (9901085-00) and stainless steel (9901084-00).



Dual zone wine cabinets for integrated use



EWTgb 3583  
Vinidor

Flush-fitted insulated glass door / built-in appliance for integrated use	
Energy efficiency class:	
Energy consumption per year / 24 h:	178 / 0.488 kWh
Max. Bordeaux bottles 0.75 l:	83
Total volume <sup>1</sup> :	271 l
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN (from +10 °C to +32 °C)
Door:	Black insulated glass door, handle and frame-free
Aperture dimensions in cm (h/w/d):	177.2-178 / 56-57 / at least 55.0

LED	Soft System	Telescopic Rails	Tip Open
-----	-------------	------------------	----------

Controls

- LC-Display, touch electronics
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- Audible door alarm
- Child lock function

Wine compartment

- 2 temperature zones, can be regulated between +5 °C and +20 °C
- 2 adjustable refrigeration circuits
- Convection cooling, FreshAir active carbon filter
- Humidity regulation via controllable ventilation
- LED Interior lighting with on/off function, dimmable
- Beechwood shelves
- 10 Shelves, of which 8 on telescopic rails, of which 1 is a presentation shelf

Key features

- TipOpen
- Height-adjustable feet at front
- Right hand hinge, reversible
- Concealed hinge with restricted opening



EWTgw 3583  
Vinidor

Flush-fitted insulated glass door / built-in appliance for integrated use	
Energy efficiency class:	
Energy consumption per year / 24 h:	178 / 0.488 kWh
Max. Bordeaux bottles 0.75 l:	83
Total volume <sup>1</sup> :	271 l
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN (from +10 °C to +32 °C)
Door:	White insulated glass door, handle and frame-free
Aperture dimensions in cm (h/w/d):	177.2-178 / 56-57 / at least 55.0

LED	Soft System	Telescopic Rails	Tip Open
-----	-------------	------------------	----------

Controls

- LC-Display, touch electronics
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- Audible door alarm
- Child lock function

Wine compartment

- 2 temperature zones, can be regulated between +5 °C and +20 °C
- 2 adjustable refrigeration circuits
- Convection cooling, FreshAir active carbon filter
- Humidity regulation via controllable ventilation
- LED Interior lighting with on/off function, dimmable
- Beechwood shelves
- 10 Shelves, of which 8 on telescopic rails, of which 1 is a presentation shelf

Key features

- TipOpen
- Height-adjustable feet at front
- Right hand hinge, reversible
- Concealed hinge with restricted opening

Please check with your kitchen installer that the cabinetry will accommodate the weight of the EWT.. 35.. models when fully loaded.

This special range of wine cabinets (EWTdf) can either accept furniture overlay panels (supplied by your Kitchen Retailer) or the s/steel overlay accessory (at additional cost). These models are only bound for storing wine. Maximum DIN norm bordeaux bottles capacity (0.75 l) as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm)



EWTdf 3553  
Vinidor

Door-on-door / built-in appliance with décor panel	
Energy efficiency class:	
Energy consumption per year / 24 h:	176 / 0.482 kWh
Max. Bordeaux bottles 0.75 l:	80
Total volume <sup>1</sup> :	254 l
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	Silver / Insulated glass door prepared for cabinet door
Aperture dimensions in cm (h/w/d):	177.2-178 / 56-57 / at least 55.0

LED	Soft System	Telescopic Rails
-----	-------------	------------------

Controls

- LC-Display, touch electronics
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- Audible door alarm
- Child lock function

Wine compartment

- 2 temperature zones, can be regulated between +5 °C and +20 °C
- 2 adjustable refrigeration circuits
- Convection cooling, FreshAir active carbon filter
- Humidity regulation via controllable ventilation
- LED Interior lighting with on/off function, dimmable
- Beechwood shelves
- 10 Shelves, of which 8 on telescopic rails, of which 1 is a presentation shelf

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Concealed hinge with restricted opening

Stainless steel frame and handle available as optional accessory (9901573-00)

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.

Dual zone wine cabinets for integrated use



SuperSilent

You've probably never heard of this Liebherr – simply because it is quieter than almost any other refrigerator. Its extra-low-noise design means it has virtually “unheard of” levels of quietness. Thanks to its maximum levels of noiselessness, it sets new standards even compared to the quietest refrigerators.



FreshAir activated

The integrated FreshAir activated charcoal filter purifies the internal air and traps unpleasant odours. It is easy to replace and guarantees optimum air quality.





↑  
122  
↓

EWTgb 2383

Vinidor

Flush-fitted insulated glass door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>E</div></div>
Energy consumption per year / 24 h:	160 / 0.438 kWh
Max. Bordeaux bottles 0.75 l:	51
Total volume <sup>1</sup> :	169 l
Noise output / Sound power level:	31 dB(A) / B, SuperSilent
Climate rating:	SN (from +10 °C to +32 °C)
Door:	Black insulated glass door, handle and frame-free
Aperture dimensions in cm (h/w/d):	122-123.6 / 56-57 / at least 55.0

LED	Soft System	Telescopic Rails	Tip Open
-----	-------------	------------------	----------

Controls

- LC-Display, touch electronics
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- Audible door alarm
- Child lock function

Wine compartment

- 2 temperature zones, can be regulated between +5 °C and +20 °C
- 2 adjustable refrigeration circuits
- Convection cooling, FreshAir active carbon filter
- Humidity regulation via controllable ventilation
- LED lighting with on/off function, dimmable
- Beechwood shelves
- 6 Shelves, of which 4 on telescopic rails, of which 1 is a presentation shelf

Key features

- TipOpen
- Height-adjustable feet at front
- Right hand hinge, reversible
- Concealed hinge with restricted opening



↑  
122  
↓

EWTgw 2383

Vinidor

Flush-fitted insulated glass door / built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>E</div></div>
Energy consumption per year / 24 h:	160 / 0.438 kWh
Max. Bordeaux bottles 0.75 l:	51
Total volume <sup>1</sup> :	169 l
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN (from +10 °C to +32 °C)
Door:	White insulated glass door, handle and frame-free
Aperture dimensions in cm (h/w/d):	122-123.6 / 56-57 / at least 55.0

LED	Soft System	Telescopic Rails	Tip Open
-----	-------------	------------------	----------

Controls

- LC-Display, touch electronics
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- Audible door alarm
- Child lock function

Wine compartment

- 2 temperature zones, can be regulated between +5 °C and +20 °C
- 2 adjustable refrigeration circuits
- Convection cooling, FreshAir active carbon filter
- Humidity regulation via controllable ventilation
- LED Interior lighting with on/off function, dimmable
- Beechwood shelves
- 6 Shelves, of which 4 on telescopic rails, of which 1 is a presentation shelf

Key features

- TipOpen
- Height-adjustable feet at front
- Right hand hinge, reversible
- Concealed hinge with restricted opening



↑  
122  
↓

EWTdf 2353

Vinidor

Door-on-door / built-in appliance with décor panel	
Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>E</div></div>
Energy consumption per year / 24 h:	158 / 0.434 kWh
Max. Bordeaux bottles 0.75 l:	48
Total volume <sup>1</sup> :	158 l
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	Silver / Insulated glass door prepared for cabinet door
Aperture dimensions in cm (h/w/d):	122-123.6 / 56-57 / at least 55.0

LED	Soft System	Telescopic Rails
-----	-------------	------------------

Controls

- LC-Display, touch electronics
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- Audible door alarm
- Child lock function

Wine compartment

- 2 temperature zones, can be regulated between +5 °C and +20 °C
- 2 adjustable refrigeration circuits
- Convection cooling, FreshAir active carbon filter
- Humidity regulation via controllable ventilation
- LED Interior lighting with on/off function, dimmable
- Beechwood shelves
- 6 Shelves, of which 4 on telescopic rails, of which 1 is a presentation shelf

Key features

- Height-adjustable feet at front
- Right hand hinge, reversible
- Concealed hinge with restricted opening

Stainless steel frame and handle available as optional accessory (9901575-00)

<sup>1</sup> In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

You can find the full range of efficiency classes on page 13. According to (EU) 2017/1369 6a.



Presentation shelf

The presentation shelf is ideal for keeping open bottles at the perfect temperature and without the risk of spills.



Stainless steel frame and handle

The high-quality, easy-to-fit stainless steel frame and handle enables all EWTdf models to be elegantly integrated into any kitchen. The robust stainless steel handle makes opening the door effortless.

Available as an optional accessory kit for EWTdf 3553 (9901573-00), EWTdf 2353 (9901575-00), EWTdf 1653 (9901577-00)

This special range of wine cabinets (EWTdf) can either accept furniture overlay panels (supplied by your Kitchen Retailer) or the s/steel overlay accessory (at additional cost). These models are only bound for storing wine. Maximum DIN norm bordeaux bottles capacity (0.75 l) as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm)

Please check with your kitchen installer that the cabinetry will accommodate the weight of the EWT.. 35.. models when fully loaded.












### Wine storage cabinets for integrated use



**WKEgb 582**

GrandCru

Flush-fitted insulated glass door / built-in appliance for integrated use	
Energy efficiency class:	
Energy consumption per year / 24 h:	116 / 0.317 kWh
Max. Bordeaux bottles 0.75 l:	18*
Total volume <sup>1</sup> :	47 l
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	<b>Black insulated glass door, handle and frame-free</b>
Aperture dimensions in cm (h/w/d):	45-45.2 / 56-57 / at least 55.0

LED    Soft System    Telescopic Rails    Tip Open

## Controls

- LC-Display, touch electronics
- Touch
- Digital temperature display
- Alarm in case of malfunction: visual and acoustic
- Audible door alarm
- Child lock function

### Wine compartment

- 1 temperature zone, can be regulated between +5°C and +20°C
- 1 adjustable refrigeration circuit
- Convection cooling, FreshAir active carbon filter
- Humidity regulation via controllable ventilation
- LED lighting with on/off function, dimmable
- Beechwood shelves
- 3 shelves, of which 2 on telescopic rails

### Key features


- Folding door with TipOpen technology
- Concealed hinge with restricted opening

\* Max. 18 Bordeaux bottles for front to back storage.  
Taller bottles can be stored side on (max. 12 Bordeaux bottles).



**WKEgw 582**

GrandCru

Flush-fitted insulated glass door / built-in appliance for integrated use	
Energy efficiency class:	
Energy consumption per year / 24 h:	116 / 0.317 kWh
Max. Bordeaux bottles 0.75 l:	18*
Total volume †:	47 l
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	White insulated glass door, handle and frame-free
Aperture dimensions in cm (h/w/d):	45-45.2 / 56-57 / at least 55.0

LED    Soft System    Telescopic Rails    Tip Open

## Controls

- LC-Display, touch electronics
- Touch
- Digital temperature display
- Alarm in case of malfunction: visual and acoustic
- Audible door alarm
- Child lock function

### Wine compartment

- 1 temperature zone, can be regulated between +5°C and +20°C
- 1 adjustable refrigeration circuit
- Convection cooling, FreshAir active carbon filter
- Humidity regulation via controllable ventilation
- LED lighting with on/off function, dimmable
- Beechwood shelves
- 3 shelves, of which 2 on telescopic rails


### Key features

- Folding door with TipOpen technology
- Concealed hinge with restricted opening

\* Max. 18 Bordeaux bottles for front to back storage.  
Taller bottles can be stored side on (max. 12 Bordeaux bottles).

**WKEes 553**

GrandCru

Flush / built-in appliance for integrated use	
Energy efficiency class:	
Energy consumption per year / 24 h:	140 / 0.384 kWh
Max. Bordeaux bottles 0.75 l:	18**
Total volume <sup>1</sup> :	51 l
Noise output / Sound power level:	32 dB(A) / B, SuperSilent
Climate rating:	SN (from +10 °C to +32 °C)
Door:	<b>Insulated glass door with stainless steel frame, handle and frame-free</b>
Aperture dimensions in cm (h/w/d):	45 / 56 / at least 55.0

LED  
Telescopic  
Rails

### Controls

- LC-Display, touch electronics
- Touch
- Digital temperature display
- Alarm in case of malfunction: visual and acoustic
- Audible door alarm
- Child lock function

### Wine compartment

- 1 temperature zone, can be regulated between +5°C and +20°C
- 1 adjustable refrigeration circuit
- Convection cooling, FreshAir active carbon filter
- Humidity regulation via controllable ventilation
- LED lighting with on/off function, dimmable
- Beechwood shelves
- 3 shelves, of which 2 on telescopic rails

### Key features

- Recessed grip
- Right hand hinge, reversible

**\*\* Max. 18 Bordeaux bottles for front to back storage.  
Taller bottles can be stored side on using the brackets  
provided (max. 12 Bordeaux bottles).**

## Wine storage cabinets for integrated use



## Accessories drawer

The easy-glide accessories drawer can be used to store accessories directly below wine storage cabinets in the WKE 5 model range. This increases the 45 cm recess to 60 cm.

Available in white glass (9901086-00), black glass (9901085-00) and stainless steel (9901084-00).



## LED lighting

All wine cabinets feature dimmable LED lighting, which evenly illuminates the interior and can be left on permanently if desired. Because LEDs generate minimal heat, wines can be sympathetically illuminated and beautifully presented for an extended period of time.






SN	from +10 °C to +32 °C
ST	from +16 °C to +38 °C
N	from +16 °C to +32 °C
T	from +16 °C to +43 °C


Aperture dimensions

The dimensions for fully integrated appliances are industry standard. The aperture dimensions provide information about the appliance size or height. The exact dimensions of each appliance can be seen in the installation diagrams on the pages that follow.



Climate class

The climate rating specifies the ambient temperature for which the appliances are guaranteed to work normally. The following climate ratings have been defined (pursuant to DIN EN ISO 15502):



Four-point attachment

So that our fully integrated fridges can be installed correctly, we provide special four-point fixing as standard for all our door-on-door appliances. The fixing points are attractively concealed with covers and the attachment brackets create a depth stop at the top and bottom. This alignment device ensures that the appliance is correctly positioned within the kitchen unit. Taller appliances with a height of 140 cm or more also come with two height-adjustable positioning feet at the front.

Vario plinth

The Vario plinth makes it possible to adapt under-worktop models (UIK, SUIG, UWT and UWK) to the height and depth of the kitchen units. All four positioning feet can be adjusted by up to 50 mm from the front. The position of the ventilation grille can also be adjusted to match the front of the kitchen units; it can be moved by up to 55 mm.



Levelling bars

Taller appliances with a height of 140 cm or more have two levelling bars on the left and right of the base. These make it possible to correctly level position the appliance and thereby ensure that the door closes correctly so that the appliance works properly.



Front air intake and ventilation

To ensure that the refrigeration system is cooled and the appliance operates correctly, fully integrated appliances must be adequately ventilated. Depending on the model and the installation location:

- 1 – Fully integrated appliances in non-ceiling height kitchen units. Front air intake in the plinth, venting via the back wall of the kitchen unit.
- 2 – Fully integrated appliances in ceiling height kitchen units. Front air intake in the plinth, venting via ventilation slots at the top.
- 3 – In the case of individual fully integrated appliances installed one above the other (Freshness Centre/SBS Concept, see pages 28-31) ventilation takes place as described in 1 and 2.
- 4 – Fully integrated appliances with both air intake and venting at the front.
- 5 – Under-worktop appliances with front air intake in the plinth. Venting via ventilation slots at the top.
- 6 – Under-worktop appliances with both air intake and venting at the front.

Please note: All ventilation slots must be at least 200 cm<sup>2</sup>.





Diagrams

↑  
203  
↓

ECBN 6256

Reinforced flexible hose (3m) for appliances with a 3/4" plumbed-in connection.  
Maximum weight of furniture door:  
fridge compartment: 12 kg ;  
freezer compartment: 10 kg per drawer  
NB:  
The cupboard door is attached to the appliance door (door on door assembly). No cupboard hinges required.

↑  
203  
↓

ECBN 6156

Reinforced flexible hose (3m) for appliances with a 3/4" plumbed-in connection.  
Maximum weight of furniture door:  
fridge compartment: 27 kg ;  
freezer compartment: 10 kg per drawer  
NB:  
The cupboard door is attached to the appliance door (door on door assembly). No cupboard hinges required.

↑  
203  
↓

ECBN 5066

Reinforced flexible hose (3m) for appliances with a 3/4" plumbed-in connection.  
Maximum weight of furniture door:  
fridge compartment: 27 kg ;  
freezer compartment: 10 kg per drawer  
NB:  
The cupboard door is attached to the appliance door (door on door assembly). No cupboard hinges required.

↑  
178  
↓

Plumbed-in connection

ECBN 6256

↑  
178  
↓

Plumbed-in connection

ECBN 6156

ECBN 5066

Fixed water connection (3/4") required for automatic ice-cube maker.  
Reinforced flexible hose (3m) for appliances with a 3/4" plumbed-in connection.

↑  
178  
↓

IXRF 5185

IXRF 5165

Maximum weight of furniture door:  
Fridge compartment: 26 kg  
NB:  
The cupboard door is attached to the appliance door (door on door assembly).  
No cupboard hinges required. \* Recommended: 560 mm

Plumbed-in connection

IXRF 5185

IXRF 5165

Magnetic valve

↑  
178  
↓

IXRF 5125

IXRF 5100

Maximum weight of furniture door:  
Fridge compartment: 26 kg  
NB:  
The cupboard door is attached to the appliance door (door on door assembly).  
No cupboard hinges required. \* Recommended: 560 mm

↑  
178  
↓

IXRFS 5125

Maximum weight of furniture door:  
Fridge compartment: 26 kg  
NB:  
The cupboard door is attached to the appliance door (door on door assembly).  
No cupboard hinges required. \* Recommended: 560 mm

↑  
178  
↓

IXCC 5165

Maximum weight of furniture door:  
Fridge compartment: 18 kg,  
freezer compartment: 12 kg  
NB:  
The cupboard door is attached to the appliance door (door on door assembly).  
No cupboard hinges required. \* Recommended: 560 mm

↑  
178  
↓

IXCC 5155

Maximum weight of furniture door:  
Fridge compartment: 18 kg,  
freezer compartment: 12 kg  
NB: The cupboard door is attached to the appliance door (door on door assembly).  
No cupboard hinges required. \* Recommended: 560 mm

↑  
122  
↓

IXRF 4155

Maximum weight of furniture door:  
Fridge compartment: 19 kg  
NB: The cupboard door is attached to the appliance door (door on door assembly).  
No cupboard hinges required. \* Recommended: 560 mm

Plumbed-in connection

ICBNd 5183

ICBNd 5163

ICNdi 5173

IXCC 5165

Magnetic valve

↑  
178  
↓

SICNd 5153

ICBNd 5153

ICBNe 5123

ICNe 5133

ICd 5123

ICNf 5103

ICe 5103

Maximum weight of furniture door:  
Fridge compartment: 18 kg, freezer compartment: 12 kg  
NB:  
The cupboard door is attached to the appliance door (door on door assembly). No cupboard hinges required.  
\* Recommended: 560 mm

↑  
178  
↓

ICBdi 5182

ICBb 5152

ICBd 5122

Maximum weight of furniture door:  
Fridge compartment: 18 kg ; freezer compartment: 12 kg  
NB:  
The cupboard door is attached to the appliance door (door on door assembly). No cupboard hinges required.  
\* Recommended: 560 mm

↑  
178  
↓

ICNSf 5103

ICSe 5103

\* Recommended: 560 mm

↑  
178  
↓

IRCBf 5121

Maximum weight of furniture door:  
Fridge compartment: 18 kg ; freezer compartment: 12 kg  
NB:  
The cupboard door is attached to the appliance door (door on door assembly). No cupboard hinges required.  
\* Recommended: 560 mm



Diagrams

↑  
178  
↓

ICBNdi 5183

ICBNd 5183

ICBNd 5173

ICBNdi 5173

ICBNd 5163

ICNdi 5173

Maximum weight of furniture door:  
Fridge compartment: 18 kg, freezer compartment: 12 kg  
NB: The cupboard door is attached to the appliance door (door on door assembly). No cupboard hinges required.  
\* Recommended: 560 mm

↑  
178  
↓

ICSe 5122

\*\*\*\*

\* Recommended: 560 mm

↑  
122  
↓

IRBb 4170

Maximum weight of furniture door: 19 kg  
NB:  
The cupboard door is attached to the appliance door (door on door assembly). No cupboard hinges required.  
\* Recommended: 560 mm

↑  
88  
↓

IRSF 3901

IRSF 3900

IFSe 3904

\*\*\*\*

\* Recommended: 560 mm

↑  
178  
↓

IRBd 5180

SIFNe 5188

\*\*\*\*

Maximum weight of furniture door:  
freezer compartment: 26 kg  
NB: The cupboard door is attached to the appliance door (door on door assembly). No cupboard hinges required.  
\* Recommended: 560 mm

↑  
178  
↓

IRBSe 5120

SIFNSf 5128

\*\*\*\*

\* Recommended: 560 mm

↑  
122  
↓

IRBd 4150

IRe 4101

IRe 4100

IRd 4151

\*\*\*\*

Maximum weight of furniture door: 19 kg  
NB:  
The cupboard door is attached to the appliance door (door on door assembly). No cupboard hinges required.  
\* Recommended: 560 mm

↑  
88  
↓

SIBa 3950

IRf 3900

IFNe 3924

IFe 3904

IRd 3950

Maximum weight of furniture door: 16 kg  
NB:  
The cupboard door is attached to the appliance door (door on door assembly). No cupboard hinges required.  
\* Recommended: 560 mm

Plumbed-in connection

IRBd 5180

SIFNe 5188

\*\*\*\*

↑  
158  
↓

IRBe 4851

\*\*\*\*

Maximum weight of furniture door: 22 kg  
NB:  
The cupboard door is attached to the appliance door (door on door assembly). No cupboard hinges required.  
\* Recommended: 560 mm

↑  
122  
↓

SIFNd 4155

Maximum weight of furniture door: 19 kg  
NB:  
The cupboard door is attached to the appliance door (door on door assembly). No cupboard hinges required.  
\* Recommended: 560 mm

↑  
88  
↓

DRf 3900

Cutting measure for decor panel in mm  
Height/width: 860/585,  
Max. thickness 4 mm.  
\* Recommended: 560 mm

↑  
178  
↓

IRBe 5120

IRDe 5120

IRf 5101

IRe 5100

SIFNf 5108

IRBd 5170

IRBd 5151

IRBd 5150

SIFNf 5128

\*\*\*\*

Maximum weight of furniture door: 26 kg  
NB: The cupboard door is attached to the appliance door (door on door assembly). No cupboard hinges required.  
\* Recommended: 560 mm

↑  
140  
↓

IRe 4521

IRBd 4570

IRe 4520

SIFNd 4556

Maximum weight of furniture door: 21 kg  
NB:  
The cupboard door is attached to the appliance door (door on door assembly). No cupboard hinges required.  
\* Recommended: 560 mm

↑  
102  
↓

IRBd 4020

Maximum weight of furniture door: 16 kg  
NB:  
The cupboard door is attached to the appliance door (door on door assembly). No cupboard hinges required.  
\* Recommended: 560 mm

↑  
72  
↓

IFNe 3553

IFNe 3503

Maximum weight of furniture door: 16 kg  
NB:  
The cupboard door is attached to the appliance door (door on door assembly). No cupboard hinges required.  
\* Recommended: 560 mm

140

Please note that the recommended furniture door thickness limits are 16mm - 19mm. Thicker door panels can be fitted within the relevant weight limits but specialist advice should be obtained. Please refer to the installation instructions for the individual model door weight limits.

141




Diagrams

↑  
82-88  
↓

SUIGN 1554 \*\*\*\*  
SUIG 1514 \*\*\*\*  
UIK 1514 \*\*\*\*  
UIK 1510  
UIKP 1554  
UIKP 1550  
SUIB 1550

Maximum weight of furniture door: 10 kg  
NB: The cupboard door is attached to the appliance door (door on door assembly).  
No cupboard hinges required.  
Plinth height at appliance height of 820 mm (height of worktop 850 mm) adjustable between 100 and 160 mm, or between 163 and 223 mm at appliance height of 880 mm (height of worktop 900 mm). Depth of plinth 22-77 mm.

↑  
82-88  
↓




↑  
82-88  
↓

UIKo 1560  
UIKo 1550

Maximum weight of furniture door: 10 kg  
NB: The cupboard door is attached to the appliance door (door on door assembly).  
No cupboard hinges required.  
Plinth height at appliance height of 820 mm (height of worktop 850 mm) adjustable between 100 and 160 mm, or between 163 and 223 mm at appliance height of 880 mm (height of worktop 900 mm). Depth of plinth 22-77 mm.

↑  
82-88  
↓




↑  
88  
↓

EWtgb 1683  
EWtgw 1683


Door dimensions (h/w/d): 595/906/552 mm.  
\* Recommended: 560 mm.

↑  
88  
↓



Storage diagrams:

EWtgb 1683  
EWtgw 1683




↑  
178  
↓

EWtgb 3583  
EWtgw 3583


Door dimensions (h/w/d): 595/1816/552 mm.  
\* Recommended: 560 mm

↑  
178  
↓



Storage diagrams's:

EWtgb 3583  
EWtgw 3583




↑  
88  
↓

EWtdf 1653


\* Recommended: 560 mm. Maximum weight of furniture door: 20 kg.  
\*\* Shown with stainless steel frame installed.  
Door dimensions (h/w/d): 595/906/552 mm.

↑  
88  
↓



Storage diagrams:

EWtdf 1653




↑  
178  
↓

EWtdf 3553


\* Recommended: 560 mm. Maximum weight of furniture door: 20 kg.  
\*\* Shown with stainless steel frame installed.  
Door dimensions (h/w/d): 595/1816/552 mm.

↑  
178  
↓



Storage diagrams:

EWtgb 2383  
EWtgw 2383




↑  
45  
↓

WKEgb 582  
WKEgw 582


Glass door with stainless steel frame.  
Door dimensions (h/w/d): 450 / 595 / 35 mm

↑  
45  
↓



Storage diagrams:

WKEgb 582  
WKEgw 582




↑  
122  
↓

EWtgb 2383  
EWtgw 2383

Door dimensions (h/w/d): 595/1233/552 mm.  
\* Recommended: 560 mm

↑  
122  
↓




↑  
122  
↓

EWtdf 2353

\* Recommended: 560 mm. Maximum weight of furniture door: 20 kg.  
\*\* Shown with stainless steel frame installed  
Door dimensions (h/w/d): 595/1233/552 mm.

↑  
122  
↓





Diagrams


↑

82-87

↓


[ mm ]

UWTgb 1682



Built-under model:  
Height of plinth can be adjusted by 50 mm with adjustable feet. Ventilation occurs through the plinth. No ventilation grill is needed in the worktop.  
Frameless, handle-less glass door.  
Door dimensions (h/w/d): 717 / 596 / 39 mm

Storage diagrams:  
  
UWTgb 1682  
UWTes 1672




↑

82-87

↓

[ mm ]

UWKes 1752



Built-under model:  
Height of plinth can be adjusted by 50 mm with adjustable feet. Ventilation occurs through the plinth. No ventilation grill is needed in the worktop.  
Frameless, handle-less glass door.  
Door dimensions (h/w/d): 716 / 592 / 38 mm


↑

82-87

↓

[ mm ]

UWTes 1672



Built-under model:  
Height of plinth can be adjusted by 50 mm with adjustable feet. Ventilation occurs through the plinth. No ventilation grill is needed in the worktop.  
Frameless, handle-less glass door.  
Door dimensions (h/w/d): 716 / 592 / 38 mm


↑

45

↓


[ mm ]

WKEes 553



NB:  
Ventilation always upwards.  
When installation underneath the worktop, a ventilation grill is required.  
Glass door with stainless steel frame.  
Door dimensions (h/w/d): 455 / 591 / 16 mm

Storage diagrams:  
  
WKEes 553




↑

82-87

↓

[ mm ]

UKes 1752



Built-under model:  
Height of plinth can be adjusted by 50 mm with adjustable feet. Ventilation occurs through the plinth. No ventilation grill is needed in the worktop.  
Frameless, handle-less glass door.  
Door dimensions (h/w/d): 716 / 592 / 38 mm









## Our catalogue programme

Ask your Liebherr dealer for our main catalogues for freestanding and fully integrated appliances and for our specials. All catalogues are also available for download at [home.liebherr.com](http://home.liebherr.com).



**SmartDevice app:** The smart companion for your Liebherr. Operate your appliances conveniently via app, receive important status messages and benefit from many other services relating to your fridge.



**HNGRY:** The smart every-day assistant for shopping, storage and supplies. The app helps you organise your shopping perfectly, keep an eye on your supplies at all times, and store them correctly.



You can download our apps here.



[home.liebherr.com](http://home.liebherr.com)

Subject to modification.  
Current data see [home.liebherr.com](http://home.liebherr.com).  
Printed in Germany  
by Holzer Druck GmbH.  
7943 096-19 / 06.2022

