



Timeless freshness

When it comes to groceries, you care about top quality and an authentic culinary experience. You take detours to visit stalls selling regional cheeses, you appreciate freshly caught fish, and you like to grow your own radishes. Wouldn't it be great if you could still taste this quality, even after several days in the fridge? Almost as if time were standing still? We think it would.

That is what motivates us to constantly develop new and even better solutions that guarantee perfect storage conditions for all kinds of groceries. For long-lasting freshness, to protect valuable vitamins, and for food that tastes as if it had just been bought or harvested. But why not find out for yourself? Check out our 2022 freestanding units.



Contents

Liebherr Corporate Group	
Quality	
Sustainability	
Freshness technologies	
EasyFresh	
BioFresh	
BioFresh Professional with HydroBreeze	
BioFresh Professional with Fish & Seafood Safe	:
Design	:
Convenience and flexibility	:
Water and ice	
Connectivity	
User interface	4
Flexible accessories	4
Series	4
Freshness centres	
Side-by-Side fridge-freezers	ĺ
Frenchdoor fridge-freezer	
Fridge-freezers	
Fridge-freezers (with bottom freezer)	(
Fridge-freezers (with top freezer)	
Fridges	9
Freezers	12
Wine Cabinets	1!


Liebherr Group

Global success: The Liebherr Group.

Liebherr is a third-generation, family-owned company founded in 1949 by Hans Liebherr with his ground-breaking invention of the world's first mobile tower crane.

With over 70 years of success, Liebherr is known as a pioneer in high-quality, breakthrough innovations and countless cutting-edge technologies in numerous industries. One of the world's largest manufacturers of construction machinery, Liebherr has expanded its broadly diversified portfolio to 13 product segments including earthmoving, deep foundation machines, mobile and crawler cranes, tower cranes, concrete technology, material handling technology, mining, maritime cranes, aerospace and transportation systems, gear technology and automation systems, components, hotels and refrigeration and freezing. The company currently employs about 48,000 people in more than 140 companies in over 50 countries worldwide.













Liebherr-Hausgeräte – Specialists in refrigeration and freezing.

Liebherr-Hausgeräte covers the full range of refrigeration and freezing for domestic and commercial use. Headquartered in Germany, Liebherr-Hausgeräte has an

impressive range of more than 3,000 products in its portfolio.

 $_{
m 6}$

Even the smallest detail deserves the utmost attention.

We prioritise uncompromising quality – down to the tiniest screw. And we have done so from the very start. We have been manufacturing high-quality refrigerators and freezers and selling them worldwide since 1954. However, at heart we are still a family business with deep roots in Germany. It is here that we continue to develop all our products just as before. German engineering – out of loyalty to our founder and with the knowledge built up by generations of engineers.

Convenience for everybody.

Our new freestanding units are available in different series: Pure, Plus, Prime and Peak. But whatever series you opt for, every single Liebherr comes with uncompromising Liebherr quality. This is because even in the Pure series, every appliance comes with a wide range of features. One example is NoFrost – the automatic defrosting function. Another is our EasyFresh technology for storing fruit and vegetables. Then there is our DuoCooling feature. With two separate refrigerant circuits, it ensures that no air is exchanged between the fridge and freezer compartments. The stored groceries do not dry out and no odours are transferred.











Built to last.

You can experience our quality standards in the smallest of details. For example, before a door hinge is approved by us, it must pass through at least 100,000 opening cycles. This corresponds to a usage period of more than 15 years. We also test all other functional parts to ensure that they can last just as long.

And if, contrary to expectations, a small detail no longer meets your requirements, you or our premium service partners can usually correct it quickly. Because all our appliances are extremely repair-friendly. We keep all essential spare parts in stock for well over 10 years. This practice is not just sustainable, it also saves you money on minor repairs or the purchase of a new appliance.

We don't just say it. We also guarantee it.

During manufacturing we inspect all components of our refrigerators with great care and test them far more rigorously than required by law – and we do this for the last time just before they are packaged. It is only then that our appliances can relax a little. All of our manufacturing sites are certified in accordance with the international standards for quality ISO 9001, energy management ISO 50001 and environmental management ISO 14001. Therefore, nothing could be easier for us than to guarantee for at least two years that our products are free of material and manufacturing faults and are particularly easy to install.

With WarrantyPlus, you can easily extend this warranty for up to 10 years.

In short: one thing is certain – you will be able to enjoy your Liebherr for a long time.

We are fastidious about sustainability when designing our appliances. In addition to a long service life for our appliances, the most important pillars are maximum energy efficiency, avoiding food waste, and using less plastic. Why do we do all this? Because we don't just want our appliances to last as long as possible, we want our planet to flourish as well.

Preventing waste.

By storing groceries in perfect climate conditions, you make a significant contribution in preventing food waste. Our appliances make this possible – with a combination of innovative features.

First: our freshness technologies. DuoCooling in our fridge-freezers, for example, prevents your groceries from drying out faster than need be. Innovative freshness technologies such as BioFresh ensure perfect storage conditions that significantly extend product life and freshness. So there's no need to throw food away before its time, and you don't need to go shopping so often. And the largest zero-degree compartments on the market provide enough space for extra-large amounts of groceries.

Second: our SmartDevice app helps you store your groceries correctly allowing you to keep and enjoy them for longer.

Third: our appliances are smart. They let you know if perfect storage for your groceries is at risk, for example by means of the door alarm, which alerts you when the appliance is left open.

Efficient, more efficient, Liebherr.

This year's range once again has a great many appliances with the best energy efficiency classes on the market – and that is true for all our product groups: fridges, freezers and fridge-freezers from the new generation of freestanding units.

But of course there are plenty of other details, some very minor, that make a significant difference to a Liebherr in terms of efficiency. The four energy-saving modes, for example. Like EnergySaver, which increases the standard temperature to 7°. Or HolidayMode, which cools only the essentials while you are on holiday. Then there is CleaningMode, which saves energy while you clean your appliance.

Quality that has an impact on the climate.

We work exclusively with long-life vacuum panels and natural refrigerants, and we will use absolutely no HFO propellants until their environmental effects are fully understood. We also bear the environment in mind during production. Mostly we install materials that can be recycled after the appliance is scrapped. We also ensure that excess plastic is consistently reused.



Liebherr RBa 4250 ○ Prime series

With this BioFresh fridge, we have managed to achieve the maximum energy efficiency class with a balanced complete package.

Thanks to Interior-Fit, the appliance does not need gaps to the sides, and thus fits seamlessly into your kitchen. It also has one of the most spacious BioFresh safes on the market.



For water without plastic.


Our InfinitySpring provides cold, perfectly filtered water in your kitchen. So you no longer need to buy bottled water, and carry bottles and crates around.

Performance in balance Performance in balance

Perfectly thought out: a powerful, complete package.

Our fridges are real all-rounders. Along with their low power consumption. they also have impressively low noise levels, plenty of space for groceries, a long service life and decent power reserves for when it really matters. We take account of a great many factors during the development stage and can offer a perfectly balanced appliance. Or to put it another way: all good things come in fours.





Our new freestanding units occupy top positions in the efficiency rankings. In this way, they protect the precious resources of our environment and - thanks to low electricity costs - your wallet too.




Cooling volume

We have the perfect appliance for all family sizes, lifestyles and niche heights. We make sure that we do not waste a single litre of capacity in the extra-large drawers - right down to the smallest detail, for example with the lighting solutions that have been integrated in the housing to save space.



Noise level

The boundaries between the kitchen and living areas are becoming ever more blurred in modern households. This underlines the importance of particularly quiet appliances. Our new freestanding range therefore offers a wide selection of extremely quiet appliances. In some cases, it even reaches the ultra-quiet noise level of 32 db.




Intelligent sensor technology constantly adapts the cooling performance to current use, making our freestanding units very energy-efficient and economical in everyday use. At the same time they also have plenty of power in reserve, for example to cool down a large quantity of groceries after the weekly shop.

Performance in balance perfected: Our BluPerformance technology

What is innovative about our BluPerformance models? We have integrated all of the refrigeration technology in the appliance base. As a result, the appliances of the same size have a considerably greater net capacity. So you have noticeably more space for your food and drink. In addition, we were able to further improve energy efficiency thanks to improved ventilation and extraction in the base. And our appliances are now even quieter. We are certain that this technology will appeal not only to fans of new technology.



The current EU energy label for electronic appliances



- L. The QR code for identifying the product in the EU's EPREL database (European Product Database for Energy Labelling).
- 2. The model identifier for manual identification of the product in the EU's EPREL database, e.g. using the article number
- 3. The new A to G efficiency scale. Note: G is solely used for wine cabinets.
- 4. The total volume* of all freezer compartments.
- 5. The total volume* of all cold storage and refrigerator compartments.
- 6. The noise level is classified in classes A to D.

12 13

^{*}The term "volume" is defined in current Regulation (EU) 2019/2016.

Tasty for longer.

You don't compromise when you're shopping. You look for natural ingredients, the best quality and maximum freshness. Of course, anyone who values good food wants to keep it fresh for as long as possible. That is precisely why we have developed innovative freshness technologies and improve them year after year, so your food still tastes fresh after some time in the refrigerator.



Full-space BioFresh. Enough space for an entire field. Especially at harvest time, you may need to store a lot of fruit and vegetables at the same time. Our full-space BioFresh refrigerator is idea for this. At just over 0 $^{\circ}\text{C}$ and with flexible humidity, everything stays crisp and fresh for a long time. And, if it's a smaller harvest this year, the drawers keep dairy, meat and sausages fresh for longer than in the regular fridge compartment. This appliance is rated in the highest Energy Efficiency Class A.



EasyFresh. Ideal for fruit and vegetables.

Unpackaged fruit and vegetables feel right at home here. Stored at the same temperature as the fridge compartment and sealed airtight in the safe, lettuce, for example, is still crisp and fresh after 7 days.



BioFresh. Our all-rounder.

The reliable BioFresh technology stores groceries at a temperature just above 0 °C, much cooler than in the rest of the appliance. With the perfect humidity, fruit and vegetables stay fresh even longer in the airtight Fruit & Vegetable safe. Meat, fish and dairy products can enjoy ideal conditions in the Meat & Dairy safe.



BioFresh Professional with HydroBreeze. Refrigerate like the professionals.

A cold mist that covers fruit and vegetables like a protective balm. It ensures crisp freshness and improves structure - the special wow effect for fruit and vegetables in the BioFresh Professional Safe.



BioFresh Professional with Fish & Seafood Safe. Like freshly caught fish from the market.

Particularly delicate foods like fish and seafood are best stored in icy temperatures and at low humidity. The constant temperature of -2 $^{\circ}$ C in the Fish & Seafood Safe is therefore ideal to keep items tasting fresh



DuoCooling. No drying out.

Our basic technology in all fridge-freezers. The two completely separate refrigeration circuits ensure that there is no air exchange between the fridge and freezer compartments. Groceries do not dry out nor spread odour.



NoFrost. No more defrosting.

The automatic defrosting function guarantees that frozen foods remain fresh. There is no longer a need to store frozen food temporarily during manual defrosting. The constant optimal freezing remains the same without interruptions.





Cool and misty. Perfect weather for your vegetables.

Our HydroBreeze feature exemplifies our highest standard of freshness. A cold mist covers fruit and vegetables like a protective balm in the BioFresh Professional Safe. The mist ensures crisp freshness, improves structure and keeps produce with fine leaves fresh for longer. It also creates an optical wow effect in the BioFresh Professional-Safe.



Nature's freshness secret.

The Salinas valley in California is known as the salad bowl of the USA. And that is because of the particularly favourable climatic conditions. Its proximity to the cool waters of the Pacific means a fine, moist mist covers the valley and its fields in summer. This prevents the crops growing here from drying out. It is precisely this idea which inspired our BioFresh Professional with HydroBreeze.



Every time the door is opened, a fresh, cold mist is generated.



Like freshly caught fish from the market. Our Fish & Seafood Safe.

To keep fish and seafood tasting as fresh as at the market stall, even after a few days, you need a fridge compartment which maintains their freshness; such as our Fish & Seafood Safe. Fish and seafood can be stored here at -2 °C and low humidity. Perfect conditions to enjoy that freshly caught flavour for much longer.








exible use

The surface of the BioFresh Professional Safe can be adjusted to individual requirements. The -2 °C can be partially or even completely adjusted to a temperature zone at just above 0 °C. This is the optimal storage environment for meat and dairy products. We have illustrated these four options below:



Make a statement. In your kitchen.

Fridges stopped being uniform white kitchen appliances a long time ago. Now that dining and living areas are no longer clearly separated, design plays an increasingly important role. The new puristic design language of Liebherr appliances catches the eye with its exceptional lines, elegant surfaces and simple silhouette. A

classic, exclusive look that allows our appliances to blend seamlessly into any modern kitchen and yet still stand out. But there's no need to say any more: after all, the design already speaks for itself.

Our appliances are available with a display integrated in the door. Or, for purists, in the interior of the appliance.









InteriorFit. Fits perfectly.

Make elegant use of niches in the kitchen. With InteriorFit, our freestanding appliances fit into your kitchen without using much space – they don't need a ventilation gap between the appliance and the walls or adjacent furniture. Only the fridge door itself projects into your kitchen. Everything else is invisible.

Your options: Elegant, elegant or elegant.

Your kitchen is unique. So why should your fridge be off-the-shelf. Choose from appliances with different highquality materials, restrained colours and ergonomic handle designs. No matter what you choose: you really can't go wrong with these exclusive options.

Handle solutions

Handle with opening mechanism

The door handle adapts gently to your hand movement and is thus even easier to open.



This handle does not extend into the room. The elegant recess harmonises with your kitchen's slick, handle-free design.



Door fronts

Choose from one of the designs below. One thing is certain: your appliance will draw the eye.





BlackSteel





SteelFinish









For groceries with the highest requirements.

No matter how much you love the exterior of your Liebherr, at some stage you actually have to open it. So it's lucky that its interior is visually appealing as well.

Design meets functionality.

Traditional and timeless on the one hand, elegant and exclusive on the other. The new design language seamlessly blends into any interior. The interior features elegant glass and stainless steel elements. The precise machining, an eye for detail and the harmonious combination of materials, shapes and colours create an appealing overall appearance. This is subtly highlighted by the new lighting concept.









The new LightTower lighting concept evenly illuminates the interior while supporting the glass shelves. Flexible, space-saving, unique.

26 27

Convenience and flexibility

Convenience and flexibility





We have made simple even simpler.

Fridges and freezers are used every day. That is why we develop freestanding appliances that offer ease of use, clarity and flexibility – from the first opening of the door down to the tiniest feature.

Sometimes in life we can have everything we want.

The features of the new freestanding appliances give you more space. The divisible glass shelf, with its effortless one-handed operation, creates space for tall containers and carafes. Do you like things to be well organised? With the VarioBox and the VarioSafe you can store smaller objects neatly in the door or interior – always exactly at the height you like.

How about a cold drink? The glass shelf above the BioFresh safe can be converted into a bottle shelf in next to no time.

In our fridge-freezers with VarioTemp, the freezer compartments can be switched variably to another temperature. As a result, the freezer compartment can be used as a fridge or cellar compartment.

In turn, VarioSpace provides enough space in the freezer compartment for even the largest turkey or tallest ice-cream cake. Speaking of cake: For fans of baking, the fridge compartments in our fridges and fridge-freezers are even spacious enough for a full baking tray.

Full of food. And convenience.

The drawers in the fridge and freezer compartments of our appliances glide in and out smoothly on telescopic rails, so all your groceries are always in perfect reach. Rails also support the pull-out tray with two bottle baskets, which are easy to remove by their built-in handles. And even once you have found all the ingredients and drinks you need, things remain convenient. Thanks to the SoftSystem. This means that our doors always close gently and quietly, even if the force applied is a little too strong.



Convenience and flexibility



Drawers on telescopic rails

Pleasantly easy opening and closing – even when fully loaded – ensures that all of the groceries are perfectly accessible.



lexSvstem

Ensures clear order in the BioFresh safe. It is perfect for storing smaller portions of fruit and vegetables or sensitive groceries.



Variable temperature space as required

With VarioTemp, there is flexibility for every situation. The freezer compartment can be adjusted to a variable temperature between -2 °C and 14 °C.

As a result, you are always perfectly prepared, even for big parties. If necessary, the freezer compartment can be used as an additional cooling zone for appetisers or drinks. Or as a cellar compartment for groceries that are sensitive to cold, such as potatoes, onions and other similar items.

Your family has grown and you are running out of space in your fridge-freezer? Not a problem. VarioTemp allows you to use the freezer compartments as a fridge in your kitchen. If combined with a separate freezer, this means you have enough space to supply even a large family with fresh groceries.



Use as fridge compartment (between -2 °C and +9 °C)



Use as freezer compartment (-18 °C)



Use as cellar compartment (+14 °C)





SpaceBoxIdeal for anything that requires a little more space.



SoftSystem soft stop mechanismThe particularly quiet and soft door closing mechanism is integrated into all models from our Prime series upwards.



Water and ice
Water and ice

This spring has its source in the fridge.

With the InfinitySpring, we bring a crystal clear, cold water source right into the heart of your kitchen. Because water is healthy. This makes lugging of heavy crates and water in plastic bottles a thing of the past. This relieves the strain on your back and on our environment. Simple and sustainable.

Ice-cold water on tap with no heavy lifting.

The flush-mounted water dispenser is always there when it is needed and almost invisible when it's not. It is suitable for containers of almost any size, including carafes or bottles for soda makers. The integrated filter system ensures perfect water quality. By the way, unlike traditional table-top water filters, this one only needs to be replaced every six months.







BottleTimer.

Provides extra-fast cooling for drinks. And reminds you via the SmartDevice app not to forget bottles in the freezer compartment.

34 35

Water and ice Water and ice

Cocktails will run out before the ice does.

You like inviting people around and enjoy having as many guests as possible? Then you will love our ice features. One thing is certain: no drink will remain uncooled at your party.







Enough ice for even the largest party: the IceTower.

The IceTower in our freezers sets new standards. It combines two large compartments: the automatic IceMaker for up to 8 kilograms of ice cubes, and another spacious compartment – large enough to store a few family pizzas upright, for example. And because this was not convenient enough for us, both of them glide in and out on a pull-out shelf with telescopic rails. We have even included an ice shovel, so your hands stay warm.



Ice in a jiffy with EasyTwist Ice.

Make a supply of ice cubes quickly – without a fixed water connection. Simply fill the tank with water, let it freeze and then release the ice cubes with a twist. The EasyTwist Ice is simple to clean, and is installed in most of our freestanding appliances in the Pure series. Alternatively, it can be added easily as an accessory.



Rains ice cubes: the IceMaker.

The IceMaker produces up to 130 ice cubes a day, which automatically drop into two drawers. When MaxIce is activated, it is even possible to speed up the production of ice cubes if more guests arrive than expected. The IceMaker is connected to the fresh water pipe. If no fixed water connection is available, there is also a model with a water tank in the fridge compartment.

Connectivity

We are already providing what the future will bring.

One thing is clear: Technology will get smarter and smarter in the future. But does a fridge need to be intelligent? It doesn't have to be. But we believe: Another cool head in the household can't do any harm. Thanks to many smart functions, our appliances have proven themselves to be reliable helpers behind the scenes.



Built-in progress.

Your fridge helps with thoughtful features whenever it can. For example, it reminds you of forgotten drinks in the freezer – thanks to the integrated BottleTimer. Making burst bottles a thing of the past.

When you go on holiday, simply switch your fridge to HolidayMode. That way you can save a lot of energy.

NightMode is especially interesting for anyone who is sometimes drawn to the fridge late at night. The interior is then only illuminated with a dimmed light. Then after your midnight snack, you can quickly go back to bed and not wake up from your half-asleep state.





Learn how digitally networked refrigeration makes your everyday life easier: home.liebherr.com/shop/en/gbr/

You can download the SmartDevice app here:







Always perfectly networked.

All our new freestanding models are either already networked at the factory* or can be retrospectively connected to a WiFi network using a SmartDeviceBox. You therefore benefit from all our SmartDevice app options and from integrating the refrigerator into an existing Smart Home environment.

Important status and alarm notifications are sent directly to your smartphone, for example notification of an open fridge door via door alarm. However, our SmartDevice app has much more to offer. Besides the simple management of appliances and controlling them while on the move, the app also helps with storing food correctly and therefore provides even greater culinary enjoyment and extends shelf-lives. The right accessories for each refrigerator, access to guarantee extensions and much more can also be found here.

In short, our appliances prepare people for tomorrow, today.

We play it very, very safe.

We take data protection very seriously. For this reason, we have chosen a software partner who shares our high standards: Microsoft. Microsoft, as the first leading provider of cloud services, is certified in accordance with the international standard ISO/IEC 27018, which regulates data protection, and uses AES-256 – the same encryption technology employed in the banking sector.

*Appliances with a built-in SmartDeviceBox can be identified by the lower-case "i" behind the model designation (e.g.: RBstd 528i).

Availability may vary according to country.



Learn how digitally networked refrigeration makes your everyday life easier: home.liebherr.com/getsmart

38 39

Refrigerators, that leave all your options open – and your doors closed.

We don't develop refrigerators with the most functions. We develop refrigerators with exactly the right functions to store food safely and give our customers what they really need. To make their lives noticeably easier. And then we implement these features to technical perfection.

You can never be too safe.



Door alarm

Alarm when the door is open, visual as well with pulsating LED lighting.



Temperature alarm

Visual and audible warning as soon as the temperature in the freezer compartment reaches a critical level.



Power failure alarm

Visual and audible alarm in case of power failure for safe storage.



Optical and acoustic warning in case of appliance failure.

Appliance failure alarm



Reminder

Automatic reminder for maintenance and care.



Input lock

Prevents all changes to settings or activation of functions.



40

DemoMode

For optimal presentation of the appliance in showrooms: User interface and lighting on, cooling system off.

A touch more convenience.



CleaningMode

For a perfect view when cleaning, the lights stay on while the cooling system switches off.



PartvMode

PartyMode activates functions like SuperCool and maximum ice production.



HolidayMode

The fan, SuperCool and SuperFrost are switched off and the fridge temperature is increased to $\pm 15\,^{\circ}\mathrm{C}$ to save electricity. The freezer compartment stays switched on.



EnergySaver

Raises the standard temperature to maximum 7 °C to reduce power consumption.



abbathMode

All lighting and sounds are switched off, deactivating themselves after 80 hours.



Language settings

Variable language setting for 12 languages on the display.



Status indicato

Be sure everything is OK at all times – thanks to the integrated status display in the appliance door. A blue light indicates everything is OK. If the status is anything but OK, the display flashes red and a warning tone also sounds.





Core competence cooling.

°C/_E

Temperature display

The display always shows the current temperature value. Flashing items in the menu indicate changes.



SuperFrost

Increased cooling in the freezer compartment for vitamin-preserving freezing.



uperCool

Increase the cooling performance until the fresh food is as cool as the rest of the contents.



VarioTen

Variable temperature setting between -2 °C and +14 °C means the entire freezer compartment can also be used for cooling or as a cellar compartment.

Simply smart with the app.



NightMode

All sounds and noises are switched off - and the lighting is dimmed. For undisturbed quiet.



BottleTi

Extra fast cooling by activating SuperFrost. The app sends an automatic reminder to take the bottles out of the ice compartment.



EasyTwist Ice

Conjure up ice cubes quickly: Fill the tank with water, let it freeze and then release the finished ice cubes with a twist.



$IceCubeTimer {\tt **}$

Faster rate of ice cube production. As soon as the ice cubes are ready, the app sends a notification.

*Function only available with Touch & Swipe display. **Available only in the Prime and Peak series.

Flexible accessories **Practical** LIEBHERR accessories for every need. Discover the versatility of the original Liebherr range of accessories for your fridge - and make your daily life a little easier. Our accessories Find them online with your dream model at the Liebherr Domestic Appliances store home.liebherr.com/shop/en/gbr/ or buy them from your Liebherr dealer. 42

Organisational systems

A fridge compartment design to suit your needs: If you want to sort your groceries clearly, you could use the VarioSafe, VarioBoxes, variable egg trays and the FlexSystem, for example. Additional bottle shelves and clip-on labelling systems provide a clear overview of wine stocks.







VarioBoxes

FlexSystem

Bottle shelf

Useful help of all kinds

From the practical butter dish to the easy-fill ice cube tray with a lid or the handy freezer tray, the range of accessories offers plenty of smart solutions for serving food and keeping it fresh.







Ice cube tray with lid

Freezer tray









EasyTwist Ice

Ice in a jiffy - without a fixed water connection. Quickly build up a stock of ice cubes with a water tank and a simple twist. Easy to retrofit as an accessory.

FreshAir activated charcoal filter Cleans the circulating air and quickly binds unpleasant odours. The filter is easy to replace and ensures optimum air quality.

SmartDeviceBox

You can retrofit your Liebherr with a SmartDeviceBox to connect it to the internet. The SmartDeviceBox can be installed in just a few steps and will open up the whole world of digital possibilities to you today.

Please note that not all accessories fit all models. To find the accessory range for your appliance, please visit our webshop.

For a clear overview. Even before you open the fridge.

O Pure ♦ Plus ♦ Prime △ Peak

Which appliance is right for me?
A customer question that is not always easy to answer. That's why we have made it easier for you to navigate through our product range, by dividing it into four logically structured series.

O Pure series

The Pure series is our basic class. Simple, clear and perfectly equipped for all essential needs. Appliances in the Pure series are stripped down to the essentials. But are to the absolute highest level of Liebherr quality.









Plus series

The Plus series builds on our Pure series and has many impressive additional details. Above all, Plus means a plus in comfort. The appliances not only provide first-class refrigeration and freezing, they are also just that little bit smarter. They help make operation a little easier.

O Prime series

With the Prime series things get much more classy. It makes an unmistakable mark in terms of design and material. Above all, genuine quality materials are used inside the appliances, such as stainless steel. But special lighting solutions also make the appliances in this series particularly appealing.









△ Peak series

The Peak series is our premium series. Here the best is combined with the best. There is no compromise. Innovative Liebherr technology meets exceptional high-end design and convenience all in a class of their own. Appliances in this series are for those who want to have it all.



Quality in every detail



BioFresh with HydroBreeze

Do you want to cool fruit and vegetables like professionals? You'll be inspired by HydroBreeze. The cold mist combined with a temperature in the safe of around 0 °C gives food that extra boost for longer shelf life. And it creates a genuine visual wow effect. HydroBreeze is activated every 90 min. for 4 seconds and for 8 seconds when the door is opened.



DuoCooling

DuoCooling uses two completely separate refrigeration circuits to ensure no air is exchanged between the fridge and freezer compartments. The food neither dries out nor is odour transferred. This means throwing less away, shopping less often, but saving more and greater enjoyment.



EasyFresh

The guarantee of market freshness in the home is our EasyFresh-Safe. Whether it's unpackaged vegetables or fruit, this ensures optimal storage for everything. Thanks to the air-tight closure, the food causes the humidity in the safe to rise. This keeps the food fresher for longer.



Fish & Seafood-Safe

Love fish? Your Liebherr keeps fish fresh! The Fish & Seafood Safe stores fish and seafood at the optimum temperature of -2 °C; as professionally as your fishmonger. Adjust the size of the -2 °C zone as much as you want – and store the remaining meat and dairy products at the optimum 0 °C. An LED display indicates that the -2 °C zone is currently active.



PowerCooling

Do you want to be sure that the cold is distributed as evenly as possible in your refrigerator? If so, the PowerCooling system is what you need. The fan – as powerful as it is quiet – distributes the cold air efficiently throughout the entire refrigeration compartment.



Touch & Swipe display

Control of your Liebherr at your fingertips: thanks to the Touch & Swipe display, you can operate your refrigerator intuitively and with ease. Simply select functions such as SuperCool on the colour display by tapping and swiping. The temperature is controlled just as easily. And, what if you are not actively using the display? Well, it then shows you the actual temperature.



NoFrost

When you open your freezer, you want to see frozen food – and certainly not ice and frost. NoFrost protects the freezer compartment from unwanted icing, which consumes a lot of energy and can be expensive. NoFrost means no more tedious and time-consuming defrosting of the freezer compartment, more time for other things – and saving money.



LED freezer compartment lighting

When you open the drawers in your Liebherr freezer, not only are you welcomed by the sight of your food, but also by the attractive lighting. This is provided by powerful, long-life, environmentally-friendly LEDs. The lighting makes it even easier to see all of the contents and is also a unique design element.



Bottle shelf above the BioFresh safe

Expecting guests and want to chill a few more drinks than usual? The bottle shelf above the BioFresh safes exists for this very reason. Simply remove the glass shelf above the bottle shelf in one easy step – and you can now safely store and cool bottles of various sizes.



SoftSystem

From breakfast to a midnight snack – a fridge needs to be open and closed on many occasions. And your Liebherr makes this is a lot of fun. With the SoftSystem, your fridge door closes softly and safely, and in a way which is pleasantly quiet and light. Bottles stored in the inside door remain securely in place – nothing rattles or wobbles.



LightTower

Enjoy an optimally illuminated interior: the LightTower shows off the food in its best light and is positioned so that all of your filled fridge is illuminated at all times. The flush mounting of the LightTower in the side walls means there is also more space for your food.



IceTower

You will never run out of cold drinks at your party. The IceTower, which holds 8 kg of ice cubes, makes sure of that. The ice cube scoop and the pull-out tray on telescopic rails allow easy access to the ice cubes. An extra insert tray means you can also store less ice and make room for frozen food underneath. The adjacent drawer provides storage space for frozen goods.

The features shown are model dependent; look for these features in your model choice.





SBSes 8496

PremiumPlus

SWTNes 4285	
Energy efficiency class:	D A 1
Energy consumption year / 2	4 hrs: 187/0.512 kWh ¹
Total volume 2:	289 l
Volume:	Wine compartment: 156.4 l / Freezer compartment: 133 l
Noise output/noise class:	37 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	SmartSteel/SmartSteel
Exterior dimensions in cm (h	/w/d): 185/60/68.5 ¹



Controls

- 2.4" TFT-colour display behind-the-door, touch electronic
- · Digital temperature display for wine and freezer compartments
- · SmartDeviceBox: optional accessory
- FrostControl
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic
- Child lock

Freezer compartment ****

- 5 drawers, of which 2 set on roller tracks, VarioSpace
- · IceMaker with fixed 3/4" water connection
- Ice cube production in 24 hrs: 1.2 kg
- Ice cube reservoir 1.8 kg
- · LED lighting
- Temperature rise time: 16 h
- · Freezing capacity in 24 hrs: 9 kg
- 2 Cold storage accumulators
- Safety glass fittings

50

Wine compartment

- 2 separately controllable temperature zones, which can be regulated between +5°C to +20°C
- Tinted insulated glass door with UV protection
- · Convection cooling, fresh air supply via FreshAir activated charcoal filter
- · Humidity regulation via adjustable fan
- Beech wood fittings
- · 4 shelves, of which 4 on telescopic rails and 2 foldable
- · Partially-foldable wooden shelf on telesconic rails - LED lighting permanently on, dimmable

Key features

- Side wall heating right, suitable for combination with other refrigerators, freezers and/or wine appliances
- HardLine
- Aluminium handles with integrated
- onening mechanism
- · Versatile installation due to front ventilation
- · Transport handles, front and at back, transport castors at back
- Height-adjustable feet at front and back • Reversible door hinge, left
- · Replaceable door seal
- Concealed hinge with restricted opening

SKBes 4380

Energy efficiency class:	
Energy consumption year / 24 hrs:	133 / 0.364 kWh ¹
Total volume 2:	371 l
Volume:	Fridge: 235.7 l / BioFresh compartment: 135.8 l
Noise output/noise class:	36 dB(A)/C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	SmartSteel/SmartSteel
Exterior dimensions in cm (h/w/d):	185/60/66.5 ¹

()









←121→



- 2.4" TFT-colour display behind-the-door,
- Digital temperature display for fridge and BioFresh compartments

touch electronic

- SmartDeviceBox: optional accessory


Fridge and BioFresh compartments

- Premium GlassLine storage shelf with tray, butter dish

- · LED BioFresh lighting
- · LED rear wall lighting
- 3 BioFresh-Safes with SoftTelescopic, of which 2 variably adjustable from Fruit & Vegetable-Safe to DrySafe,
- 1 Fish & Seafood-Safe

- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic
- PowerCooling with FreshAir activated charcoal filter
- bottle holder, VarioBoxes, adjustable egg
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- Variable bottle shelf
- · LED ceiling lighting with dimmer function

- Side wall heating left, suitable for combination with other refrigerators, freezers and/or wine appliances
- HardLine
- Aluminium handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles, front and at back,
- transport castors at back · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal
- · Concealed hinge with restricted opening





Key features

mechanism

Controls

SFNbsd 529i

- touch- & swipe
- · Digital temperature display
- SmartDeviceBox included
- Alarm in case of malfunction: visual and
- · Door alarm: visual and acoustic

Freezer compartment *****

- rails, VarioSpace
- function
- IceTower
- · IceMaker with fixed 3/4" water connection, LED lighting
- · Ice cube production in 24 hrs: 0.8 kg
- LED lighting
- Temperature rise time: 16 h
- · Freezing capacity in 24 hrs: 18 kg
- 2 Cold storage accumulators
- Safety glass fittings

· Side wall heating right, suitable for

freezers and/or wine appliances

combination with other refrigerators,

- Slimline handle with integrated opening

· Transport handles, front and at back,

transport castors at back

· Reversible door hinge, left

· Replaceable door seal

· Height-adjustable feet at front

- 2.4" TFT-colour display behind-the-door,

- acoustic

- 7 drawers, of which 4 set on telescopic
- · Top drawer with convenient tilting

- · Ice cube reservoir 8.0 kg

SRBbsd 529i

XRFbs 5295

Energy efficiency class:	
Energy consumption year / 24 hrs:	134 / 0.367 kWh ¹
Total volume ² :	386 l
Volume:	Fridge: 246.2 l / BioFresh compartment: 140.6 l
Noise output/noise class:	35 dB(A)/B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	BlackSteel / BlackSteel
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5 ¹

←121→



- Controls • 2.4" TFT-colour display behind-the-door.
- touch- & swipe Digital temperature display for fridge and

- Door alarm: visual and acoustic

- BioFresh compartments SmartDeviceBox included
- Fridge and BioFresh compartments PowerCooling with Ambilight and
- FreshAir active carbon filter - Premium GlassLine storage shelf with bottle holder, Removable VarioBoxes,
- adjustable egg tray, butter dish
- 4 GlassLine storage shelves, of which 1
- is divided into two parts VarioSafe
- · Integrated bottle shelf
- · LED light panel both sides · LED BioFresh lighting
- 3 BioFresh-Safes with SoftTelescopic. 2 Fruit & Vegetable-Safes, of which 1
- with HydroBreeze, 1 Meat & Dairy-Safe, 1 FlexSystem
- InfinitySpring with fixed 3/4" water connection

Key features

- Side wall heating left, suitable for combination with other refrigerators,
- freezers and/or wine appliances - Slimline handle with integrated opening
- mechanism • Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front · Reversible door hinging
- · Replaceable door seal
- Dry rear wall and door panel in stainless steel with SmartSteel







3FN3tu 3271	
Energy efficiency class:	D A 1
Energy consumption year / 24 hrs:	198 / 0.542 kWh ¹
Total volume ² :	277 l
Noise output/noise class:	35 dB(A)/B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures	as low as 0 °C

Door/side walls: SmartSteel / SmartSteel Exterior dimensions in cm (h/w/d): 185.5 / 59.7 / 67.5 1



Controls

- 2.4" TFT-colour display behind-the-door. touch- & swipe
- · Digital temperature display
- SmartDeviceBox included
- Alarm in case of malfunction: visual and
- Door alarm: visual and acoustic

Freezer compartment *****

- 7 drawers, of which 4 set on telescopic rails, VarioSpace
- Top drawer with convenient tilting function
- IceTower
- IceMaker with fixed 3/4" water connection, LED lighting
- Ice cube production in 24 hrs: 0.8 kg
- Ice cube reservoir 8.0 kg
- LED lighting

52

- Temperature rise time: 16 h · Freezing capacity in 24 hrs: 18 kg
- 2 Cold storage accumulators
- Safety glass fittings

SRRetd 529i

ORDOTA OZ71	
Energy efficiency class:	D A 1
Energy consumption year / 24 hrs:	134 / 0.367 kWh ¹
Total volume 2:	386 l
Volume:	Fridge: 246.2 l / BioFresh compartment: 140.6 l
Noise output / noise class:	35 dB(A)/B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	SmartSteel/SmartSteel
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5 ¹

←121→





touch- & swipe

Controls

- · Side wall heating right, suitable for combination with other refrigerators, freezers and/or wine appliances
- · Slimline handle with integrated opening mechanism
- Transport handles, front and at back,
- transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinge, left

Replaceable door seal

Key features

Fridge and BioFresh compartments

• Door alarm: visual and acoustic

BioFresh compartments

- SmartDeviceBox included

- PowerCooling with Ambilight and FreshAir active carbon filter
- Premium GlassLine storage shelf with bottle holder, Removable VarioBoxes, adjustable egg tray, butter dish

- 2.4" TFT-colour display behind-the-door.

- · 4 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- · Integrated bottle shelf
- · LED light panel both sides
- LED BioFresh lighting

1 FlexSystem

- 3 BioFresh-Safes with SoftTelescopic. 2 Fruit & Vegetable-Safes, of which 1 with HydroBreeze, 1 Meat & Dairy-Safe,
- InfinitySpring with fixed 3/4" water connection

Key features

- Digital temperature display for fridge and freezers and/or wine appliances
 - mechanism
 - · Transport handles, front and at back,
 - transport castors at back
 - · Reversible door hinging
 - Replaceable door seal

 - Dry rear wall and door panel in stainless steel with SmartSteel

- Side wall heating left, suitable for combination with other refrigerators,
- · Slimline handle with integrated opening
- · Height-adjustable feet at front

Fridge compartment

 PowerCooling with FreshAir activated charcoal filter

- Door alarm: visual and acoustic

- Premium GlassLine storage shelf with bottle holder, Removable VarioBoxes, adjustable egg tray, butter dish
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe

SCNsdd 5253-617

Total volume 2:

Climate rating:

Door / side walls:

Volume:

Controls

acoustic

Energy efficiency class:

Noise output / noise class:

Energy consumption year / 24 hrs:

Exterior dimensions in cm (h/w/d):

- · Bottle shelf
- · LED light panel both sides
- 1 EasyFresh-Safe on telescopic rails

Freezer compartment ****

Fridge: 228.7 l / Freezer compartment: 103 l

- 2.4" TFT-colour display behind-the-door. - 3 drawers, VarioSpace · Ice cube tray with lid
- touch- & swipe Digital temperature display for fridge and LED lighting freezer compartments Temperature rise time: 20 h
- · SmartDeviceBox: optional accessory • Freezing capacity in 24 hrs: 10 kg
- Alarm in case of malfunction: visual and
 - 2 Cold storage accumulators
 - · Safety glass fittings

Key features

- Side wall heating right, suitable for combination with other refrigerators, freezers and/or wine appliances
- · Slimline handles with integrated opening mechanism
- · Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinge, left
- · Replaceable door seal
- · Dry rear wall in stainless steel with SmartSteel

Energy efficiency class:	
Energy consumption year / 24 hrs:	201/0.550 kWh ¹
Total volume ² :	331 l
Volume:	Fridge: 228.7 l / Freezer compartment: 103 l
Noise output/noise class:	34 dB(A)/B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	SmartSteel/silver
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5 ¹

←121→

asy resh	Duo Cooling	No Frost	Vario Temp	Glass & Steel Interior	Ligh Tow
luner	Suner	Smart			



• 2.4" TFT-colour display behind-the-door. touch- & swipe

- Digital temperature display for fridge and freezer compartments
- SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge compartment

Controls

XCCsd 5250

201 / 0.550 kWh ³

SmartSteel / silver

185.5 / 59.7 / 67.5 3

34 dB(A) / B, SuperSilent

SN-T (from +10 °C to +43 °C)

331 l


SCNsdd 5253

- PowerCooling with FreshAir activated charcoal filter
- · Premium GlassLine storage shelf with bottle holder, Removable VarioBoxes, adjustable egg tray, butter dish
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- · Bottle shelf
- LED light panel both sides
- 1 EasyFresh-Safe on telescopic rails

- Freezer compartment ***** - 3 drawers, VarioSpace
- · Ice cube tray with lid
- LED lighting
- Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg 2 Cold storage accumulators
- Safety glass fittings

Key features

- · Side wall heating left, suitable for combination with other refrigerators, freezers and/or wine appliances · Slimline handles with integrated opening
- mechanism - Transport handles, front and at back,
- transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging - Replaceable door seal
- Dry rear wall in stainless steel with SmartSteel







←121→

XRCsd 5255

SRsdd 5250

Total volume 2:

Climate rating:

Door/side walls:

Energy efficiency class: Energy consumption year / 24 hrs:

Noise output/noise class:

Prime

SRNsdd 5266

SBNS00 5264		
Energy efficiency	class:	D A T
Energy consumpt	ion year / 24 hrs:	171 / 0.468 kWh
Total volume 2:		313
Volume:	BioFresh compartme	nt: 180.7 l / Freezer compartment: 133 l
Noise output/noi	ise class:	34 dB(A) / B, SuperSilent
Climate rating:		SN-T (from +10 °C to +43 °C)
Door/side walls:		SmartSteel/silver
Exterior dimensio	ns in cm (h/w/d):	185.5 / 59.7 / 67.5

Bio Fresh	C
Vario Space	Si Fi

Controls



















Exterior dimensions in cm (h/w/d):





- 2.4" TFT-colour display behind-the-door, touch- & swipe
- Digital temperature display for BioFresh and freezer compartments
- SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and Temperature rise time: 20 h acoustic
- Door alarm: visual and acoustic

Fridge and BioFresh compartments

- PowerCooling with FreshAir activated charcoal filter
- Premium GlassLine storage shelf with bottle holder, Removable VarioBoxes
- 1 GlassLine storage shelf, of which 1 is divided into two parts
- · Integrated bottle shelf
- · LED ceiling lighting
- LED BioFresh lighting
- 2 BioFresh-Safes with SoftTelescopic,

1 Fruit & Vegetable-Safe, 1 Meat & Dairy- Replaceable door seal Safe

Freezer compartment ****

- 4 drawers, VarioSpace
- IceMaker with fixed 3/4" water connection
- · Ice cube production in 24 hrs: 1.2 kg · Ice cube reservoir 5.4 kg
- LED lighting
- Freezing capacity in 24 hrs: 10 kg
- 2 Cold storage accumulators - Safety glass fittings

Key features

- · Side wall heating right, suitable for combination with other refrigerators, freezers and/or wine appliances
- Slimline handles with integrated opening mechanism
- · Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- Reversible door hinge, left
- Dry rear wall in stainless steel with SmartSteel

Controls

- 2.4" TFT-colour display behind-the-door, touch- & swipe
- Digital temperature display for fridge compartment - SmartDeviceBox: optional accessory
- Door alarm: visual and acoustic

Fridge compartment

- PowerCooling with FreshAir activated charcoal filter
- Premium GlassLine storage shelf with bottle holder, Removable VarioBoxes, adjustable egg tray, butter dish
- 6 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- · Bottle shelf
- · LED light panel both sides
- 1 EasyFresh-Safe on telescopic rails
- 1 spacious fruit and vegetable drawer on telescopic rails

Key features

- Side wall heating left, suitable for combination with other refrigerators, freezers and/or wine appliances

99 / 0.271 kWh 1

35 dB(A) / B, SuperSilent

SmartSteel / silver

185.5 / 59.7 / 67.5 ¹

SN-T (from +10 °C to +43 °C)

- Slimline handle with integrated opening mechanism
- Transport handles, front and at back, transport castors at back
- Height-adjustable feet at front
- Reversible door hinging
- Replaceable door seal
- Dry rear wall in stainless steel with SmartSteel



←121→



SFNsdd 5257	
Energy efficiency class:	D A 1
Energy consumption year / 24 hrs:	198 / 0.542 kWh ¹
Total volume ² :	277 l
Noise output / noise class:	35 dB(A)/B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures a	is low as -15°C
Door/side walls:	SmartSteel/silver

Exterior dimensions in cm (h/w/d):				185.5/5	9.7 / 67.5 1			
No Frost	LED	Soft System	Touch & Swipe- Display	Space Box	Vario Space	Easy Open	Super Frost	Smart Device ready

Controls

- 2.4" TFT-colour display behind-the-door, touch- & swipe
- Digital temperature display
- · SmartDeviceBox: optional accessory

- · Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment *****

- 7 drawers, VarioSpace
- Top drawer with convenient tilting function
- · Ice cube tray with lid
- LED lighting
- Temperature rise time: 16 h • Freezing capacity in 24 hrs: 18 kg
- 2 Cold storage accumulators

Key features

56

- Side wall heating right, suitable for combination with other refrigerators, freezers and/or wine appliances
- · Slimline handle with integrated opening mechanism
- Transport handles, front and at back, transport castors at back
- Height-adjustable feet at front
- Reversible door hinge, left
- · Replaceable door seal

SRBsdd 5250

ONDOGG OLOO	
Energy efficiency class:	D A T
Energy consumption year / 24 hrs:	134 / 0.367 kWh
Total volume 2:	386
Volume:	Fridge: 245.8 l / BioFresh compartment: 140.9
Noise output/noise class:	35 dB(A)/B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	SmartSteel/silver
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5

















- 2.4" TFT-colour display behind-the-door, touch- & swipe
- Digital temperature display for fridge and BioFresh compartments
- · SmartDeviceBox: optional accessory
- Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · PowerCooling with FreshAir activated charcoal filter
- · Premium GlassLine storage shelf with bottle holder, Removable VarioBoxes, adjustable egg tray, butter dish
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- · Integrated bottle shelf
- LED light panel both sides
- · LED BioFresh lighting
- · 3 BioFresh-Safes with SoftTelescopic, 2 Fruit & Vegetable-Safes, 1 Meat & Dairy-Safe

Key features

- Side wall heating left, suitable for combination with other refrigerators, freezers and/or wine appliances
- · Slimline handle with integrated opening mechanism
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal
- Dry rear wall in stainless steel with SmartSteel



←123→

SFNsfe 5247

Energy efficiency class:	E A 1
Energy consumption year / 24 hrs:	248 / 0.679 kWh ¹
Total volume ² :	277 l
Noise output / noise class:	38 dB(A)/C
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures as	s low as 0 °C
Door/side walls:	SmartSteel/silver
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5 ¹



Controls



Digital temperature display

· SmartDeviceBox: optional accessory

· Door alarm: visual and acoustic

Freezer compartment *****

7 drawers, VarioSpace

- Ice cube reservoir 8.0 kg

• Temperature rise time: 16 h

IceTower

Key features



- Alarm in case of malfunction: visual and acoustic

• Top drawer with convenient tilting function

- IceMaker with fixed 3/4" water connection

· Ice cube production in 24 hrs: 0.8 kg

· Freezing capacity in 24 hrs: 18 kg

freezers and/or wine appliances

· Height-adjustable feet at front

· Reversible door hinge, left · Replaceable door seal

· Vertical recessed handle

· LC monochrome display behind-the-door, touch electronic



- Side wall heating right, suitable for combination with other refrigerators,

• Transport handles, front and at back, transport castors at back













SRBsfe 5220

Total volume 2:

Climate rating:

Door/side walls:

Volume:

Energy efficiency class:

Noise output/noise class:

Energy consumption year / 24 hrs:

Controls

Exterior dimensions in cm (h/w/d):

- LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge compartment
- SmartDeviceBox: optional accessory
- · Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · PowerCooling with FreshAir activated charcoal filter
- Plastic door shelves with bottle holder
- 6 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- · Integrated bottle shelf
- · LED ceiling lighting
- 2 BioFresh-Safes, 1 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe

- Side wall heating left, suitable for combination with other refrigerators, freezers and/or wine appliances
- Vertical recessed handle
- Transport handles, front and at back
- · Height-adjustable feet at front
- Reversible door hinging
- · Replaceable door seal

158 / 0.432 kWh 1

SteelFinish / silver

185.5 / 59.7 / 67.5 1

SN-T (from +10 °C to +43 °C)

Fridge: 288.7 l / BioFresh compartment: 93.7 l

382 l

36 dB(A)/C



←123→

SFNsfe 5247

Energy efficiency class: Energy consumption year / 24 hrs: 248 / 0.679 kWh 1 Total volume 2: 277 l Noise output / noise class: 38 dB(A) / C Climate rating: SN-T (from +10 °C to +43 °C) Designed to operate in ambient temperatures as low as 0 $^{\circ}\text{C}$

Door/side walls: SmartSteel / silver Exterior dimensions in cm (h/w/d): 185.5 / 59.7 / 67.5 1



Controls



- Alarm in case of malfunction: visual and acoustic

· LC monochrome display behind-the-door, touch electronic











- · LC monochrome display behind-the-door, touch electronic
- · SmartDeviceBox: optional accessory
- Door alarm: visual and acoustic

- Door alarm: visual and acoustic Freezer compartment *****

· SmartDeviceBox: optional accessory

7 drawers, VarioSpace

- Digital temperature display

- Top drawer with convenient tilting function
- IceTower
- IceMaker with fixed 3/4" water connection
- Ice cube production in 24 hrs: 0.8 kg
- Ice cube reservoir 8.0 kg
- Temperature rise time: 16 h
- Freezing capacity in 24 hrs: 18 kg

Key features

58

- Side wall heating right, suitable for combination with other refrigerators,
- freezers and/or wine appliances
- · Vertical recessed handle
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinge, left
- · Replaceable door seal

SRsfe 5220

E A T
123 / 0.337 kWh ¹
399 l
36 dB(A)/C
SN-T (from +10 °C to +43 °C)
SteelFinish/silver
185.5 / 59.7 / 67.5 1



- Digital temperature display for fridge compartment

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 6 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- Bottle shelf
- · LED ceiling lighting
- 1 EasyFresh-Safe on running rails
- 1 spacious fruit and vegetable drawer

Key features

- · Side wall heating left, suitable for combination with other refrigerators, freezers and/or wine appliances
- · Vertical recessed handle
- Transport handles, front and at back
- · Height-adjustable feet at front
- Reversible door hinging
- Replaceable door seal



←123→

SFNbde 5227

Energy efficiency class:	E A 1
Energy consumption year / 24 hrs:	248 / 0.679 kWh ¹
Total volume ² :	277 (
Noise output / noise class:	38 dB(A)/C
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures a	s low as -15°C
Door/side walls:	BlackSteel/black
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5 1















Controls

- · LC monochrome display behind-the-door, touch electronic
- · Digital temperature display
- · SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- · Door alarm: visual and acoustic

Freezer compartment ** * * *

- 7 drawers, VarioSpace
- Top drawer with convenient tilting function
- · Ice cube tray
- Temperature rise time: 16 h
- · Freezing capacity in 24 hrs: 18 kg

Key features

- Side wall heating right, suitable for combination with other refrigerators, freezers and/or wine appliances
- · Vertical recessed handle
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinge, left
- Replaceable door seal

SRbde 5220

Energy efficiency class:	EA
Energy consumption year / 24 hrs:	123 / 0.337 kWh
Total volume ² :	399
Noise output/noise class:	36 dB(A)/0
Climate rating:	SN-T (from +10 °C to +43 °C
Door/side walls:	BlackSteel / black
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5







- LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge compartment
- SmartDeviceBox: optional accessory
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- Plastic door shelves with bottle holder
- 6 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- · Bottle shelf
- · LED ceiling lighting
- 1 EasyFresh-Safe on running rails • 1 spacious fruit and vegetable drawer

Key features

- Side wall heating left, suitable for combination with other refrigerators, freezers and/or wine appliances
- · Vertical recessed handle
- Transport handles, front and at back
- Height-adjustable feet at front
- Reversible door hinging
- Replaceable door seal



←123→



Energy efficiency class:	E A 1
Energy consumption year / 24 hrs:	248 / 0.679 kWh ¹
Total volume ² :	277 (
Noise output / noise class:	38 dB(A)/C
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures as	s low as -15°C
Door/side walls:	SmartSteel/silver
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5 ¹



Controls

- · LC monochrome display behind-the-door, touch electronic
- Digital temperature display
- · SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment *****

- 7 drawers, VarioSpace
- Top drawer with convenient tilting function
- Ice cube tray
- Temperature rise time: 16 h
- Freezing capacity in 24 hrs: 18 kg

Key features

60

- Side wall heating right, suitable for combination with other refrigerators, freezers and/or wine appliances
- Vertical recessed handle
- Transport handles, front and at back, transport castors at back
- Height-adjustable feet at front
- · Reversible door hinge, left
- Replaceable door seal

SRsfe 5220

E A 1
123 / 0.337 kWh ¹
399 l
36 dB(A)/C
SN-T (from +10 °C to +43 °C)
SteelFinish/silver
185.5 / 59.7 / 67.5 1



- · LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge compartment
- · SmartDeviceBox: optional accessory
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 6 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- Bottle shelf
- · LED ceiling lighting
- 1 EasyFresh-Safe on running rails
- 1 spacious fruit and vegetable drawer

Key features

- · Side wall heating left, suitable for combination with other refrigerators, freezers and/or wine appliances
- · Vertical recessed handle
- Transport handles, front and at back
- · Height-adjustable feet at front
- Reversible door hinging
- Replaceable door seal



←123→

XRF 5220

SFNe 5227

31 NC 3227	
Energy efficiency class:	E A 1
Energy consumption year / 24 hrs:	248 / 0.679 kWh ¹
Total volume ² :	277 l
Noise output/noise class:	38 dB(A)/C
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures a	s low as -15 °C
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5 ¹













Controls

- · LC monochrome display behind-the-door, touch electronic
- · Digital temperature display
- · SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- · Door alarm: visual and acoustic

Freezer compartment *****

- 7 drawers, VarioSpace
- Top drawer with convenient tilting function
- · Ice cube tray
- Temperature rise time: 16 h
- · Freezing capacity in 24 hrs: 18 kg

Key features

- Side wall heating right, suitable for combination with other refrigerators, freezers and/or wine appliances
- · Vertical recessed handle
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinge, left
- Replaceable door seal

SRe 5220

Energy efficiency class:	E
Energy consumption year / 24 hrs:	123 / 0.337 kWh
Total volume ² :	399
Noise output/noise class:	36 dB(A)/
Climate rating:	SN-T (from +10 °C to +43 °C
Door/side walls:	white/whit
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5







- LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge compartment - SmartDeviceBox: optional accessory
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- Plastic door shelves with bottle holder
- 6 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- · Bottle shelf
- · LED ceiling lighting • 1 EasyFresh-Safe on running rails
- 1 spacious fruit and vegetable drawer

Key features

- Side wall heating left, suitable for combination with other refrigerators, freezers and/or wine appliances
- · Vertical recessed handle
- Transport handles, front and at back
- Height-adjustable feet at front - Reversible door hinging
- Replaceable door seal

Frenchdoor fridge-freezer





←91→

CBNes 6256

PremiumPlus

Energy efficiency class:	F
Energy consumption year / 24 hrs:	341/0.934 kWh
Total volume 1:	522 l
Volume: Fridge: 292.2 l / BioFresh compar	tment: 70.6 l / Freezer compartment: 160 l
Noise output/noise class:	42 dB(A) / D
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	Stainless steel/stainless steel
Exterior dimensions in cm (h/w/d):	203.9/91/61.5















Controls

- MagicEye behind-the-door, touch electronic
- Digital temperature display for fridge and freezer compartments
- FrostControl
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic

Fridge and BioFresh compartments

- PowerCooling
- Premium GlassLine storage shelf with bottle holder, adjustable egg tray
- 3 GlassLine storage shelves
- Variable use bottle trays
- LED light column on both sides and LED ceiling lighting
- LED BioFresh lighting
- 2 BioFresh-Safes on telescopic rails set variably to either HydroSafe or DrySafe

Freezer compartment ****

- 2 drawers on telescopic rails, selfretracting
- IceMaker with fixed 3/4" water connection
- Ice cube production in 24 hrs: 0.9 kg
- Ice cube reservoir 2.7 kgLED lighting
- Temperature rise time: 12 h
- Freezing capacity in 24 hrs: 10 kg

Key features

- HardLine
- Aluminium handles
- Front ventilation
- Versatile installation due to front ventilation
- Transport handles at back, transport castors at back
- Height-adjustable feet at front
- Door hinge left fixed/right fixed





BioFresh drawers

Both BioFresh drawers are mounted on telescopic rails which extend effortlessly providing easy access to and a full view of your food. The lateral LED lights ensure perfect illumination of the drawers. The integrated glass shelf and bottle shelf provides dual purpose storage solutions depending on your requirements.



IceMaker

The IceMaker with fixed water connection provides you with a constant supply of ice cubes for every occasion. An integrated water filter ensures optimum water quality at all times. The electronic display indicates when the water filter needs replacing. The NoFrost technology keeps the freezer constantly frostfree.



NoFrost


The NoFrost system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free.



SoftTelescopic

CBNes 5778 Premium

The BioFresh safes with SoftTelescopic provide a convenient, self-retracting system with soft closing, making their daily use both practical and secure. The drawers can be fully extended and completely removed, if required, from a door opening angle of 90°.





←70→

CBNes 5778

Energy efficiency class:	⟨ C f
Energy consumption year / 24 hrs:	187/0.512 kWh ¹
Total volume ² :	392 l

Volume: Fridge: 168.5 l/BioFresh compartment: 112.6 l/Freezer compartment: 112 l Noise output/noise class: 35 dB(A) / B, SuperSilent

Climate rating: SN-T (from +10 °C to +43 °C) Door/side walls: SmartSteel / SmartSteel

201/70/66.51 Exterior dimensions in cm (h/w/d):













A 1

Controls

- 7" TFT-colour display in-the-door, touch electronic
- Digital temperature display for fridge, BioFresh and freezer compartments
- SmartDeviceBox: optional accessory
- FrostControl
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge and BioFresh compartments

- PowerCooling with FreshAir activated charcoal filter
- Premium GlassLine storage shelf with bottle holder, VarioBoxes, adjustable egg tray, butter dish
- 3 GlassLine storage shelves, of which 1 is divided into two parts
- Variable bottle shelf
- LED ceiling lighting with dimmer function Replaceable door seal
- LED BioFresh lighting
- LED rear wall lighting
- · 2 BioFresh-Safes with SoftTelescopic, of which 1 variably adjustable from Fruit & Vegetable-Safe to DrySafe

Freezer compartment ****

- 3 drawers, of which 2 set on roller tracks, VarioSpace
- · Ice cube tray with lid
- LED lighting
- Temperature rise time: 16 h
- Freezing capacity in 24 hrs: 9 kg
- 2 Cold storage accumulators - Safety glass fittings

Key features

- HardLine
- Aluminium handles with integrated opening mechanism
- Versatile installation due to front ventilation
- · Transport handles, front and at back, transport castors at back
- Height-adjustable feet at front
- · Reversible door hinging
- Concealed hinge with restricted opening



BioFresh NoFrost fridge-freezers NoFrost fridge-freezers



←70→

CBNes 5775

Bâ Energy efficiency class: 149 / 0.408 kWh ¹ Energy consumption year / 24 hrs: Total volume 2: 392 l Volume: Fridge: 168.5 l/BioFresh compartment: 112.6 l/Freezer compartment: 112 l 35 dB(A) / B, SuperSilent Noise output / noise class: SN-T (from +10 °C to +43 °C) Climate rating: Door/side walls: SmartSteel / SmartSteel Exterior dimensions in cm (h/w/d): 201/70/66.51



touch electronic

FrostControl

acoustic

charcoal filter

tray, butter dish

Controls



• 2.4" TFT-colour display behind-the-door,

· Digital temperature display for fridge,

BioFresh and freezer compartments

SmartDeviceBox: optional accessory

Door alarm: visual and acoustic

Fridge and BioFresh compartments

PowerCooling with FreshAir activated

Premium GlassLine storage shelf with

- 3 GlassLine storage shelves, of which 1

Alarm in case of malfunction: visual and







VarioSpace



· Ice cube tray with lid











 LED lighting · Temperature rise time: 16 h

· Freezing capacity in 24 hrs: 9 kg 2 Cold storage accumulators

Safety glass fittings

Key features

- HardLine
- · Aluminium handles with integrated opening mechanism
- Versatile installation due to front bottle holder, VarioBoxes, adjustable egg ventilation
 - Transport handles, front and at back, transport castors at back
 - · Height-adjustable feet at front
 - Reversible door hinging
- LED ceiling lighting with dimmer function Concealed hinge with restricted opening
- LED BioFresh lighting

Variable bottle shelf


is divided into two parts

- LED rear wall lighting
- 2 BioFresh-Safes with SoftTelescopic, of which 1 variably adjustable from Fruit & Vegetable-Safe to DrySafe



←70→







Controls

- · 2.4" TFT-monochrome display behindthe-door, touch electronic
- · Digital temperature display for fridge, BioFresh and freezer compartments
- SmartDeviceBox: optional accessory FrostControl
- · Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · PowerCooling with FreshAir activated charcoal filter
- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- · 3 GlassLine storage shelves, of which 1 is divided into two parts
- · Integrated bottle shelf
- · LED ceiling lighting
- 2 BioFresh-Safes on telescopic rails, of which 1 variably adjustable from Fruit & Vegetable-Safe to DrySafe

Freezer compartment *****

- 3 drawers, VarioSpace
 - Ice cube tray with lid
 - Temperature rise time: 16 h
 - · Freezing capacity in 24 hrs: 9 kg
 - · Safety glass fittings

Key features

- HardLine
- · Aluminium handles with integrated opening mechanism
- Versatile installation due to front
- · Transport handles, front and at back,
- transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Concealed hinge with restricted opening





CNef 5745

Comfort

Energy efficiency class:	
Energy consumption year / 24 hrs:	210 / 0.575 kWh ¹
Total volume 2:	411 l
Volume:	Fridge: 299.2 l / Freezer compartment: 112 l
Noise output / noise class:	36 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	SmartSteel/silver
Exterior dimensions in cm (h / w / d):	201 / 70 / 66.5 1



Controls

















←70 →

- 2.4" TFT-monochrome display behindthe-door, touch electronic
- freezer compartments
- SmartDeviceBox: optional accessory
- FrostControl
- acoustic

Fridge compartment

- PowerCooling with FreshAir activated charcoal filter
- Comfort GlassLine storage shelf with bottle holder, Egg tray
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- · Bottle shelf
- · LED ceiling lighting
- 1 BioCool-Box on roller tracks

Freezer compartment ****

· Temperature rise time: 16 h

· Safety glass fittings

· Freezing capacity in 24 hrs: 9 kg

- · 4 drawers, VarioSpace
- · IceMaker with water tank Digital temperature display for fridge and I ce cube production in 24 hrs: 1.2 kg
 - · Ice cube reservoir 2.2 kg · Ice cube tray
- Alarm in case of malfunction: visual and
- · Door alarm: visual and acoustic

HardLine

- Aluminium handles with integrated

Key features

- opening mechanism · Versatile installation due to front ventilation
 - · Transport handles, front and at back, transport castors at back
 - · Height-adjustable feet at front
 - Reversible door hinging · Replaceable door seal
 - · Concealed hinge with restricted opening





Energy efficiency class: 210 / 0.575 kWh 1 Energy consumption year / 24 hrs: Total volume 2: 410 l Volume: Fridge: 299.2 l / Freezer compartment: 112 l 36 dB(A)/C Noise output/noise class: SN-T (from +10 °C to +43 °C) Climate rating: Door/side walls SmartSteel / silver Exterior dimensions in cm (h/w/d): 201/70/66.51













Controls

- 2.4" TFT-monochrome display behind-
- the-door, touch electronic · Digital temperature display for fridge and freezer compartments
- SmartDeviceBox: optional accessory
- FrostControl
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge compartment

- PowerCooling with FreshAir activated charcoal filter
- Comfort GlassLine storage shelf with bottle holder, adjustable egg tray
- 5 GlassLine storage shelves, of which 1 is divided into two parts
- · Bottle shelf
- · LED ceiling lighting
- 1 BioCool-Box on roller tracks

Freezer compartment ****

- 3 drawers, VarioSpace
- · Ice cube tray with lid
- Temperature rise time: 16 h • Freezing capacity in 24 hrs: 9 kg

←70 →

· Safety glass fittings

Key features


- HardLine
- Aluminium handles with integrated opening mechanism
- Versatile installation due to front
- · Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging · Replaceable door seal
- Concealed hinge with restricted opening










Range overview by device height and series











Fridge-freezers - EasyFresh

rost			
IceMaker water tank/VarioTemp	CNsdd 5763		
IceMaker water tank	CNsfd 5743		
EasyTwist-Ice/VarioTemp	CNsdb 5753		
with EasyTwist-Ice	CNsfd 573i		
	CNbdd 5733		
	CNsfd 5724		
	CNd 5724	CNsfd 5223	
	CNsfd 5723	CNd 5223	
without EasyTwist-Ice	CNsfd 5704	CNd 5224	CNsfd 5023
	CNd 5704	CNsfd 5204	CNd 5023
	CNsfd 5703	CNd 5204	
	CNd 5703	CNsfd 5203	
		CNd 5203	

Series

73

Fridge-freezers







♦ Plus series



O Prime series



△ Peak series

	O Pure series	\Diamond Plus series	O Prime series	riangle Peak series
Freshness technology	EasyFresh on integrated drawer guide	EasyFresh on integrated drawer guide	EasyFresh on telescopic rails	EasyFresh on telescopic rails
		BioFresh on telescopic rails	BioFresh with SoftTelescopic	BioFresh Professional with SoftTelescopic
				HydroBreeze
				Fish & Seafood safe
	DuoCooling	DuoCooling	DuoCooling	DuoCooling
	FreshAir filter	FreshAir filter	FreshAir filter	FreshAir filter
			VarioTemp	VarioTemp
	NoFrost	NoFrost	NoFrost	NoFrost on telescopic rails
Comfort and flexibility		Divisible glass shelf	Divisible glass shelf	Divisible glass shelf
			SoftSystem soft closing mechanism	SoftSystem soft closing mechanism
		VarioSafe	VarioSafe	VarioSafe
			VarioBoxes	VarioBoxes
			Butter dish	Butter dish
	Egg tray	Egg tray	Adjustable egg tray	Adjustable egg tray
	Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf
		Ice cube tray	Ice cube tray with lid	Ice cube tray with lid
				FlexSystem
Design	Ceiling lighting fridge compartment	Ceiling lighting fridge compartment	LightTower	LightTower
			Lighting BioFresh safe	Lighting BioFresh safe
			Freezer compartment lighting	Freezer compartment lighting
				IceMaker lighting
				Fan lighting
			SmartSteel rear wall	SmartSteel rear wall
				SmartSteel door interior
	Transparent glass	Transparent glass	Satin finish glass	Satin finish glass
	Stainless steel look shelves	Stainless steel look shelves	Glass & stainless steel rack	Glass & stainless steel rack
	Touch display	Touch display	Touch & Swipe display	Touch & Swipe display
		Display behind the door	Display behind the door	Display behind the door
	Display behind the door	or Display in the door	or Display in the door	or Display in the door
	Recessed handles	Recessed handles	Slimline door handles with opening mechanism	Recessed handles
Connectivity (SmartDeviceBox)	can be retrofitted	can be retrofitted or is included with "i" models	can be retrofitted or is included with "i" models	can be retrofitted or is included with "i" models
Water and ice		IceMaker or EasyTwist-Ice	IceMaker or EasyTwist-Ice	IceMaker

The standard features mentioned above may vary depending on the model. Details can be found in the model description.

Quality in every detail



BioFresh with HydroBreeze

Do you want to cool fruit and vegetables like professionals? You'll be inspired by HydroBreeze. The cold mist combined with a temperature in the safe of around 0 °C gives food that extra boost for longer shelf life. And it creates a genuine visual wow effect. HydroBreeze is activated every 90 min. for 4 seconds and for 8 seconds when the door is opened.



InfinitySpring

A source of fresh, cool drinking water in your kitchen. InfinitySpring sounds like something from a fairy tale. The water dispenser enables drip-free water dispensing and provides fresh, cold water. Simply press the panel with the carafe or glass, and enjoy the water. This enables you to save on purchasing bottles of water and to live more sustainably.



EasyFresh

The guarantee of market freshness in the home is our EasyFresh-Safe. Whether it's unpackaged vegetables or fruit, this ensures optimal storage for everything. Thanks to the air-tight closure, the food causes the humidity in the safe to rise. This keeps the food fresh for a long time.



Fish & Seafood-Safe

Love fish? Your Liebherr keeps fish fresh! The Fish & Seafood Safe stores fish and seafood at the optimum temperature of -2 °C; as professionally as your fishmonger. Adjust the size of the -2 °C zone as much as you want – and store the remaining meat and dairy products at the optimum 0 °C. An LED display indicates that the -2 °C zone is currently active.



PowerCooling

Do you want to be sure that the cold is distributed as evenly as possible in your refrigerator? If so, the PowerCooling system is what you need. The fan – as powerful as it is quiet – distributes the cold air efficiently throughout the entire refrigeration compartment.



Touch & Swipe display

Control of your Liebherr at your fingertips: thanks to the Touch & Swipe display, you can operate your refrigerator intuitively and with ease. Simply select functions such as SuperCool on the colour display by tapping and swiping. The temperature is controlled just as easily. And, what if you are not actively using the display? Well, it then shows you the actual temperature.



SoftSystem

From breakfast to a midnight snack – a fridge needs to be open and closed on many occasions. And your Liebherr makes this is a lot of fun. With the SoftSystem, your fridge door closes softly and safely, and in a way which is pleasantly quiet and light. Bottles stored in the inside door remain securely in place – nothing rattles or wobbles.



LED ceiling lighting

The LED ceiling lighting illuminates the interior from above – providing a good overview of your food. Another highlight: the LEDs are positioned in front of the glass shelves so that even a full refrigerator is well lit.



Recessed grip

Special and functional: You can open the appliance very easily using the vertically integrated and ergonomically fitted handle. Additionally, the modern and puristic design fits perfectly into your hands-free kitchen.




VarioTemp

VarioTemp means you have plenty of scope when storing food in your fridge freezer. This is because you can also set the accurate temperature in the freezer compartment in a range between -2 °C and +14 °C - and therefore also use this compartment as a further cooling zone. For example, it can be used over the short term for drinks and snacks at parties - or over the long term as a cellar compartment for storing potatoes.



LightTower

Enjoy an optimally illuminated interior: the LightTower shows off the food in its best light and is positioned so that all of your filled fridge is illuminated at all times. The flush mounting of the LightTower in the side walls means there is also more space for your food.



IceMaker with fixed water connection

Are there any ice cubes left? The IceMaker means you never have to ask. With the IceMaker with fixed water connection, the water comes directly from the tap. The MaxIce function allows you to produce up to 1.5 kg of ice cubes a day. The versatile ice compartment divider lets you choose the amount of ice cubes you want to store; easy and just as you like it.

BioFresh NoFrost fridge-freezers








201.5 / 59.7 / 67.5 1





Bio Fresh Professional	Hydro Breeze	Duo Cooling	No Frost	Vario Temp	Glass & Steel Interior	Light Tower	Infinity Spring	Ice Maker
Soft System	Soft- Telescopic Rails	Touch & Swipe- Display	Vario Space	Super Cool	Super Frost	Smart Device		

Freezer compartment ****

· Ice cube reservoir 5.4 kg

· Temperature rise time: 20 h

2 Cold storage accumulators

transport castors at back

· Reversible door hinging

· Replaceable door seal

steel with SmartSteel

· Height-adjustable feet at front

• Dry rear wall and door panel in stainless

Safety glass fittings

· Freezing capacity in 24 hrs: 10 kg

- Ice cube production in 24 hrs: 1.2 kg

LED lighting

LED lighting

Key features

Controls

• 2.4" TFT-colour display in-the-door, touch- & swipe

Exterior dimensions in cm (h/w/d):

- Digital temperature display for fridge, BioFresh and freezer compartments
- · SmartDeviceBox included
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge and BioFresh compartments PowerCooling with Ambilight and

- FreshAir active carbon filter
- Premium GlassLine storage shelf with Vertical recessed handles Transport handles, front and at back. hottle holder Removable VarioBoxes adjustable egg tray, butter dish
- 2 GlassLine storage shelves, of which 1 is divided into two parts
- · Integrated bottle shelf
- · LED light panel both sides
- LED BioFresh lighting

1 FlexSystem

76

- 2 BioFresh-Safes with SoftTelescopic, 1 Fruit & Vegetable-Safe with HydroBreeze, 1 Meat & Dairy-Safe,
- InfinitySpring with fixed 3/4" water connection









reddot winner 2022

←60→



Energy ef	ficiency class:	D A 1
Energy co	nsumption year / 24 hrs:	225 / 0.616 kWh ¹
Total volu	me²:	359 l
Volume:	Fridge: 160.3 l / BioFresh compartmen	nt: 96.1 l / Freezer compartment: 103 l
Noise out	put/noise class:	34 dB(A) / B, SuperSilent
Climate ra	iting:	SN-T (from +10 °C to +43 °C)
Door/sid	e walls:	SmartSteel / SmartSteel
Exterior d	imensions in cm (h/w/d):	201.5 / 59.7 / 67.5 1

exterior dimensions in cm (h/w/d):						201.5/5	9.7 / 67.5 1	
Bio Fresh Professional	Hydro Breeze	Fish & Seafood	Duo Cooling	No Frost	Vario Temp	Glass & Steel Interior	Light Tower	Soft System
Soft- Telescopic Rails	Touch & Swipe- Display	Vario Space	Super Cool	Super Frost	Smart Device			

- 3 drawers on telescopic rails, VarioSpace • 2.4" TFT-colour display in-the-door, - IceMaker with fixed 3/4" water connection, touch- & swipe
 - · Digital temperature display for fridge, BioFresh and freezer compartments
 - SmartDeviceBox included
 - · Alarm in case of malfunction: visual and acoustic
 - Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · PowerCooling with Ambilight and FreshAir active carbon filter
- · Premium GlassLine storage shelf with bottle holder, Removable VarioBoxes, adjustable egg tray, butter dish
- 2 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- · Integrated bottle shelf
- · LED light panel both sides
- · LED BioFresh lighting

1 FlexSystem

• 2 BioFresh-Safes with SoftTelescopic, 1 Fruit & Vegetable-Safe with HydroBreeze, 1 Fish & Seafood-Safe,

Freezer compartment *****

- 3 drawers on telescopic rails, VarioSpace · Ice cube tray with lid
- LED lighting
- Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- 2 Cold storage accumulators
- · Safety glass fittings

Key features

- Vertical recessed handles
- · Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal
- · Dry rear wall and door panel in stainless steel with SmartSteel





CBNbsd 576i



←60→

Energy efficiency class:	D A 1
Energy consumption year / 24 hrs:	226 / 0.619 kWh ¹
Total volume 2:	362 l
Volume: Fridge: 159.9 l / BioFresh c	ompartment: 99.2 l / Freezer compartment: 104 l
Noise output/noise class:	34 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	BlackSteel / BlackSteel
Exterior dimensions in cm (h/w/d):	201.5 / 59.7 / 67.5 1

Duo Cooling	No Frost	Vario Temp	Glass & Steel Interior	Light Tower	Ice Maker	Soft Syst
Vario Space	Super Cool	Super Frost	Smart Device			

Controls

- · 2.4" TFT-colour display in-the-door, touch- & swipe
- · Digital temperature display for fridge, BioFresh and freezer compartments
- · SmartDeviceBox included
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge and BioFresh compartments

- PowerCooling with FreshAir activated charcoal filter
- Premium GlassLine storage shelf with bottle holder. Removable VarioBoxes. adjustable egg tray, butter dish
- 2 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- · Integrated bottle shelf
- · LED light panel both sides
- · LED BioFresh lighting
- · 2 BioFresh-Safes with SoftTelescopic, 1 Fruit & Vegetable-Safe, 1 Meat & Dairy-

Freezer compartment ****

- 3 drawers, VarioSpace
- IceMaker with fixed 3/4" water connection - Ice cube production in 24 hrs: 1.2 kg
- · Ice cube reservoir 5.4 kg
- LED lighting
- Temperature rise time: 20 h • Freezing capacity in 24 hrs: 10 kg
- 2 Cold storage accumulators
- Safety glass fittings

Key features

- · Slimline handles with integrated opening mechanism
- Transport handles, front and at back. transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging · Replaceable door seal
- · Dry rear wall in stainless steel with
- SmartSteel





BioFresh NoFrost fridge-freezers

reddot winner 2022

←60→

CBNsdb 5753

Energy efficiency class: 144 / 0.394 kWh ¹ Energy consumption year / 24 hrs: Total volume 2: 362 l Volume: Fridge: 159.9 l/BioFresh compartment: 99.2 l/Freezer compartment: 103 l Noise output/noise class: 33 dB(A) / B, SuperSilent SN-T (from +10 °C to +43 °C) Climate rating: Door/side walls SmartSteel / silver Exterior dimensions in cm (h/w/d): 201.5 / 59.7 / 67.5 1



- Digital temperature display for fridge,

BioFresh and freezer compartments

SmartDeviceBox: optional accessory

- Door alarm: visual and acoustic

Fridge and BioFresh compartments

• PowerCooling with FreshAir activated

- Premium GlassLine storage shelf with

bottle holder, Removable VarioBoxes,

- 2 GlassLine storage shelves, of which 1

• 2 BioFresh-Safes with SoftTelescopic,

1 Fruit & Vegetable-Safe, 1 Meat & Dairy-

adjustable egg tray, butter dish

is divided into two parts

· Integrated bottle shelf

· LED BioFresh lighting

- LED light panel both sides

- Alarm in case of malfunction: visual and

Controls

acoustic

charcoal filter

VarioSafe

touch- & swipe

Freezer compartment **** - 2.4" TFT-colour display behind-the-door,


- 3 drawers, VarioSpace Ice cube tray with lid
- · LED lighting • Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- 2 Cold storage accumulators · Safety glass fittings


- · Slimline handles with integrated opening mechanism · Transport handles, front and at back,
- transport castors at back · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal
- · Dry rear wall in stainless steel with SmartSteel

BioFresh NoFrost fridge-freezers



←60→









- Digital temperature display for fridge and freezer compartments
- SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 3 GlassLine storage shelves, of which 1 is divided into two parts
- · Integrated bottle shelf
- LED ceiling lighting
- · 2 BioFresh-Safes on telescopic rails, 1 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe

Freezer compartment *****

- 3 drawers, VarioSpace
- Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- Safety glass fittings

Key features

78

- · Vertical recessed handles
- Transport handles, front and at back
- · Height-adjustable feet at front
- · Reversible door hinging · Replaceable door seal



←60→

CBNsfc 522i

Energy eff	iciency class:	G
Energy co	nsumption year / 24 hrs:	170 / 0.465 kWh ¹
Total volu	me²:	320 l
Volume:	Fridge: 164.7 l / BioFresh compartr	nent: 52.9 l / Freezer compartment: 103 l
Noise out	out/noise class:	32 dB(A)/B, SuperSilent
Climate ra	ting:	SN-T (from +10 °C to +43 °C)
Door/side	e walls:	SteelFinish/silver
Exterior di	mensions in cm (h/w/d):	185.5 / 59.7 / 67.5 ¹

- · LC monochrome display behind-the-door, touch electronic
- · Digital temperature display for fridge and freezer compartments
- · SmartDeviceBox included
- · Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- · Integrated bottle shelf
- LED ceiling lighting
- 1 BioFresh-Safe on telescopic rails, 1 Fruit & Vegetable-Safe

Freezer compartment *****

- 3 drawers, VarioSpace
- · Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- Safety glass fittings

Key features

- · Vertical recessed handles
- Transport handles, front and at back
- · Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal



Replaceable door seal

Do you think the door seal on your Liebherr needs to be replaced after a few years? This is very easy to do yourself. The replaceable door seal can be removed in a few simple steps - and the new seal is just as easy to insert. As a result, this part of the refrigerator is always spotless and hygienically clean.



Recessed grip

Special and functional: You can open the appliance very easily using the vertically integrated and ergonomically fitted handle. Additionally, the modern and puristic design fits perfectly into your hands-free kitchen.





←60→

CBNsfd 5223

Energy efficiency class:	D A 1
Energy consumption year / 24 hrs:	213 / 0.583 kWh ¹
Total volume ² :	320 l
Volume: Fridge: 164.7 l / BioFresh compartm	nent: 52.9 l / Freezer compartment: 103 l
Noise output/noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	SteelFinish/silver
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5 ¹















- LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge and freezer compartments
- · SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- · Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- · Integrated bottle shelf LED ceiling lighting
- 1 BioFresh-Safe on telescopic rails, 1 Fruit & Vegetable-Safe

Freezer compartment ****


- 3 drawers, VarioSpace
- Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- Safety glass fittings

- · Vertical recessed handles
- Transport handles, front and at back
- · Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal



←60→







Controls

- · 2.4" TFT-colour display behind-the-door, touch- & swipe
- freezer compartments
- SmartDeviceBox: optional accessory
- Alarm in case of malfunction; visual and
- acoustic
- Door alarm: visual and acoustic

Fridge compartment

- PowerCooling with FreshAir activated charcoal filter
- Premium GlassLine storage shelf with bottle holder, Removable VarioBoxes, adjustable egg tray, butter dish
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- · Bottle shelf
- LED light panel both sides
- 1 EasyFresh-Safe on telescopic rails

Freezer compartment *****

- 3 drawers, VarioSpace
- IceMaker with water tank
- Digital temperature display for fridge and Ice cube production in 24 hrs: 1.2 kg
 - Ice cube reservoir 5.4 kg
 - LED lighting
 - · Temperature rise time: 20 h
 - · Freezing capacity in 24 hrs: 10 kg • 2 Cold storage accumulators

 - Safety glass fittings


Key features

- Slimline handles with integrated opening mechanism
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal
- · Dry rear wall in stainless steel with SmartSteel



←60→

CNsdb 5753



Easy	Duo	No	Vario
Fresh	Cooling	Frost	Temp
Vario Space	Super Cool	Super Frost	Smart Device ready

Controls

- 2.4" TFT-colour display behind-the-door, touch- & swipe
- · Digital temperature display for fridge and freezer compartments
- SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- · Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- Premium GlassLine storage shelf with bottle holder, Removable VarioBoxes, adjustable egg tray, butter dish
- 5 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- Bottle shelf
- LED light panel both sides

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm.

If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

• 1 EasyFresh-Safe on telescopic rails

Freezer compartment *****

- 3 drawers, VarioSpace
- · LED lighting
- · Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- 2 Cold storage accumulators
- Safety glass fittings

Key features

- Slimline handles with integrated opening mechanism
- · Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal
- · Dry rear wall in stainless steel with SmartSteel



←60→

CNbdd 5733

Energy efficiency class:	
Energy consumption year / 24 hrs:	203 / 0.556 kWh ¹
Total volume ² :	371 l
Volume:	Fridge: 267.9 l / Freezer compartment: 103 l
Noise output / noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	BlackSteel/black
Exterior dimensions in cm (h / w / d)·	201 5 / 59 7 / 67 5 1



Controls



• 2.4" TFT-colour display in-the-door,

- SmartDeviceBox: optional accessory

· Door alarm: visual and acoustic

· Alarm in case of malfunction: visual and











• Digital temperature display for fridge and • Height-adjustable feet at front







Key features

· Vertical recessed handles

· Reversible door hinging

· Replaceable door seal

- Transport handles, front and at back











Energy efficiency class:

Noise output/noise class:

Total volume 2:

Climate rating:

Door/side walls

Volume:

Controls

Energy consumption year / 24 hrs:

Exterior dimensions in cm (h/w/d):

- LC monochrome display behind-the-door,

SmartDeviceBox: optional accessory

· Alarm in case of malfunction: visual and





CNsfd 5724



Fridge: 227.1 l / Freezer compartment: 132 l



35 dB(A) / B, SuperSilent

SN-T (from +10 °C to +43 °C)



81

210 / 0.575 kWh 1

359 l



SteelFinish / silver

201.5 / 59.7 / 67.5 1



←60→

Key features

- Vertical recessed handles • Transport handles, front and at back
- Digital temperature display for fridge and Height-adjustable feet at front

 - · Reversible door hinging
 - · Replaceable door seal

Colour/material options: CNd 5724 in white

acoustic

touch- & swipe

freezer compartments

- Fridge compartment · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 5 GlassLine storage shelves, of which 1
- is divided into two parts VarioSafe
- · Bottle shelf
- · LED ceiling lighting
- · 1 EasyFresh-Safe on running rails

· Freezing capacity in 24 hrs: 10 kg

Freezer compartment *****

- 3 drawers, VarioSpace
- · Temperature rise time: 20 h
- Safety glass fittings

- Door alarm: visual and acoustic

acoustic

touch electronic

freezer compartments

- Fridge compartment · PowerCooling with FreshAir activated charcoal filter
- Plastic door shelves with bottle holder
- · 4 GlassLine storage shelves, of which 1
- is divided into two parts
- VarioSafe
- · Bottle shelf
- · LED ceiling lighting

• 1 EasyFresh-Safe on running rails Freezer compartment ****


- 4 drawers, VarioSpace
- Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- · Safety glass fittings





←60→







Controls

- · 2.4" TFT-colour display in-the-door, touch- & swipe
- Digital temperature display for fridge and freezer compartments
- SmartDeviceBox: optional accessory
- · Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- Bottle shelf
- · LED ceiling lighting
- 1 EasyFresh-Safe on running rails

Freezer compartment *****

- 3 drawers, VarioSpace
- · IceMaker with water tank
- Ice cube production in 24 hrs: 1.2 kg Ice cube reservoir 5.4 kg
- Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- Safety glass fittings

Key features

82

- Vertical recessed handles
- Transport handles, front and at back
- · Height-adjustable feet at front





←60→



CNsfd 573i

Energy efficiency class:	D A 1			
Energy consumption year / 24 hrs:	210 / 0.575 kWh ¹			
Total volume ² :	359 l			
Volume:	Fridge: 227.1 l / Freezer compartment: 132 l			
Noise output / noise class:	32 dB(A) / B, SuperSilent			
Climate rating:	SN-T (from +10 °C to +43 °C)			
Door/side walls:	SteelFinish / silver			
Exterior dimensions in cm (h/w/d):	201.5 / 59.7 / 67.5 1			



- 2.4" TFT-colour display in-the-door, touch- & swipe
- · Digital temperature display for fridge and freezer compartments
- · SmartDeviceBox included
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- Bottle shelf
- · LED ceiling lighting
- 1 EasyFresh-Safe on running rails

Freezer compartment ****

- · 4 drawers, VarioSpace
- Temperature rise time: 20 h
- · Freezing capacity in 24 hrs: 10 kg
- Safety glass fittings


Key features

- Vertical recessed handles

- · Reversible door hinging

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm.

If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.







CNsfd 5723

Energy efficiency class: 203 / 0.556 kWh ³ Energy consumption year / 24 hrs: Total volume 2: 371 l Volume: Fridge: 267.9 l / Freezer compartment: 103 l 35 dB(A) / B, SuperSilent Noise output / noise class: SN-T (from +10 °C to +43 °C) Climate rating: SteelFinish/silver Door/side walls: Exterior dimensions in cm (h/w/d): 201.5 / 59.7 / 67.5 1



Controls



· SmartDeviceBox: optional accessory

· Plastic door shelves with bottle holder

• 1 EasyFresh-Safe on running rails

Freezer compartment *****

· Temperature rise time: 20 h

· Vertical recessed handles

· Reversible door hinging

· Replaceable door seal

· Freezing capacity in 24 hrs: 10 kg

· Transport handles, front and at back

· Height-adjustable feet at front

- Door alarm: visual and acoustic

Fridge compartment

VarioSafe

· Bottle shelf

· LED ceiling lighting

- 3 drawers, VarioSpace

- Safety glass fittings

Key features



· Alarm in case of malfunction: visual and acoustic

· PowerCooling with FreshAir activated charcoal filter



- LC monochrome display behind-the-door, touch electronic

- Digital temperature display for fridge and freezer compartments

• 5 GlassLine storage shelves, of which 1 is divided into two parts















- Controls - LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge and freezer compartments

CNsfd 5704

· SmartDeviceBox: optional accessory

Exterior dimensions in cm (h/w/d):

- · Alarm in case of malfunction: visual and acoustic
- · Door alarm: visual and acoustic

Energy efficiency class:

Noise output/noise class:

Total volume 2:

Climate rating:

Door/side walls:

Volume:

Energy consumption year / 24 hrs:

Fridge compartment


- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 4 GlassLine storage shelves
- 3 bottle shelf
- LED ceiling lighting
- 1 EasyFresh-Safe on running rails

Freezer compartment ****

- 4 drawers, VarioSpace
- Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- Safety glass fittings

Key features

- · Vertical recessed handles
- Transport handles, front and at back
- · Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal



- Transport handles, front and at back
- · Replaceable door seal



←60→

210 / 0.575 kWh 1

SteelFinish / silver

201.5 / 59.7 / 67.5 1

Fridge: 227.1 l / Freezer compartment: 132 l

SN-T (from +10 °C to +43 °C)

359 l


36 dB(A)/C







CNd 5704









- Digital temperature display for fridge and freezer compartments
- · SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge compartment

Controls

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 4 GlassLine storage shelves
- 3 bottle shelf
- LED ceiling lighting
- 1 EasyFresh-Safe on running rails

Freezer compartment *****

- 4 drawers, VarioSpace
- Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- Safety glass fittings

Key features

84

- · Vertical recessed handles
- Transport handles, front and at back
- · Height-adjustable feet at front · Reversible door hinging
- · Replaceable door seal



←60→

CNsfd 5703

203 / 0.556 kWh ¹
371 (
Fridge: 267.9 l / Freezer compartment: 103 l
36 dB(A)/C
SN-T (from +10 °C to +43 °C)
SteelFinish/silver
201.5 / 59.7 / 67.5 1



- · LC monochrome display behind-the-door, touch electronic
- · Digital temperature display for fridge and freezer compartments
- SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 5 GlassLine storage shelves
- 3 bottle shelf
- · LED ceiling lighting
- 1 EasyFresh-Safe on running rails

Freezer compartment ****

- 3 drawers, VarioSpace
- · Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- Safety glass fittings

Key features

- · Vertical recessed handles
- Transport handles, front and at back
- · Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal







CNd 5703

Energy efficiency class:	
Energy consumption year / 24 hrs:	203 / 0.556 kWh ¹
Total volume 2:	371 l
Volume:	Fridge: 267.9 l / Freezer compartment: 103 l
Noise output / noise class:	36 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	201.5 / 59.7 / 67.5 1

















- · LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge and freezer compartments
- · SmartDeviceBox: optional accessory
- · Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 5 GlassLine storage shelves
- 3 bottle shelf
- LED ceiling lighting
- · 1 EasyFresh-Safe on running rails

Freezer compartment *****

- 3 drawers, VarioSpace
- Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- Safety glass fittings

Key features

- · Vertical recessed handles
- Transport handles, front and at back
- · Height-adjustable feet at front · Reversible door hinging
- · Replaceable door seal




←60→



CNd 5224

Torona Co	
Energy efficiency class:	
Energy consumption year / 24 hrs:	202 / 0.553 kWh ¹
Total volume 2:	319 l
Volume:	Fridge: 187.1 l / Freezer compartment: 132 l
Noise output/noise class:	35 dB(A)/B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5 ¹



- LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge and freezer compartments
- · SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 3 GlassLine storage shelves, of which 1 is divided into two parts
- Bottle shelf
- LED ceiling lighting
- 1 EasyFresh-Safe on running rails


Freezer compartment ****


- 4 drawers, VarioSpace
- · Ice cube tray
- Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- Safety glass fittings

- Vertical recessed handles
- Transport handles, front and at back
- Height-adjustable feet at front · Reversible door hinging
- · Replaceable door seal



←60→







Controls

- · LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge and freezer compartments
- · SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- · Bottle shelf
- LED ceiling lighting
- 1 EasyFresh-Safe on running rails

Freezer compartment *****

- 3 drawers, VarioSpace
- Temperature rise time: 20 h - Freezing capacity in 24 hrs: 10 kg
- Safety glass fittings

Key features

86

- · Vertical recessed handles
- Transport handles, front and at back
- · Height-adjustable feet at front · Reversible door hinging
- · Replaceable door seal



←60→



CNd 5223

Energy efficiency class:	D A 1
Energy consumption year / 24 hrs:	201/0.550 kWh ¹
Total volume 2:	330 l
Volume:	Fridge: 227.1 l / Freezer compartment: 103 l
Noise output/noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	185.5/59.7/67.5 ¹

- · LC monochrome display behind-the-door, touch electronic
- · Digital temperature display for fridge and freezer compartments

Easy Cooling No Frost Easy Touch-Display Vario Super Cool

- SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- Bottle shelf
- · LED ceiling lighting
- 1 EasyFresh-Safe on running rails

Freezer compartment ****

- 3 drawers, VarioSpace
- · Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- Safety glass fittings

Key features

- · Vertical recessed handles
- Transport handles, front and at back
- · Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal



←60→

CNsfd 5204

Energy efficiency class:	
Energy consumption year / 24 hrs:	202/0.553 kWh ¹
Total volume 2:	319 (
Volume:	Fridge: 187.1 l / Freezer compartment: 132 l
Noise output/noise class:	36 dB(A)/C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	SteelFinish/silver
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5 ¹

















- · LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge and freezer compartments
- · SmartDeviceBox: optional accessory
- · Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 3 GlassLine storage shelves
- 3 bottle shelf
- · LED ceiling lighting
- · 1 EasyFresh-Safe on running rails

Freezer compartment *****

- 4 drawers, VarioSpace
- Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- Safety glass fittings

Key features

- · Vertical recessed handles
- · Transport handles, front and at back
- · Height-adjustable feet at front · Reversible door hinging
- · Replaceable door seal



←60→



CNd 5204

Energy efficiency class:	
Energy consumption year / 24 hrs:	202 / 0.553 kWh ¹
Total volume 2:	319 l
Volume:	Fridge: 187.1 l / Freezer compartment: 132 l
Noise output/noise class:	36 dB(A)/C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5 ¹



- LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge and freezer compartments
- · SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 3 GlassLine storage shelves
- 3 bottle shelf
- LED ceiling lighting
- 1 EasyFresh-Safe on running rails

Freezer compartment ****


- 4 drawers, VarioSpace
- Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- Safety glass fittings


- · Vertical recessed handles
- Transport handles, front and at back
- · Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal



←60→







Controls

- · LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge and freezer compartments
- SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 4 GlassLine storage shelves
- 3 bottle shelf
- LED ceiling lighting
- 1 EasyFresh-Safe on running rails

Freezer compartment *****

- 3 drawers, VarioSpace
- Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- Safety glass fittings

Key features

88

- · Vertical recessed handles
- Transport handles, front and at back · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal



←60→

CNd 5203

Energy efficiency class:	
Energy consumption year / 24 hrs:	201/0.550 kWh ¹
Total volume 2:	330 l
Volume:	Fridge: 227.1 l / Freezer compartment: 103 l
Noise output/noise class:	36 dB(A)/C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door / side walls:	white/white
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5 ¹

Easy Fresh	Duo Cooling	No Frost	Touch- Display	Vario Space	Super Cool	Super Frost	Smart Device ready

- · LC monochrome display behind-the-door, touch electronic
- · Digital temperature display for fridge and freezer compartments
- SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 4 GlassLine storage shelves
- 3 bottle shelf
- · LED ceiling lighting
- 1 EasyFresh-Safe on running rails

Freezer compartment ****

- 3 drawers, VarioSpace
- · Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- Safety glass fittings

Key features

- Vertical recessed handles
- Transport handles, front and at back
- · Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal



←60→

CNsfd 5023

Energy efficiency class:	$ \begin{array}{c c} & A \\ & \uparrow \\ & G \end{array} $
Energy consumption year / 24 hrs:	191 / 0.523 kWh ¹
Total volume 2:	280 l
Volume:	Fridge: 177 l / Freezer compartment: 103 l
Noise output / noise class:	35 dB(A)/B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	SteelFinish/silver
Exterior dimensions in cm (h/w/d):	165.5 / 59.7 / 67.5 ¹





· SmartDeviceBox: optional accessory

· Plastic door shelves with bottle holder

· 1 EasyFresh-Safe on running rails

Freezer compartment ****

- Temperature rise time: 20 h

· Freezing capacity in 24 hrs: 10 kg

· Transport handles, front and at back

· Height-adjustable feet at front

- 3 drawers, VarioSpace

Safety glass fittings

· Vertical recessed handles

· Reversible door hinging

- Replaceable door seal

· Ice cube tray

Key features

- Door alarm: visual and acoustic

Fridge compartment

· LED ceiling lighting

· Bottle shelf



· Alarm in case of malfunction: visual and acoustic

· PowerCooling with FreshAir activated charcoal filter



· LC monochrome display behind-the-door, touch electronic

- Digital temperature display for fridge and freezer compartments

- 3 GlassLine storage shelves, of which 1 is divided into two parts













Energy efficiency class:

Noise output/noise class:

Total volume 2:

Climate rating:

Door/side walls:

Volume:

Energy consumption year / 24 hrs:

- LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge and freezer compartments

CNd 5023

· SmartDeviceBox: optional accessory

Exterior dimensions in cm (h/w/d):

- · Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 3 GlassLine storage shelves, of which 1 is divided into two parts
- Bottle shelf
- LED ceiling lighting
- 1 EasyFresh-Safe on running rails

Freezer compartment ****

- 3 drawers, VarioSpace
- · Ice cube tray
- Temperature rise time: 20 h
- Freezing capacity in 24 hrs: 10 kg
- Safety glass fittings

Key features

- Vertical recessed handles
- Transport handles, front and at back
- Height-adjustable feet at front · Reversible door hinging
- · Replaceable door seal



←60→

191 / 0.523 kWh ¹

white/white

165.5 / 59.7 / 67.5 1

35 dB(A) / B, SuperSilent

SN-T (from +10 °C to +43 °C)

Fridge: 177 l / Freezer compartment: 103 l

SmartFrost fridge-freezers SmartFrost fridge-freezers







← 55 → CU 2831







CU 2331

Energy efficiency class: Energy consumption year / 24 hrs: 280 / 0.767 kWh Total volume 2: 296 l Volume: Fridge: 212.4 l / Freezer compartment: 84 l Noise output / noise class: 39 dB(A)/C SN-ST (from +10 °C to +38 °C) SmartSteel / silver 181.2/55/63¹





Controls

- · Mechanical control in interior, control dial
- Individually regulated cooling circuits: 1
- · CoolPlus function

Fridge compartment

- · Plastic door shelves with bottle holder, Egg tray
- 4 GlassLine storage shelves
- Bottle shelf · LED lighting
- 2 fruit and vegetable drawers

Freezer compartment ****

- 3 drawers, VarioSpace · Ice cube tray
- Temperature rise time: 20 h
- · Freezing capacity in 24 hrs: 3.8 kg
- Safety glass fittings


Kev features


- SwingLine design
- Recessed handles
- · Versatile installation due to front ventilation
- Height-adjustable feet at front
- · Reversible door hinging


Colour / material options:

CU 3331 in white

90











- · Mechanical control in interior, control dial
 - - · CoolPlus function

Fridge compartment

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm.

· Plastic door shelves with bottle holder, Egg tray 4 GlassLine storage shelves

- Individually regulated cooling circuits: 1

· Bottle shelf

CoolPlus function

· LED lighting

Controls

• 2 fruit and vegetable drawers

Freezer compartment ****

- 3 drawers, VarioSpace
- · Ice cube tray
- Temperature rise time: 20 h
- · Freezing capacity in 24 hrs: 3.8 kg
- · Safety glass fittings

Kev features

- · SwingLine design
- Recessed handles
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging



Controls

- · Mechanical control in interior, control dial
- · Individually regulated cooling circuits: 1

Fridge compartment

- · Plastic door shelves with bottle holder, Egg tray
- 4 GlassLine storage shelves
- Bottle shelf
- · LED lighting
- 2 fruit and vegetable drawers

Freezer compartment ****

- · 2 drawers, VarioSpace
- Ice cube tray
- · Temperature rise time: 18 h
- · Freezing capacity in 24 hrs: 3 kg
- · Safety glass fittings

Key features

If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level

- · SwingLine design
- · Recessed handles
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging

Energy efficiency class: Energy consumption year / 24 hrs: 240 / 0.657 kWh ¹ Total volume 2: 265 l Volume: Fridge: 212.4 l / Freezer compartment: 54 l Noise output / noise class: SN-ST (from +10 °C to +38 °C) Climate rating: Door/side walls: Exterior dimensions in cm (h/w/d): 161.2/55/631





- · Mechanical control in interior, control dial
- · Individually regulated cooling circuits: 1
- · CoolPlus function

Controls

Fridge compartment


- · Plastic door shelves with bottle holder, Egg tray
- 4 GlassLine storage shelves
- · Bottle shelf
- · LED lighting
- 2 fruit and vegetable drawers

Freezer compartment *****

- · 2 drawers, VarioSpace
- Ice cube tray
- · Temperature rise time: 18 h
- · Freezing capacity in 24 hrs: 3 kg
- · Safety glass fittings

Key features

- · SwingLine design
- · Recessed handles
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging





Controls

- · Mechanical control in interior, control dial
- · Individually regulated cooling circuits: 1
- · CoolPlus function

Fridge compartment


- · Plastic door shelves with bottle holder, Egg tray
- 3 GlassLine storage shelves
- LED lighting
- · 2 fruit and vegetable drawers

Freezer compartment *****

- 2 drawers, VarioSpace
- · Ice cube tray
- Temperature rise time: 18 h
- · Freezing capacity in 24 hrs: 3 kg

· Safety glass fittings

- Key features - SwingLine design
- Recessed handles
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging







Controls

- Mechanical control in interior, control dial
- Individually regulated cooling circuits: 1
- · CoolPlus function

Fridge compartment

- Plastic door shelves with bottle holder, Egg tray
- 3 GlassLine storage shelves
- LED lighting
- 2 fruit and vegetable drawers

Freezer compartment ****

- 2 drawers, VarioSpace
- · Ice cube tray
- Temperature rise time: 18 h • Freezing capacity in 24 hrs: 3 kg
- · Safety glass fittings

- SwingLine design
- Recessed handles
- Versatile installation due to front ventilation
- Height-adjustable feet at front · Reversible door hinging







240 / 0.657 kWh 1

Fridge: 212.4 l / Freezer compartment: 54 l

SN-ST (from +10 °C to +38 °C)

NeonOrange / NeonOrange

265 l

39 dB(A)/C

161.2/55/631





CUkw 2831

Energy efficiency class: Energy consumption year / 24 hrs: 240 / 0.657 kWh 1 Total volume 2: 265 l Volume: Fridge: 212.4 l / Freezer compartment: 54 l 39 dB(A)/C Noise output / noise class: SN-ST (from +10 °C to +38 °C) Climate rating: KiwiGreen / KiwiGreen Door/side walls: 161.2/55/631 Exterior dimensions in cm (h/w/d):





Controls

- · Mechanical control in interior, control dial
- Individually regulated cooling circuits: 1
- CoolPlus function

Energy efficiency class:

Noise output/noise class:

Total volume 2:

Climate rating:

Door/side walls:

Volume:

Energy consumption year / 24 hrs:

Exterior dimensions in cm (h/w/d):

Fridge compartment

- · Plastic door shelves with bottle holder, Egg tray
- 4 GlassLine storage shelves
- · Bottle shelf · LED lighting
- · 2 fruit and vegetable drawers

Freezer compartment ****

- · 2 drawers, VarioSpace
- Ice cube tray
- Temperature rise time: 18 h
- · Freezing capacity in 24 hrs: 3 kg
- · Safety glass fittings

Key features

- SwingLine design
- · Recessed handles
- Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging



Controls

- · Mechanical control in interior, control dial
- Individually regulated cooling circuits: 1
- CoolPlus function

Fridge compartment


- · Plastic door shelves with bottle holder, Egg tray
- 4 GlassLine storage shelves
- Bottle shelf
- · LED lighting
- 2 fruit and vegetable drawers

Freezer compartment *****

- 2 drawers, VarioSpace
- · Ice cube tray
- Temperature rise time: 18 h
- Freezing capacity in 24 hrs: 3 kg
- Safety glass fittings

Key features

- SwingLine design
- Recessed handles
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging



Controls

- · Mechanical control in interior, control dial
- Individually regulated cooling circuits: 1
- CoolPlus function

Fridge compartment

- Plastic door shelves with bottle holder, Egg tray
- 4 GlassLine storage shelves
- Bottle shelf
- · LED lighting
- 2 fruit and vegetable drawers

Freezer compartment *****

- 2 drawers, VarioSpace
- · Ice cube tray
- Temperature rise time: 18 h
- Freezing capacity in 24 hrs: 3 kg

- Safety glass fittings

- SwingLine design
- Recessed handles
- Versatile installation due to front ventilation
- Height-adjustable feet at front
- · Reversible door hinging

SmartFrost Top Mount fridge-freezers SmartFrost Top Mount fridge-freezers





←55→

3.4 **←55** →

CTel 2531

Fridge: 189.5 l / Freezer compartment: 44 l

SN-T (from +10 °C to +43 °C)

Stainless steel look / silver

212 / 0.580 kWh 1

37 dB(A)/C

140.1/55/631

CTel 2931

Energy effic	iency class:	F
Energy cons	umption year / 24 hrs:	231 / 0.632 kWh ¹
Total volum	9°:	270 l
Volume:	Fridge: 218.6 l / Fr	eezer compartment: 52 l
Noise outpu	t/noise class:	37 dB(A)/C
Climate rati	ng: SN-	T (from +10 °C to +43 °C)
Door/side v	valls: Sta	inless steel look/silver
Exterior dim	ensions in cm (h/w/d	d): 157.1/55/63 ¹



- · Mechanical control in interior, control dial
- Individually regulated cooling circuits: 1


Fridge compartment

- · Plastic door shelves with bottle holder, Egg tray
- 4 GlassLine storage shelves
- · LED lighting • 1 spacious fruit and vegetable drawer
- Freezer compartment *****
- Ice cube tray
- Temperature rise time: 19.54 h
- Freezing capacity in 24 hrs: 3.3 kg
- Safety glass fittings

Key features

94

- · SwingLine design
- · Recessed handles
- · Versatile installation due to front ventilation
- Height-adjustable feet at front
- Reversible door hinging



CT 2931



Controls

- · Mechanical control in interior, control dial
- · Individually regulated cooling circuits: 1

Fridge compartment

- · Plastic door shelves with bottle holder, Egg tray
- 4 GlassLine storage shelves
- LED lighting
- 1 spacious fruit and vegetable drawer

Freezer compartment ****

- · Ice cube tray
- Temperature rise time: 19.54 h
- · Freezing capacity in 24 hrs: 3.3 kg
- · Safety glass fittings

Key features

- · SwingLine design
- Recessed handles
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging



Controls

- · Mechanical control in interior, control dial
- Individually regulated cooling circuits: 1

Exterior dimensions in cm (h/w/d):

Fridge compartment

Energy efficiency class:

Noise output / noise class:

Total volume 2:

Climate rating:

Door/side walls:

Volume:

Energy consumption year / 24 hrs:

- · Plastic door shelves with bottle holder, Egg tray
- 3 GlassLine storage shelves
- LED lighting
- · 1 spacious fruit and vegetable drawer

Freezer compartment *****

- · Ice cube tray
- Temperature rise time: 17.12 h
- · Freezing capacity in 24 hrs: 3.6 kg
- · Safety glass fittings

Key features

- SwingLine design
- Recessed handles
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging












CT 2131

A :

Energy effic	iency class:	FA
Energy cons	sumption year / 24 hrs:	212 / 0.580 kWh
Total volume	e ²:	233
Volume:	Fridge: 189.5 l / Fr	eezer compartment: 44
Noise outpu	t/noise class:	37 dB(A)/
Climate rati	ng: SN-	T (from +10 °C to +43 °C
Door/side v	walls:	white/white
Exterior dim	ensions in cm (h/w/	d): 140.1/55/63

CT 2531



Energy efficiency class:	FA
Energy consumption year / 2	24 hrs: 198 / 0.542 kWh ¹
Total volume 2:	196 (
Volume: Fridge: 152	.2 l / Freezer compartment: 44 l
Noise output / noise class:	37 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	Stainless steel look/silver
Exterior dimensions in cm (I	n/w/d): 124.1/55/63 ¹

Energy efficiency class:		F	
Energy consu	umption year / 24 hrs:	198 / 0.542 kWh	
Total volume	2:	196 (
Volume:	Fridge: 152.2 l / Freez	er compartment: 44 l	
Noise output	/noise class:	37 dB(A)/C	
Climate ratin	g: SN-T (f i	rom +10 °C to +43 °C)	
Door/side w	ralls:	white/white	
Exterior dime	ensions in cm (h/w/d):	124.1/55/63	



Controls

- · Mechanical control in interior, control dial
- Individually regulated cooling circuits: 1

Fridge compartment

- · Plastic door shelves with bottle holder, Egg tray
- 3 GlassLine storage shelves
- · LED lighting
- 1 spacious fruit and vegetable drawer

Freezer compartment ****

- Ice cuhe trav
- Temperature rise time: 17.12 h
- · Freezing capacity in 24 hrs: 3.6 kg
- · Safety glass fittings

Key features

- · SwingLine design
- · Recessed handles
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging



Controls

- · Mechanical control in interior, control dial
- Individually regulated cooling circuits: 1

Fridge compartment

- · Plastic door shelves with bottle holder, Egg tray
- 3 GlassLine storage shelves
- LED lighting
- 1 spacious fruit and vegetable drawer

Freezer compartment *****

- · Ice cube tray
- Temperature rise time: 17.3 h
- Freezing capacity in 24 hrs: 3.7 kg
- · Safety glass fittings

Key features

- SwingLine design
- Recessed handles
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging



Controls

- · Mechanical control in interior, control dial
- Individually regulated cooling circuits: 1

Fridge compartment

- Plastic door shelves with bottle holder, Egg tray
- 3 GlassLine storage shelves
- LED lighting
- 1 spacious fruit and vegetable drawer

Freezer compartment ***** Ice cuhe trav

- Temperature rise time: 17.3 h
- Freezing capacity in 24 hrs: 3.7 kg · Safety glass fittings

- SwingLine design
- Recessed handles
- · Versatile installation due to front ventilation • Height-adjustable feet at front
- · Reversible door hinging



△ Peak series

Range overview by device height and series

○ Prime series◇ Plus series○ Pure series	185	-60 → 165	←60→ 145	←60→ 125 ↓
Fridges				
BioFresh Professional				
HydroBreeze/Fish & Seafood	RBstd 528i			
HydroBreeze	SRBstd 529i			-
BioFresh				-
	RBbsc 5250			
	RBsdd 5250			
	RBd 5250			
	RBsfe 5221			
	RBe 5221			
Full-space BioFresh				RBa 4250
EasyFresh				
Pull-out drawer/bottle basket	RDsfe 5220			
	Rsdd 5250			
	Rd 5250			-
	Rsfe 5220	Rsfe 5020	Rsfe 4620	
	Re 5220	Re 5020	Re 4620	Rf 4200

←60→



98

Series

Fridges







 \diamondsuit Plus series



O Prime series



 \triangle Peak series

	O Pure series	\Diamond Plus series	\bigcirc Prime series	riangle Peak series
Freshness technology	EasyFresh on integrated drawer guide	EasyFresh on integrated drawer guide	EasyFresh on telescopic rails	EasyFresh on telescopic rails
		BioFresh on telescopic rails	BioFresh with SoftTelescopic	BioFresh Professional with SoftTelescopic
				HydroBreeze
				Fish & Seafood safe
	FreshAir filter	FreshAir filter	FreshAir filter	FreshAir filter
Comfort and flexibility		Divisible glass shelf	Divisible glass shelf	Divisible glass shelf
			SoftSystem soft closing mechanism	SoftSystem soft closing mechanism
		VarioSafe	VarioSafe	VarioSafe
			VarioBoxes	VarioBoxes
			Butter dish	Butter dish
	Egg tray	Egg tray	Adjustable egg tray	Adjustable egg tray
	Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf
				FlexSystem
Design	Ceiling lighting	Ceiling or side lighting	LightTower	LightTower
			Lighting BioFresh safe	Lighting BioFresh safe
				Fan lighting
			SmartSteel rear wall	SmartSteel rear wall
				SmartSteel door interior
	Transparent glass	Transparent glass	Satin finish glass	Satin finish glass
	Stainless steel look shelves	Stainless steel look shelves	Glass & stainless steel rack	Glass & stainless steel rack
	Touch display	Touch display	Touch & Swipe display	Touch & Swipe display
	Display behind the door	Display behind the door	Display behind the door	Display behind the door
	Recessed grip	Recessed grip	Slimline door handle with opening mechanism	Recessed grip
Connectivity (SmartDeviceBox)	can be retrofitted	can be retrofitted	can be retrofitted	can be retrofitted or is included with "i" models
Water				InfinitySpring for SBS-capable models

The standard features mentioned above may vary depending on the model. Details can be found in the model description.

Quality in every detail



Fruit & Vegetable safe

Crunchy salad and strawberries: the most delicate foods deserve a special place so they stay fresh longer – in BioFresh safes. In the Fruit & Vegetable safe the temperature is close to 0°C. Combined here with the constant humidity, thanks to the air-tight closure, unpackaged fruit and vegetables feel particularly at home. You do not have to adjust anything.



3 bottle shelf

Now your bottles stay where they should. The 3 bottle shelf securely holds three bottles in your fridge ready to be used. The bottle shelf fits on every glass shelf and is therefore very flexible. And if you need the space for other reasons, simply take the bottle shelf out of the fridge.



EasyFresh

The guarantee of market freshness in the home is our EasyFresh-Safe. Whether it's unpackaged vegetables or fruit, this ensures optimal storage for everything. Thanks to the air-tight closure, the food causes the humidity in the safe to rise. This keeps the food fresher for longer.



LED side lighting, single sided

For a quick overview of everything in the refrigerator: the LED side lighting helps you to keep your food in view. The LEDs are positioned so that the light beams go up and down. And the LEDs integrated flush into the side walls mean that the valuable usable area is fully maintained.



LightTower

Enjoy an optimally illuminated interior: the LightTower shows off the food in its best light and is positioned so that all of your filled fridge is illuminated at all times. The flush mounting of the LightTower in the side walls means there is also more space for your food.



Door hinge exchange, integrated freezer compartment

Switch the opening direction on your 4* freezer compartment door quickly and easily: The clever slide control means this can be done in seconds and without any manual skills. Simply slide the control on the 4*freezer compartment right or left – that's it, done.



Slimline door handle with integrated opening mechanism

Opening made easy: The practical and elegant slimline door handle with an integrated opening mechanism allows you to open the appliance door effortlessly, even when it's opened multiple times in quick succession. The classy, minimalistic handles are also an eye-catcher on your appliance.



Door shelf

Do you want a safe storage area for your drinks or food? And do you still want to reach them easily? Our height-adjustable door shelves offer you both – thanks to the safety glass shelves and stainless steel rails. The sliding and removable bottle holder also ensures that your bottles are held securely.



Bottle shelf above the BioFresh safe

Expecting guests and want to chill a few more drinks than usual? The bottle shelf above the BioFresh safes exists for this very reason. Simply remove the glass shelf above the bottle shelf in one easy step – and you can now safely store and cool bottles of various sizes.



SoftTelescopic

Look forward to opening your BioFresh safes. And this is not just because of the fresh food – but also because opening is so easy, and closing is cushioned. The telescopic rails slide the safe gently towards you. And because these extend fully, you have the best overview of the contents.



FlexSystem

Small and delicate fruit in the refrigerator can easily roll out of sight or become crushed. That's why your Liebherr comes with the FlexSystem. Two flexibly positionable boxes in the BioFresh safe ensure everything is clearly arranged and organised. And they also safely protect even the smallest raspberry from bruising or from being mixed up with other foods.



Space for baking tray

Do you want to keep that home-baked fruit pie fresh? Or maybe a prepared pizza to be baked later on? If so, simply slide your baking tray into your Liebherr – it has plenty of space for storing a baking tray. Really convenient – you can slide the baking tray in and out when the door is opened at 90°.


103

The features shown are model dependent; look for these features in your model choice.



←60→







Controls

- 2.4" TFT-colour display behind-the-door, touch- & swipe
- Digital temperature display for fridge and BioFresh compartments
- SmartDeviceBox included
- · Door alarm: visual and acoustic

Fridge and BioFresh compartments

- PowerCooling with Ambilight and FreshAir active carbon filter
- Premium GlassLine storage shelf with bottle holder, Removable VarioBoxes, adjustable egg tray, butter dish
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- · Integrated bottle shelf
- · LED light panel both sides
- LED BioFresh lighting
- · 3 BioFresh-Safes with SoftTelescopic, 2 Fruit & Vegetable-Safes, of which 1 with HydroBreeze, 1 Meat & Dairy-Safe, 1 FlexSystem
- InfinitySpring with fixed 3/4" water connection

Key features

104

- Side wall heating left, suitable for combination with other refrigerators, freezers and/or wine appliances
- Slimline handle with integrated opening mechanism
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal
- · Dry rear wall and door panel in stainless steel with SmartSteel





RBstd 528i

←60→

Energy efficiency class:	
Energy consumption year / 24 hrs:	134 / 0.367 kWh ¹
Total volume 2:	384 l
Volume:	Fridge: 246.2 l / BioFresh compartment: 137.9 l
Noise output / noise class:	35 dB(A)/B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	SmartSteel/SmartSteel
Exterior dimensions in cm (h/w/d):	185.5/59.7/67.5 ¹

Hydro Breeze Seafood Interior Tower System Bals Signary Cool



- 2.4" TFT-colour display behind-the-door, touch- & swipe
- Digital temperature display for fridge and BioFresh compartments
- · SmartDeviceBox included
- · Door alarm: visual and acoustic

Fridge and BioFresh compartments

- PowerCooling with Ambilight and FreshAir active carbon filter
- Premium GlassLine storage shelf with bottle holder, Removable VarioBoxes, adjustable egg tray, butter dish
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- · Integrated bottle shelf
- · LED light panel both sides
- · LED BioFresh lighting
- · 3 BioFresh-Safes with SoftTelescopic, 1 Fruit & Vegetable-Safe with HydroBreeze, 1 Fish & Seafood-Safe, 1 Meat & Dairy-Safe, 1 FlexSystem

Key features

- · Vertical recessed handle
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal
- Dry rear wall and door panel in stainless steel with SmartSteel



Bottle shelf above the BioFresh safe

Expecting guests and want to chill a few more drinks than usual? The bottle shelf above the BioFresh safes exists for this very reason. Simply remove the glass shelf above the bottle shelf in one easy step - and you can now safely store and cool bottles of various sizes.



SoftTelescopic

Look forward to opening your BioFresh safes. And this is not just because of the fresh food - but also because opening is so easy, and closing is cushioned. The telescopic rails slide the safe gently towards you. And because these extend fully, you have the best overview of the contents.





RBbsc 5250

Energy efficiency class:	C A T
Energy consumption year / 24 hrs:	107/0.293 kWh ¹
Total volume 2:	386 l
Volume:	Fridge: 245.8 l / BioFresh compartment: 140.9 l
Noise output/noise class:	34 dB(A)/B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	BlackSteel / BlackSteel
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5 ¹















Controls

- 2.4" TFT-colour display behind-the-door, touch- & swipe
- Digital temperature display for fridge and BioFresh compartments
- SmartDeviceBox: optional accessory
- Door alarm: visual and acoustic

Fridge and BioFresh compartments

- PowerCooling with FreshAir activated charcoal filter
- Premium GlassLine storage shelf with bottle holder, Removable VarioBoxes, adjustable egg tray, butter dish
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- · Integrated bottle shelf
- · LED light panel both sides
- · LED BioFresh lighting
- 3 BioFresh-Safes with SoftTelescopic, 2 Fruit & Vegetable-Safes, 1 Meat & Dairy-Safe

Key features


- · Slimline handle with integrated opening mechanism
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal
- Dry rear wall in stainless steel with SmartSteel


2 In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point. You can find the full range of efficiency classes at page 13. According to (EU) 2017/1369 6a. **BioFresh fridges BioFresh fridges**













- · 2.4" TFT-colour display behind-the-door, touch- & swipe
- Digital temperature display for fridge and BioFresh compartments
- · SmartDeviceBox: optional accessory
- Door alarm: visual and acoustic

Fridge and BioFresh compartments

- PowerCooling with FreshAir activated charcoal filter
- Premium GlassLine storage shelf with bottle holder, Removable VarioBoxes, adjustable egg tray, butter dish
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- Integrated bottle shelf
- · LED light panel both sides
- LED BioFresh lighting
- 3 BioFresh-Safes with SoftTelescopic, 2 Fruit & Vegetable-Safes, 1 Meat & Dairy-Safe

106

- Slimline handle with integrated opening mechanism
- Transport handles, front and at back, transport castors at back
- Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal
- Dry rear wall in stainless steel with SmartSteel



←60→

RBd 5250

Energy efficiency class:	
Energy consumption year / 24 hrs:	134 / 0.367 kWh ¹
Total volume 2:	3861
Volume:	Fridge: 245.8 l / BioFresh compartment: 140.9 l
Noise output/noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5 ¹



















- 2.4" TFT-colour display behind-the-door, touch- & swipe
- Digital temperature display for fridge and BioFresh compartments
- SmartDeviceBox: optional accessory
- · Door alarm: visual and acoustic

Fridge and BioFresh compartments

- PowerCooling with FreshAir activated charcoal filter
- Premium GlassLine storage shelf with bottle holder, Removable VarioBoxes, adjustable egg tray, butter dish
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- · Integrated bottle shelf
- · LED light panel both sides
- · LED BioFresh lighting
- · 3 BioFresh-Safes with SoftTelescopic, 2 Fruit & Vegetable-Safes, 1 Meat & Dairy-Safe

- Slimline handle with integrated opening mechanism
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal
- Dry rear wall in stainless steel with SmartSteel



←60→

RBsfe 5221

Energy effi	ciency class:	E A T
Energy con	sumption year / 24 hrs:	205 / 0.561 kWh
Total volum	ne²:	351
Volume:	Fridge: 223 l / BioFresh compartr	nent: 93.9 l / Freezer compartment: 34 l
Noise outp	ut/noise class:	37 dB(A) / C
Climate rat	ing:	SN-T (from +10 °C to +43 °C)
Door/side	walls:	SteelFinish/silver
Exterior din	nensions in cm (h/w/d):	185.5 / 59.7 / 67.5









- LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge compartment
- · SmartDeviceBox: optional accessory
- · Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- · Integrated bottle shelf
- · LED light one-sided
- · 2 BioFresh-Safes, 1 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe

Freezer compartment ****

- · 4-star freezer compartment, reversible door hinging
- Temperature rise time: 16 h
- Freezing capacity in 24 hrs: 5 kg

Key features

- · Vertical recessed handle
- Transport handles, front and at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal



←60→



RBe 5221

Energy effic	ciency class:	E A 1
Energy con:	sumption year / 24 hrs:	205 / 0.561 kWh ¹
Total volum	e²:	351 l
Volume:	Fridge: 223 l / BioFresh compartr	nent: 93.9 l / Freezer compartment: 34 l
Noise outpu	ut/noise class:	37 dB(A) / C
Climate rat	ing:	SN-T (from +10 °C to +43 °C)
Door/side	walls:	white/white
Exterior din	nensions in cm (h/w/d):	185.5 / 59.7 / 67.5 ¹











- LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge compartment
- SmartDeviceBox: optional accessory
- Door alarm: visual and acoustic

Fridge and BioFresh compartments

- PowerCooling with FreshAir activated charcoal filter
- Plastic door shelves with bottle holder
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- · Integrated bottle shelf
- LED light one-sided
- LED BioFresh lighting
- 2 BioFresh-Safes, 1 Fruit & Vegetable-Safe, 1 Meat & Dairy-Safe

Freezer compartment *****

- 4-star freezer compartment, reversible door hinging - Temperature rise time: 16 h
- Freezing capacity in 24 hrs: 5 kg

- · Vertical recessed handle
- Transport handles, front and at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal





BioFresh

BioFresh guarantees the perfect temperature for much longer freshness. At a temperature of just over 0°C and with the ideal humidity, fresh food can keep its appetising appearance and retain healthy vitamins and minerals for considerably longer than in a normal fridge compartment. While the DrySafe is particularly suitable for storing meat, fish and dairy products, the high humidity in the Fruit & Vegetable safe can prevent fruit and vegetables from drying out and helps preserve stored goods for an even longer period.



LED lighting

The LED lighting ensures your BioFresh safes are pleasantly lit. This makes it even easier for you to find the food you want. The energy-efficient LED unit is elegantly positioned above the safes to save space.



←60→



RBa 4250

Energy efficiency class:	A A 1
Energy consumption year / 24 hrs:	85 / 0.232 kWh ¹
Total volume ² :	160 l
Noise output/noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	125.5 / 59.7 / 67.5 ¹





- 2.4" TFT-colour display behind-the-door, touch- & swipe
- Digital temperature display for BioFresh compartments
- SmartDeviceBox: optional accessory
- Door alarm: visual and acoustic

Fridge and BioFresh compartments

- · LED BioFresh lighting
- 4 BioFresh-Safes on integrated drawer guide

- Slimline handle with integrated opening mechanism
- Transport handles, front and at back, transport castors at back
- Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal

1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

2 In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.


You can find the full range of efficiency classes at page 13. According to (EU) 2017/1369 6a.


EasyFresh fridges EasyFresh fridges













- 2.4" TFT-colour display behind-the-door, touch- & swipe - Digital temperature display for fridge compartment
- SmartDeviceBox: optional accessory
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- Premium GlassLine storage shelf with bottle holder, Removable VarioBoxes, adjustable egg tray, butter dish
- 6 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe

Controls

- Bottle shelf
- LED light panel both sides
- 1 EasyFresh-Safe on telescopic rails
- 1 spacious fruit and vegetable drawer on telescopic rails

Key features


110

- · Slimline handle with integrated opening mechanism
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal
- Dry rear wall in stainless steel with SmartSteel



←60→

Rd 5250























Controls

- 2.4" TFT-colour display behind-the-door, touch- & swipe
- Digital temperature display for fridge compartment
- · SmartDeviceBox: optional accessory
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- Premium GlassLine storage shelf with bottle holder, Removable VarioBoxes, adjustable egg tray, butter dish
- 6 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- Bottle shelf
- · LED light panel both sides
- 1 EasyFresh-Safe on telescopic rails
- 1 spacious fruit and vegetable drawer on telescopic rails


Key features

- Slimline handle with integrated opening mechanism
- · Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal
- Dry rear wall in stainless steel with SmartSteel





Rsfe 5220











Controls

- · LC monochrome display behind-the-door, touch electronic
- · Digital temperature display for fridge compartment
- · SmartDeviceBox: optional accessory
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 6 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- · Bottle shelf
- · LED ceiling lighting
- 1 EasyFresh-Safe on running rails
- 1 spacious fruit and vegetable drawer

Key features

- · Vertical recessed handle
- · Transport handles, front and at back
- · Height-adjustable feet at front
- · Reversible door hinging · Replaceable door seal



←60→

Energy efficiency class: 123 / 0.337 kWh ¹ Energy consumption year / 24 hrs: Total volume 2: 399 l Noise output/noise class: 36 dB(A)/C Climate rating: SN-T (from +10 °C to +43 °C) Door/side walls: white / white 185.5 / 59.7 / 67.5 1 Exterior dimensions in cm (h/w/d):







Controls

- · LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge compartment
- · SmartDeviceBox: optional accessory
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- Plastic door shelves with bottle holder
- 6 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- · Bottle shelf
- · LED ceiling lighting
- 1 EasyFresh-Safe on running rails
- 1 spacious fruit and vegetable drawer

- · Vertical recessed handle
- Transport handles, front and at back
- · Height-adjustable feet at front
- · Reversible door hinging - Replaceable door seal





EasyFresh

The guarantee of market freshness in the home is our EasyFresh-Safe. Whether it's unpackaged vegetables or fruit, this ensures optimal storage for everything. Thanks to the air-tight closure, the food causes the humidity in the safe to rise. This keeps the food fresh for a long time.



Bottle basket

Do your family and party guests love cold drinks? Often the inside door of the refrigerator isn't enough for bottle cooling. However, your Liebherr will be happy to help. There's plenty of room in the bottle baskets for bottles and Tetrapaks – or even a whole crate of beer. The shelves of the baskets rest on telescopic rails and slide out gently for easy removal.



←60→

RDsfe 5220

Energy efficiency class:	EAT
Energy consumption year / 24 hrs:	123 / 0.337 kWh ³
Total volume ² :	399 1
Noise output/noise class:	36 dB(A)/C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	SteelFinish/silver
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5









- LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge compartment
- SmartDeviceBox: optional accessory
- Door alarm: visual and acoustic

Fridge compartment

- PowerCooling with FreshAir activated charcoal filter
- Plastic door shelves with bottle holder
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- · LED ceiling lighting
- 1 EasyFresh-Safe on running rails
- Pull-out drawer with partial extension on telescopic rails
- 2 removable bottle baskets
- 1 spacious fruit and vegetable drawer

- · Vertical recessed handle
- Transport handles, front and at back
- Height-adjustable feet at front
- Reversible door hinging
- Replaceable door seal

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

2 In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.


You can find the full range of efficiency classes at page 13. According to (EU) 2017/1369 6a.

EasyFresh fridges EasyFresh fridges



←60→











Controls

- LC monochrome display behind-the-door, touch electronic - Digital temperature display for fridge compartment
- · SmartDeviceBox: optional accessory
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- Plastic door shelves with bottle holder
- 6 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- · Bottle shelf
- · LED ceiling lighting
- 1 EasyFresh-Safe on running rails

Key features

114


- Vertical recessed handle
- Transport handles, front and at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal



←60→



Re 5020













Controls

- · LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge compartment
- SmartDeviceBox: optional accessory
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- Plastic door shelves with bottle holder
- 6 GlassLine storage shelves, of which 1 is divided into two parts
- VarioSafe
- · Bottle shelf
- LED ceiling lighting
- 1 EasyFresh-Safe on running rails


Key features

- Vertical recessed handle
- Transport handles, front and at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal





Rsfe 4620











Controls

- · LC monochrome display behind-the-door, touch electronic
- · Digital temperature display for fridge compartment
- · SmartDeviceBox: optional accessory
- · Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- · Plastic door shelves with bottle holder
- 5 GlassLine storage shelves, of which 1 is divided into two parts
- Bottle shelf
- · LED ceiling lighting
- 1 EasyFresh-Safe on running rails

Key features

- · Vertical recessed handle
- Transport handles, front and at back
- · Height-adjustable feet at front
- · Reversible door hinging · Replaceable door seal

Colour/material options:

Re 4620 in white



←60→

←60→

Rf 4200

Energy efficiency class: 131 / 0.358 kWh ¹ Energy consumption year / 24 hrs: Total volume 2: 247 l 38 dB(A)/C Noise output/noise class: Climate rating: SN-T (from +10 °C to +43 °C) Door/side walls: white / white Exterior dimensions in cm (h/w/d): 125.5 / 59.7 / 67.5 1







Controls

- · LC monochrome display behind-the-door, touch electronic
- Digital temperature display for fridge compartment - SmartDeviceBox: optional accessory
- Door alarm: visual and acoustic

Fridge compartment

- · PowerCooling with FreshAir activated charcoal filter
- Plastic door shelves with bottle holder
- 5 GlassLine storage shelves
- 3 bottle shelf
- · LED ceiling lighting
- 1 EasyFresh-Safe on running rails

- Vertical recessed handle
- Transport handles, front and at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal

Fridges Fridges



Ksl 2834

Energy efficiency class:	FA
Energy consumption year / 24 hrs:	197/0.539 kWh
Total volume 2:	250
Volume:	Fridge: 229.8 l / Freezer compartment: 21
Noise output/noise class:	38 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C
Door/side walls:	silver/silve
Exterior dimensions in cm (h/w/d):	140.2/55/63

Controls

- Mechanical control in interior, control dial
- · CoolPlus function

Fridge compartment

- Plastic door shelves with bottle holder, Egg tray
- 4 GlassLine storage shelves
- Bottle shelf
- LED lighting
- 2 fruit and vegetable drawers

Freezer compartment *****

- 4-star freezer compartment
- · Ice cube tray
- Temperature rise time: 8 h
- Freezing capacity in 24 hrs: 3 kg

Key features

116

- SwingLine design
- Stainless steel slimline handle with integrated opening mechanism
- Versatile installation due to front ventilation
- Transport handles at back
- · Height-adjustable feet at front
- Reversible door hinging



K 2834 Comfort

Energy efficiency class:	FA
Energy consumption year / 24 hrs:	197 / 0.539 kWh ¹
Total volume 2:	250 l
Volume:	Fridge: 229.8 l / Freezer compartment: 21 l
Noise output / noise class:	38 dB(A)/C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	140.2/55/63¹

Controls

- Mechanical control in interior, control dial
- CoolPlus function

Fridge compartment

- · Plastic door shelves with bottle holder, Egg tray
- 4 GlassLine storage shelves
- · Bottle shelf
- LED lighting
- 2 fruit and vegetable drawers

Freezer compartment *****

- 4-star freezer compartment
- · Ice cube tray
- Temperature rise time: 8 h
- Freezing capacity in 24 hrs: 3 kg

Key features

- SwingLine design
- Ergonomically designed slimline handle
- Versatile installation due to front ventilation
- Transport handles at back, transport castors at back
- · Height-adjustable feet at front
- Reversible door hinging



Bottle shelf

The bottle shelf is the practical and elegant answer for storing drinks. As many as five bottles can be chilled and stored neatly.



GlassLine

The distinctive GlassLine interior conveys build and finish quality. The shelves are made of safety glass. The split, slide-under glass shelf can be located at different heights as required.



K 2340 Comfort

Energy efficiency class:	F
Energy consumption year / 24 hrs:	126 / 0.345 kWh
Total volume ² :	214 l
Noise output/noise class:	38 dB(A)/C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	114/55/63

Controls

· Mechanical control in interior, control dial

Fridge compartment

- Plastic door shelves with bottle holder, Egg tray
- 5 GlassLine storage shelves - Bottle shelf
- LED lighting
- 2 fruit and vegetable drawers

- · SwingLine design
- Ergonomically designed slimline handle
- Versatile installation due to front ventilation
- Transport handles at back, transport castors at back
- Height-adjustable feet at front
- Reversible door hinging

² In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.
You can find the full range of efficiency classes at page 13. According to (EU) 2017/1369 6a.

Under counter fridges TP 1720 Comfort

Quality in every detail



Premium GlassLine

Premium GlassLine door shelves with stainless steel trim. Elegant stainless steel bars help protect taller bottles and jars.



4-star freezer compartment

You can freeze fresh food and store frozen food for long periods in appliances with the 4-star freezer compartment. Temperatures of -18 °C and lower ensure food is stored with all the vital vitamins and minerals preserved.



Slimline door handle

The slimline door handle is discrete and ergonomically designed for ease of opening. Under counter fridges with manual controls can be further reduced in height by removing the tabletop of the fridge.



SuperCool function

The elegant and precise MagicEye control with its digital temperature display lets you keep the temperature at exactly the level you select. The clear arrangement of the function buttons makes for easy and convenient use. The automatic SuperCool function lowers the refrigerator temperature to +2 °C. It is perfect for quickly cooling freshly stored food.



GlassLine

The distinctive GlassLine interior conveys build and finish quality. The shelves are made of safety glass. The split, slide-under glass shelf can be located at different heights as required.



Vegetable compartments

Ergonomically designed, the extra deep transparent vegetable compartments are easy-to-clean and provide ample storage for fruit and vegetables.



←60→

TP 1764 Premium

Energy efficiency class: 146 / 0.400 kWh ¹ Energy consumption year / 24 hrs: Total volume 2: Fridge: 118 l / Freezer compartment: 18 l Volume: Noise output / noise class: 34 dB(A) / B, SuperSilent Climate rating: SN-T (from +10 °C to +43 °C) Door/side walls: white/white Exterior dimensions in cm (h/w/d): 85/60.1/62.8¹

Controls

- · MagicEye on front, key electronic
- Digital temperature display for fridge compartment

Fridge compartment

- Premium GlassLine storage shelf with bottle holder, Egg tray
- 3 GlassLine storage shelves, of which 1 is divided into two parts
- · LED lighting
- 2 fruit and vegetable drawers

Freezer compartment *****

- Ice cube tray
- Temperature rise time: 8.9 h
- · Freezing capacity in 24 hrs: 4.7 kg

Key features

SwingDesign

120

- Ergonomically designed slimline handle
- Versatile installation due to front ventilation
- · Height-adjustable feet at front · Reversible door hinging



TP 1760 Premium

Energy efficiency class:	E A T
Energy consumption year / 24 hrs:	93 / 0.254 kWh ¹
Total volume ² :	155 l
Noise output / noise class:	34 dB(A) / B, SuperSilent
Climate rating: SN-T (from +10 °C	
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	85/60.1/62.81



- · MagicEye on front, key electronic
- Digital temperature display for fridge compartment

Fridge compartment

- Premium GlassLine storage shelf with bottle holder, Egg tray
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- LED lighting
- 2 fruit and vegetable drawers

Key features

- SwingDesign
- · Ergonomically designed slimline handle
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging



TP 1724 Comfort

←60→

Energy efficiency class:	E A T
Energy consumption year / 24 hrs:	146 / 0.400 kWh ¹
Total volume 2:	143 l
Volume:	Fridge: 126 l / Freezer compartment: 18 l
Noise output/noise class:	37 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	85/60.1/62.8 1



←60→

Comfort

E A 1
92 / 0.252 kWh ¹
145 l
35 dB(A) / B, SuperSilent
SN-ST (from +10 °C to +38 °C)
white/white
85/60.1/62.8 ¹

Controls

- · Mechanical control in interior, control dial
- CoolPlus function

Fridge compartment

- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- 2 GlassLine storage shelves, of which 1 is divided into two parts
- LED lighting
- 2 fruit and vegetable drawers

Freezer compartment ** * * * *

- Ice cube tray
- Temperature rise time: 9 h
- · Freezing capacity in 24 hrs: 4.29 kg

Key features

- SwingDesign
- Ergonomically designed slimline handle
- Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- · Height-adjustable feet at front
- Reversible door hinging

Controls

- Mechanical control in interior, control dial

Fridge compartment

- Comfort GlassLine storage shelf with bottle holder, Egg tray
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- LED lighting
- 2 fruit and vegetable drawers

- SwingDesign
- Ergonomically designed slimline handle
- Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- · Height-adjustable feet at front
- · Reversible door hinging



←60→

TPesf 1714

Energy efficiency class: 183 / 0.501 kWh ¹ Energy consumption year / 24 hrs: Total volume 2: Fridge: 126 l / Freezer compartment: 18 l Volume: Noise output / noise class: 37 dB(A) / C Climate rating: SN-ST (from +10 °C to +38 °C) Door/side walls: Stainless steel / silver Exterior dimensions in cm (h/w/d): 85/60.1/60.8¹

Controls

- CoolPlus function

Fridge compartment

- 2 fruit and vegetable drawers

Freezer compartment *****

· Freezing capacity in 24 hrs: 4.36 kg

· Stainless steel slimline door handle

• Height-adjustable feet at front

• Reversible door hinging

Temperature rise time: 9 h

· LED lighting

Ice cube tray

Key features

HardLine

122

· Mechanical control in interior, control dial

- Comfort GlassLine storage shelf with bottle holder, Egg tray

• 2 GlassLine storage shelves, of which 1 is divided into two parts

- Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop



←60→

TPesf 1710

Energy efficiency class:	F f G	
Energy consumption year / 24 hrs:	115 / 0.315 kWh ¹	
Total volume ² :	145 l	
Noise output / noise class:	38 dB(A)/C	
Climate rating:	SN-ST (from +10 °C to +38 °C)	
Door/side walls: Stainless steel/		
Exterior dimensions in cm (h/w/d):	85/60.1/60.8 ¹	

· Mechanical control in interior, control dial

Fridge compartment

- Comfort GlassLine storage shelf with bottle holder, Egg tray
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- LED lighting
- 2 fruit and vegetable drawers

Key features

- · Stainless steel slimline door handle
- · Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- · Height-adjustable feet at front

- HardLine

- · Reversible door hinging



←60→

T 1714 Comfort

Energy efficiency class:	Få
Energy consumption year / 24 hrs:	183 / 0.501 kWh
Total volume 2:	143 l
Volume:	Fridge: 126 l / Freezer compartment: 18 l
Noise output/noise class:	37 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	85/60.1/62.8



←60→

T 1810 Comfort

Energy efficiency class:	F
Energy consumption year / 24 hrs:	118 / 0.323 kWh
Total volume ² :	161 (
Noise output/noise class:	38 dB(A)/C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	85/60.1/62.8

Controls

- · Mechanical control in interior, control dial
- CoolPlus function

Fridge compartment

- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- 2 GlassLine storage shelves, of which 1 is divided into two parts
- LED lighting
- 2 fruit and vegetable drawers

Freezer compartment ** * * * *

- Ice cube tray
- Temperature rise time: 9 h
- · Freezing capacity in 24 hrs: 4.36 kg

Key features

- SwingDesign
- Ergonomically designed slimline handle
- Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- · Height-adjustable feet at front
- Reversible door hinging

Controls

- Mechanical control in interior, control dial

Fridge compartment

- Comfort GlassLine storage shelf with bottle holder, Egg tray
- 4 GlassLine storage shelves, of which 1 is divided into two parts
- LED lighting
- 2 fruit and vegetable drawers

- SwingDesign
- Ergonomically designed slimline handle
- Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- · Height-adjustable feet at front
- · Reversible door hinging



4-star freezer compartment

You can freeze fresh food and store frozen food for long periods in appliances with the 4-star freezer compartment. Temperatures of -18°C and lower ensure food is stored with all the vital vitamins and minerals preserved.



Slimline door handle

124

The slimline door handle is discrete and ergonomically designed for ease of opening. Under counter fridges with manual controls can be further reduced in height by removing the tabletop of the fridge.



← 55 →

TP 1414

Comfort

F A 1
176 / 0.482 kWh ¹
120 l
Fridge: 106.3 l / Freezer compartment: 15 l
39 dB(A) / C
SN-ST (from +10 °C to +38 °C)
white/white
85 / 55.4 / 62.3 ¹

Controls

- Mechanical control in interior, control dial
- CoolPlus function

Fridge compartment

- · Comfort GlassLine storage shelf with bottle holder, Egg tray
- 2 GlassLine storage shelves
- LED lighting
- · 1 spacious fruit and vegetable drawer

Freezer compartment *****

- Temperature rise time: 9 h
- Freezing capacity in 24 hrs: 2 kg

Key features

- SwingDesign
- Ergonomically designed slimline handle
- Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- · Height-adjustable feet at front
- · Reversible door hinging



← 55 →

T 1504

Energy efficiency class:	F
Energy consumption year / 24 hrs:	180 / 0.493 kWh
Total volume 2:	133
Volume:	Fridge: 116.9 l / Freezer compartment: 17
Noise output / noise class:	40 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	85/55.4/62.3



←55→

T 1700

Energy efficiency class:	F
Energy consumption year / 24 hrs:	116 / 0.317 kWh
Total volume ² :	149 l
Noise output/noise class:	37 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	85/55.4/62.3

Controls

- Mechanical control in interior, control dial
- CoolPlus function

Fridge compartment

- · Plastic door shelves with bottle holder, Egg tray
- 2 GlassLine storage shelves
- LED lighting
- 1 spacious fruit and vegetable drawer

Freezer compartment ****

- Temperature rise time: 8 h
- Freezing capacity in 24 hrs: 5.13 kg

Key features

- SwingDesign
- Recessed handle
- Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- Height-adjustable feet at front
- · Reversible door hinging

Controls

- Mechanical control in interior, control dial

Fridge compartment


- Plastic door shelves with bottle holder, Egg tray
- 4 GlassLine storage shelves
- LED lighting
- 1 spacious fruit and vegetable drawer

- $\hbox{-} {\sf SwingDesign}$
- Recessed handle
- Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- Height-adjustable feet at front
- · Reversible door hinging



←50→

T 1414 Comfort



Controls

- CoolPlus function

Fridge compartment

LED lighting

Key features

SwingDesign

126

- 2 GlassLine storage shelves

Freezer compartment *****

- Temperature rise time: 8.9 h

• 1 spacious fruit and vegetable drawer

• Freezing capacity in 24 hrs: 5.35 kg

• Ergonomically designed slimline handle

- Height-adjustable feet at front

· Reversible door hinging

· Mechanical control in interior, control dial

· Comfort GlassLine storage shelf with bottle holder, Egg tray

• Under-worktop installation compatible due to front ventilation

(exhaust ventilation via grills in worktop) and removable tabletop



←50→

T 1410 Comfort

Energy efficiency class:	F
Energy consumption year / 24 hrs:	114 / 0.312 kWi
Total volume ¹:	136
Noise output/noise class:	36 dB(A)/(
Climate rating:	SN-ST (from +10 °C to +38 °C
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	85/50.1/62

Controls

· Mechanical control in interior, control dial

Fridge compartment

- Comfort GlassLine storage shelf with bottle holder, Egg tray
- · 4 GlassLine storage shelves
- · LED lighting
- · 1 spacious fruit and vegetable drawer

Key features

- Ergonomically designed slimline handle
- Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- Height-adjustable feet at front
- · Reversible door hinging

- SwingDesign







T 1404

Energy efficiency class: 176 / 0.482 kWh 114 / 0.312 kWh Energy consumption year / 24 hrs: 120 l Total volume 1: Fridge: 106.3 l / Freezer compartment: 15 l Noise output / noise class:

Exterior dimensions in cm (h/w/d):

Energy efficiency class: 114 / 0.312 kWh Energy consumption year / 24 hrs: Total volume 1: 136 l Noise output / noise class: 36 dB(A)/C Climate rating: SN-ST (from +10 °C to +38 °C) Door/side walls: white/white Exterior dimensions in cm (h/w/d): 85/50.1/62

Controls

- · Mechanical control in interior, control dial
- · CoolPlus function

Energy efficiency class:

Noise output/noise class:

Total volume 1:

Climate rating:

Door/side walls:

Volume:

Energy consumption year / 24 hrs:

Exterior dimensions in cm (h/w/d):

Fridge compartment

- · Plastic door shelves with bottle holder, Egg tray
- 2 GlassLine storage shelves
- LED lighting
- 1 spacious fruit and vegetable drawer

Freezer compartment ****

- Temperature rise time: 8.9 h
- · Freezing capacity in 24 hrs: 5.35 kg

Key features

- SwingDesign · Recessed handle
- Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and
- removable tabletop
- · Height-adjustable feet at front
- · Reversible door hinging

40 dB(A)/C

white/white

85/50.1/62

SN-ST (from +10 °C to +38 °C)

· Mechanical control in interior, control dial

Fridge compartment

Climate rating:

Door / side walls:

- Plastic door shelves with bottle holder, Egg tray
- 4 GlassLine storage shelves
- LED lighting
- 1 spacious fruit and vegetable drawer

Key features

- SwingDesign
- Recessed handle
- · Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- · Height-adjustable feet at front
- · Reversible door hinging

Controls

136 l

36 dB(A)/C

black/black

85/50.1/62

SN-ST (from +10 °C to +38 °C)

· Mechanical control in interior, control dial


Fridge compartment

- Plastic door shelves with bottle holder, Egg tray
- 4 GlassLine storage shelves
- LED lighting
- 1 spacious fruit and vegetable drawer

- SwingDesign
- · Recessed handle
- Under-worktop installation compatible due to front ventilation (exhaust ventilation via grills in worktop) and removable tabletop
- Height-adjustable feet at front
- Reversible door hinging



Range overview by device height and series



FNe 5227

FNe 5026

FNe 4224

FNe 4625



Freezers



	○ Pure series	\Diamond Plus series	Prime series	riangle Peak series
Freshness technology	NoFrost	NoFrost	NoFrost	NoFrost
Comfort and flexibility	EasyOpen	EasyOpen	EasyOpen	EasyOpen
	FrostProtect	FrostProtect	FrostProtect	FrostProtect
	Tipping drawer	Tipping drawer	Tipping drawer	Tipping drawer
				SoftSystem soft closing mechanism for SBS-capable models
	SpaceBox	SpaceBox	SpaceBox	SpaceBox
	Integrated drawer guide	Integrated drawer guide	Integrated drawer guide	Drawers guided on telescopic rails
		Ice cube tray	Ice cube tray with lid for SBS-capable models	
		Freezer tray	Freezer tray	Freezer tray
			2 cold storage accumulators	2 cold storage accumulators
	VarioSpace	VarioSpace	VarioSpace	VarioSpace
Design	_		Status light	Status light
			Freezer compartment lighting	Freezer compartment lighting
				IceMaker lighting
	Touch display	Touch display	Touch & Swipe display	Touch & Swipe display
	Display behind the door	Display behind the door	Display behind the door	Display behind the door
	Recessed grip	Recessed grip	Slimline door handle with opening mechanism	Slimline door handle with opening mechanism
Connectivity (SmartDeviceBox)	can be retrofitted	can be retrofitted	can be retrofitted or is included with "i" models	can be retrofitted or is included with "i" models
Ice		EasyTwist-Ice or IceTower for SBS-capable models	EasyTwist-Ice or IceTower for SBS-capable models	EasyTwist-Ice or IceTower
		Ice cube tray for SBS-capable models	Ice cube tray for SBS-capable models	Ice cube tray for SBS-capable models

The standard features mentioned above may vary depending on the model. Details can be found in the model description.

Quality in every detail



NoFrost

When you open your freezer, you want to see frozen food – and certainly not ice and frost. NoFrost protects the freezer compartment from unwanted icing, which consumes a lot of energy and can be expensive. NoFrost means no more tedious and time-consuming defrosting of the freezer compartment, more time for other things – and saving money.



IceTower

You will never run out of cold drinks at your party. The IceTower, which holds 8 kg of ice cubes, makes sure of that. The ice cube scoop and the pull-out tray on telescopic rails allow easy access to the ice cubes. An extra insert tray means you can also store less ice and make room for frozen food underneath. The adjacent drawer provides storage space for frozen goods.



SmartFrost

With the SmartFrost technology, ice build-up is greatly reduced. This makes defrosting rarely necessary. The interior walls of the freezer compartment are smooth and easy-to-clean offering additional capacity. Freezer drawers and glass shelves made of safety glass can be removed easily.



Touch & Swipe display

Control of your Liebherr at your fingertips: thanks to the Touch & Swipe display, you can operate your freezer intuitively and with ease. Simply select functions such as SuperFrost on the colour display by tapping and swiping. The temperature is controlled just as easily. And, what if you are not actively using the display? Well, it then shows you the actual temperature.



Status display

You want to check that everything is OK with your appliance? The status display on the appliance door lets you know very quickly, visually and audibly. A blue light indicates: everything is OK. If the status is anything but OK, the display lights up red and flashes. A warning tone also sounds.



LED freezer compartment lighting

When you open the drawers in your Liebherr freezer, not only are you welcomed by the sight of your food, but also by the attractive lighting. This is provided by powerful, long-life, environmentally-friendly LEDs. The lighting makes it even easier to see all of the contents and is also a unique design element.



FrostProtect

Not all freezers are fitted in heated rooms. Some are located in cold garages or sheds. It's good then that your Liebherr is ideally set up for such a cool environment because all components are designed to operate in ambient temperatures as low as -15 °C.



Cold storage accumulator

The cold storage accumulators are doubly useful - both indoors and outdoors. Inside the freezer, they keep the frozen food cold for a period should there be a power failure. And they are on hand to chill your food and drinks when you're on outings.



SpaceBox

Accommodate the "big stuff" in your Liebherr: An XL turkey or a multi-layered ice cream cake simply needs more space. Your Liebherr has the SpaceBox for exactly that purpose: At a generous height of 250 mm, it offers lots of extra space, even for large frozen goods. Helpful for you when storing food flexibly.



EasyTwist-Ice

Whether it's a summer day or a party: Thanks to EasyTwist-Ice, you can prepare a supply of ice cubes quickly and easily – without the need for a fixed water connection. Simply fill the tank with water, let it freeze and then release the finished ice cubes with a simple twist – and you're ready to serve cool drinks. The EasyTwist-Ice is easy to clean and ensures hygienic ice cube production at all times.



Ice cube scoop

The Liebherr ice scoop makes portioning and transporting of ice easy. Thanks to the slanted tip and the ergonomic handle, ice cubes can make it from your IceTower into your drinks quickly and easily. The robust ice scoop made of sturdy plastic is also pleasing to the eye thanks to its satin surface in transparent glacier green.



VarioSpace

Want to store a multi-layer ice cream cake safely until the summer party?

No problem for your Liebherr freezer:

Sometimes you just need more space and it's prepared for just that. With VarioSpace you can remove individual freezer drawers and the horizontal glass dividers below them, and hey presto, you have an extra large storage space.

The features shown are model dependent; look for these features in your model choice.





Telescopic rails

The transparent freezer drawers on telescopic rails are easy to access and use even when filled with heavy contents. They ensure both great visibility and optimum storage. The FrostSafe fully enclosed drawers prevent cold air from escaping, thereby reducing energy consumption.



Cold storage accumulator

The cold storage accumulators are doubly useful - both indoors and outdoors. Inside the freezer, they keep the frozen food cold for a period should there be a power failure. And they are on hand to chill your food and drinks when you're on outings.



←70 →



GN 5275

Energy efficiency class:	C A 1
Energy consumption year / 24 hrs:	179 / 0.490 kWh ¹
Total volume ² :	369 l
Noise output/noise class:	37 dB(A)/C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	195/70/75¹











- 2.4" TFT-colour display behind-the-door, touch electronic
- · Digital temperature display
- SmartDeviceBox: optional accessory
- FrostControl
- Alarm in case of malfunction; visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment ****

- 8 drawers, of which 6 set on telescopic rails, of which 1 set on roller tracks, VarioSpace
- Ice cube tray with lid
- LED lighting
- Status indicator
- Temperature rise time: 9 h
- Freezing capacity in 24 hrs: 18 kg
- 2 Cold storage accumulators
- Safety glass fittings

- HardLine
- Slimline handle with integrated opening mechanism
- Versatile installation due to front ventilation
- Transport handles, front and at back, transport castors at back
- Height-adjustable feet at front
- Reversible door hinging
- Concealed hinge with restricted opening
- 1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

 2 In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

 You can find the full range of efficiency classes at page 13. According to (EU) 2017/1369 6a.

NoFrost freezers **NoFrost freezers**




←70 →



GN 5235

Comfort





Controls

- 2.4" TFT-monochrome display behind-the-door, touch electronic
- · Digital temperature display
- · SmartDeviceBox: optional accessory
- FrostControl
- · Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment *****

- 8 drawers, VarioSpace · Ice cube tray with lid
- · LED lighting
- Status indicator
- Temperature rise time: 9 h
- Freezing capacity in 24 hrs: 18 kg
- 1 Cold storage accumulator
- Safety glass fittings

Key features

HardLine

138

- Slimline handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Concealed hinge with restricted opening



←70 →

GN 4635

Comfort

Energy efficiency class:	DA
Energy consumption year / 24 hrs:	210 / 0.575 kWh
Total volume ² :	320
Noise output / noise class:	38 dB(A)/(
Climate rating:	SN-T (from +10 °C to +43 °C
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	175/70/75











Controls

- 2.4" TFT-monochrome display behind-the-door, touch electronic
- Digital temperature display
- · SmartDeviceBox: optional accessory
- FrostControl
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment ****

- 7 drawers, VarioSpace
- · Ice cube tray with lid
- · LED lighting
- Status indicator
- Temperature rise time: 9 h
- · Freezing capacity in 24 hrs: 17 kg
- 1 Cold storage accumulator
- Safety glass fittings


Key features

- HardLine
- Slimline handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- · Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- Reversible door hinging
- · Concealed hinge with restricted opening





GN 4135 Comfort













Controls

- 2.4" TFT-monochrome display behind-the-door, touch electronic
- · Digital temperature display
- · SmartDeviceBox: optional accessory
- FrostControl
- Alarm in case of malfunction: visual and acoustic
- · Door alarm: visual and acoustic

Freezer compartment ****

- 6 drawers, VarioSpace
- · Ice cube tray with lid
- LED lighting
- · Status indicator
- Temperature rise time: 9 h
- · Freezing capacity in 24 hrs: 16 kg
- · 1 Cold storage accumulator
- Safety glass fittings

Key features

- HardLine
- Slimline handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- Reversible door hinging
- · Concealed hinge with restricted opening



←70→



GN 3835

Comfort Energy efficiency class: 183 / 0.501 kWh 1 Energy consumption year / 24 hrs: Total volume 2: 221 l Noise output/noise class: 38 dB(A)/C Climate rating: SN-T (from +10 °C to +43 °C) Door/side walls: white/white 135/70/751 Exterior dimensions in cm (h/w/d):











Controls

- 2.4" TFT-monochrome display behind-the-door, touch electronic
- Digital temperature display
- · SmartDeviceBox: optional accessory
- FrostControl
- · Alarm in case of malfunction; visual and acoustic
- · Door alarm: visual and acoustic

Freezer compartment *****


- 5 drawers, VarioSpace
- · Ice cube tray with lid
- LED lighting
- Status indicator • Temperature rise time: 9 h

· 1 Cold storage accumulator

- Freezing capacity in 24 hrs: 15 kg
- Safety glass fittings

- HardLine
- Slimline handle with integrated opening mechanism
- · Versatile installation due to front ventilation
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Concealed hinge with restricted opening

NoFrost freezers NoFrost freezers



Status display

You want to check that everything is OK with your appliance? The status display on the appliance door lets you know very quickly, visually and audibly. A blue light indicates: everything is OK. If the status is anything but OK, the display lights up red and flashes. A warning tone also sounds.



LED freezer compartment lighting

When you open the drawers in your Liebherr freezer, not only are you welcomed by the sight of your food, but also by the attractive lighting. This is provided by powerful, long-life, environmentally-friendly LEDs. The lighting makes it even easier to see all of the contents and is also a unique design element.



←60→

FNsdd 5297

Energy efficiency class:	
Energy consumption year / 24 hrs:	198 / 0.542 kWh ¹
Total volume ² :	277 l
Noise output/noise class:	35 dB(A)/B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures as low as	0°C
Door/side walls:	SmartSteel/silver
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5 1
No Frost LED Ice Ice Maker Telescopic Swipe-Display	Space Vario Easy


- 2.4" TFT-colour display behind-the-door, touch- & swipe
- Digital temperature display
- · SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment *****

- 7 drawers, of which 3 set on telescopic rails, VarioSpace
- Top drawer with convenient tilting function
- IceTower
- IceMaker with fixed 3/4" water connection
- Ice cube production in 24 hrs: 0.8 kg
- Ice cube reservoir 8.0 kg
- LED lighting
- Status indicator
- · Temperature rise time: 16 h
- · Freezing capacity in 24 hrs: 18 kg
- 2 Cold storage accumulators
- · Safety glass fittings

Key features

- · Slimline handle with integrated opening mechanism
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- Reversible door hinging
- Replaceable door seal





SpaceBox

Accommodate the "big stuff" in your Liebherr: An XL turkey or a multi-layered ice cream cake simply needs more space. Your Liebherr has the SpaceBox for exactly that purpose: At a generous height of 250 mm, it offers lots of extra space, even for large frozen goods. Helpful for you when storing food flexibly.



Touch & Swipe display

Control of your Liebherr at your fingertips: thanks to the Touch & Swipe display, you can operate your freezer intuitively and with ease. Simply select functions such as SuperFrost on the colour display by tapping and swiping. The temperature is controlled just as easily. And, what if you are not actively using the display? Well, it then shows you the actual temperature.



←60→



FNc 5277

Peak	
Energy efficiency class:	C A 1
Energy consumption year / 24 hrs:	159 / 0.435 kWh ¹
Total volume ² :	277 l
Noise output/noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures a	s low as -15°C
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5 ¹











- 2.4" TFT-colour display behind-the-door, touch- & swipe
- Digital temperature display
- SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment *****

- 7 drawers, of which 5 set on telescopic rails, VarioSpace
- Top drawer with convenient tilting function
- LED lighting
- · Status indicator
- · Temperature rise time: 16 h
- Freezing capacity in 24 hrs: 18 kg
- 2 Cold storage accumulators
- · Safety glass fittings

Kev features

- · Slimline handle with integrated opening mechanism
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal


2 In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point. You can find the full range of efficiency classes at page 13. According to (EU) 2017/1369 6a.

140

NoFrost freezers NoFrost freezers



























←60→





- 2.4" TFT-colour display behind-the-door, touch- & swipe
- Digital temperature display
- SmartDeviceBox included
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment *****

- 7 drawers, VarioSpace
- Top drawer with convenient tilting function
- LED lighting
- · Status indicator
- Temperature rise time: 16 h
- Freezing capacity in 24 hrs: 18 kg
- 2 Cold storage accumulators

Key features

142

- Slimline handle with integrated opening mechanism
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal



←60→

FNsdd 5257



Energy efficiency class:	D A 1
Energy consumption year / 24 hrs:	198 / 0.542 kWh ¹
Total volume ² :	277 l
Noise output / noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures as low	as -15°C
Door/side walls:	SmartSteel/silver
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5 ¹



- 2.4" TFT-colour display behind-the-door, touch- & swipe
- · Digital temperature display
- · SmartDeviceBox: optional accessory
- · Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment *****

- 7 drawers, VarioSpace
- · Top drawer with convenient tilting function
- LED lighting
- · Status indicator
- · Temperature rise time: 16 h
- Freezing capacity in 24 hrs: 18 kg
- 2 Cold storage accumulators

Key features

- Slimline handle with integrated opening mechanism
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal



IceTower

You will never run out of cold drinks at your party. The IceTower, which holds 8 kg of ice cubes, makes sure of that. The ice cube scoop and the pull-out tray on telescopic rails allow easy access to the ice cubes. An extra insert tray means you can also store less ice and make room for frozen food underneath. The adjacent drawer provides storage space for frozen goods.



NoFrost

When you open your freezer, you want to see frozen food – and certainly not ice and frost. NoFrost protects the freezer compartment from unwanted icing, which consumes a lot of energy and can be expensive. NoFrost means no more tedious and time-consuming defrosting of the freezer compartment, more time for other things - and saving money.



←60→

SFNsfe 5247

Energy efficiency class:	E
Energy consumption year / 24 hrs:	248 / 0.679 kWh ¹
Total volume ² :	277 l
Noise output/noise class:	38 dB(A)/C
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures a	s low as 0°C
Door/side walls:	SmartSteel/silver
Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5 ¹

















Controls

- LC monochrome display behind-the-door, touch electronic
- Digital temperature display
- SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment *****

- 7 drawers, VarioSpace
- Top drawer with convenient tilting function
- IceTower
- IceMaker with fixed 3/4" water connection
- · Ice cube production in 24 hrs: 0.8 kg
- Ice cube reservoir 8.0 kg
- Temperature rise time: 16 h
- Freezing capacity in 24 hrs: 18 kg

- Side wall heating right, suitable for combination with other refrigerators,
- freezers and/or wine appliances
- Vertical recessed handle
- · Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinge, left
- Replaceable door seal

NoFrost freezers NoFrost freezers



VarioSpace

Want to store a multi-layer ice cream cake safely until the summer party? No problem for your Liebherr freezer: Sometimes you just need more space and it's prepared for just that. With VarioSpace you can remove individual freezer drawers and the horizontal glass dividers below them, and hey presto, you have an extra large storage space.



FrostProtect

Not all freezers are fitted in heated rooms. Some are located in cold garages or sheds. It's good then that your Liebherr is ideally set up for such a cool environment because all components are designed to operate in ambient temperatures as low as -15 °C.



←60→



FNe 5227

Energy efficiency class: 248 / 0.679 kWh 1 Energy consumption year / 24 hrs: Total volume 2: 277 l 38 dB(A)/C Noise output / noise class: SN-T (from +10 °C to +43 °C) Climate rating: Designed to operate in ambient temperatures as low as -15 °C Door / side walls: white/white

Exterior dimensions in cm (h/w/d):	185.5 / 59.7 / 67.5	





Digital temperature display

· SmartDeviceBox: optional accessory

• Door alarm: visual and acoustic

Freezer compartment *****

· Temperature rise time: 16 h

· Vertical recessed handle

· Reversible door hinging

· Replaceable door seal

· Height-adjustable feet at front

• Freezing capacity in 24 hrs: 18 kg

- 7 drawers, VarioSpace

Ice cube tray

Kev features





· LC monochrome display behind-the-door, touch electronic

· Transport handles, front and at back, transport castors at back

- Alarm in case of malfunction: visual and acoustic

· Top drawer with convenient tilting function











Controls

- 2.4" TFT-colour display behind-the-door, touch- & swipe
- Digital temperature display
- · SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic


Freezer compartment ** * * * *

- · 6 drawers, VarioSpace
- · Top drawer with convenient tilting function
- LED lighting
- · Status indicator
- Temperature rise time: 16 h
- Freezing capacity in 24 hrs: 17 kg - 2 Cold storage accumulators
- Key features
- Slimline handle with integrated opening mechanism
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal





FNd 5056







Energy efficiency class:

Noise output/noise class:

Total volume 2:

Climate rating:

Door/side walls:

Energy consumption year / 24 hrs:





Designed to operate in ambient temperatures as low as -15°C



FNe 5026







SN-T (from +10 °C to +43 °C)

←60→

234 / 0.641 kWh 1

238 l

38 dB(A)/C

white/white

165.5 / 59.7 / 67.5 1




- · LC monochrome display behind-the-door, touch electronic
- Digital temperature display
- SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment *****

- 6 drawers, VarioSpace
- Top drawer with convenient tilting function
- Ice cube tray
- Temperature rise time: 16 h
- Freezing capacity in 24 hrs: 17 kg

Key features

- · Vertical recessed handle
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal



144


NoFrost freezers **NoFrost freezers**



←60→

145.5 / 59.7 / 67.5 1









Controls

- 2.4" TFT-colour display behind-the-door, touch- & swipe
- · Digital temperature display
- SmartDeviceBox: optional accessory

Exterior dimensions in cm (h/w/d):

- · Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment *****

- 5 drawers, VarioSpace
- LED lighting
- Status indicator
- Temperature rise time: 16 h
- Freezing capacity in 24 hrs: 16 kg
- 2 Cold storage accumulators

Key features


146

- Slimline handle with integrated opening mechanism
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal



←60→

FNe 4625



Controls

- · LC monochrome display behind-the-door, touch electronic
- · Digital temperature display
- · SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment *****

- 5 drawers, VarioSpace
- Ice cube trav
- Temperature rise time: 16 h
- · Freezing capacity in 24 hrs: 16 kg

Key features


- · Vertical recessed handle
- · Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal





←60→

FNd 4254





Controls

- 2.4" TFT-colour display behind-the-door, touch- & swipe
- · Digital temperature display
- · SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment ** * * * *

- · 4 drawers, VarioSpace
- LED lighting
- · Status indicator
- Temperature rise time: 15 h • Freezing capacity in 24 hrs: 15 kg
- 2 Cold storage accumulators

Key features

- Slimline handle with integrated opening mechanism
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- · Replaceable door seal



←60→

125.5 / 59.7 / 67.5 1

FNe 4224

Energy efficiency class:	E A I
Energy consumption year / 24 hrs:	208 / 0.569 kWh 1
Total volume ² :	160 l
Noise output/noise class:	38 dB(A)/C
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures as	low as -15 °C
Door/side walls:	white/white





Exterior dimensions in cm (h/w/d):























Controls

- LC monochrome display behind-the-door, touch electronic
- Digital temperature display
- SmartDeviceBox: optional accessory
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment ****

- 4 drawers, VarioSpace
- Ice cube trav
- Temperature rise time: 15 h
- Freezing capacity in 24 hrs: 15 kg

- · Vertical recessed handle
- Transport handles, front and at back, transport castors at back
- · Height-adjustable feet at front
- · Reversible door hinging
- Replaceable door seal

Under counter NoFrost freezers Under counter SmartFrost freezer



←60→

GNP 1066

Energy efficiency class:	EA
Energy consumption year / 24 hrs:	186 / 0.509 kWh
Total volume ² :	99
Noise output / noise class:	39 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	85.1/60.2/62.8







MagicEye on front, key electronic

- Digital temperature display
- FrostControl
- Alarm in case of malfunction: visual and acoustic
- · Door alarm: acoustic

Freezer compartment *****

- 3 drawers, VarioSpace
- Temperature rise time: 10 h
- Freezing capacity in 24 hrs: 11 kg - 2 Cold storage accumulators
- Safety glass fittings

Key features

SwingDesign

148

- Ergonomically designed slimline handle
- Versatile installation due to front ventilation
- Height-adjustable feet at front
- Reversible door hinging



←60→

GN 1066

Premium

Energy efficiency class:	F A
Energy consumption year / 24 hrs:	232 / 0.635 kWh
Total volume ² :	99 l
Noise output/noise class:	41 dB(A)/C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	85.1/60.2/62.8







- MagicEye on front, key electronic
- · Digital temperature display
- FrostControl
- · Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic

Freezer compartment *****

- 3 drawers, VarioSpace
- · Temperature rise time: 10 h
- Freezing capacity in 24 hrs: 11 kg
- 2 Cold storage accumulators
- Safety glass fittings

Key features

- SwingDesign
- Ergonomically designed slimline handle
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging



SuperFrost

The elegant and precise MagicEye control with its temperature display lets you keep the temperature at exactly the level you select. The clear arrangement of the function buttons makes for easy and convenient use. The automatic SuperFrost function quickly reduces the temperature to freeze your food while preserving the vitamins.



Tabletop

The tabletop of the under counter freezers is extremely robust, with a scratch and heat resistant surface.



←60→

85.1/60.2/62.8¹

GP 1486

Premium

Energy efficiency class:	D A A
Energy consumption year / 24 hrs:	137 / 0.375 kWh
Total volume ² :	102
Noise output/noise class:	37 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C
Designed to operate in ambient temperatures	as low as -15 °C
Door/side walls:	white/white







Exterior dimensions in cm (h/w/d):





- MagicEye on front, key electronic
- · Digital temperature display
- FrostControl
- · Alarm in case of malfunction: visual and acoustic

Freezer compartment *****

- 4 drawers, VarioSpace
- Temperature rise time: 14.6 h
- · Freezing capacity in 24 hrs: 8.2 kg
- 2 Cold storage accumulators Safety glass fittings

- SwingDesign
- Ergonomically designed slimline handle
- Versatile installation due to front ventilation
- Height-adjustable feet at front
- Reversible door hinging

Under counter SmartFrost freezers Under counter SmartFrost freezers



←60→

85.1/60.2/61¹

GPesf 1476

Energy efficiency class: 171 / 0.468 kWh ¹ Energy consumption year / 24 hrs: Total volume 2: 102 l Noise output / noise class: 39 dB(A)/C Climate rating: SN-T (from +10 °C to +43 °C) Designed to operate in ambient temperatures as low as -15 $^{\circ}\text{C}$ Door/side walls: SmartSteel/silver



Exterior dimensions in cm (h/w/d):

Controls

- MagicEye on front, key electronic
- Digital temperature display
- FrostControl
- Alarm in case of malfunction: visual and acoustic

Freezer compartment *****

- 4 drawers, VarioSpace
- Temperature rise time: 17 h
- Freezing capacity in 24 hrs: 6 kg
- 2 Cold storage accumulators
- Safety glass fittings

Key features

HardLine

150

- Stainless steel slimline door handle
- · Versatile installation due to front ventilation
- Height-adjustable feet at front
- Reversible door hinging

Colour/material options: **GP 1476** in white



← 55 →

GP 1376 Premium

Energy efficiency class:	E A 1
Energy consumption year / 24 hrs:	171 / 0.468 kWh ¹
Total volume 2:	102 [
Noise output / noise class:	39 dB(A)/C
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures a	s low as -15°C
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	85.1/55.3/62.4 ¹



- · MagicEye on front, key electronic
- Digital temperature display
- FrostControl
- Alarm in case of malfunction: visual and acoustic

Freezer compartment ****

- 4 drawers, VarioSpace
- Temperature rise time: 14 h
- · Freezing capacity in 24 hrs: 6 kg
- 2 Cold storage accumulators
- Safety glass fittings

Key features

- SwingDesign
- Ergonomically designed slimline handle
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- Reversible door hinging



Comfort





G 1213

Energy efficiency class: 213 / 0.583 kWh Energy consumption year / 24 hrs: Total volume 2: 97 l Noise output / noise class: 39 dB(A)/C SN-T (from +10 °C to +43 °C) Climate rating: Designed to operate in ambient temperatures as low as -15°C Door / side walls: white/white

FG	Energy efficiency class:	FA
213 / 0.583 kWh	Energy consumption year / 24 hrs:	199 / 0.545 kWh
97 l	Total volume ² :	68 l
39 dB(A)/C	Noise output/noise class:	39 dB(A)/C
m +10 °C to +43 °C)	Climate rating: SN-T (fro	om +10 °C to +43 °C)
res as low as -15°C	Designed to operate in ambient temperatu	ures as low as -15°C
white / white	Door/side walls:	white/white
85.1/55.3/62.4	Exterior dimensions in cm (h/w/d):	63.1/55.3/62.4

GX 823

Comfort





Energy efficiency class:

Noise output / noise class:

Total volume 2:

Climate rating:

Door/side walls:

Energy consumption year / 24 hrs:



Designed to operate in ambient temperatures as low as -15°C

Exterior dimensions in cm (h/w/d): 85.1/55.3/62.41



SN-T (from +10 °C to +43 °C)

170 / 0.465 kWh 1

97 l

39 dB(A)/C

white/white







- MagicEye on front, key electronic
- Graphic temperature display
- Alarm in case of malfunction: visual

Exterior dimensions in cm (h/w/d):

Freezer compartment **** 3 drawers, VarioSpace

· MagicEye on front, key electronic

· Alarm in case of malfunction: visual

· Graphic temperature display

- Temperature rise time: 17 h
- · Freezing capacity in 24 hrs: 6 kg
- · Safety glass fittings

Key features

- SwingDesign
- · Ergonomically designed slimline handle
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging

Controls

Freezer compartment *****

- 3 drawers, VarioSpace
- Temperature rise time: 17 h
- · Freezing capacity in 24 hrs: 6 kg
- · Safety glass fittings

Key features - SwingDesign

- · Recessed handle
- · Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging





- Graphic temperature display
- Alarm in case of malfunction: visual


Freezer compartment *****

- 2 drawers, VarioSpace
- Temperature rise time: 14 h
- Freezing capacity in 24 hrs: 6 kg · Safety glass fittings

- SwingDesign
- Ergonomically designed slimline handle
- Versatile installation due to front ventilation
- · Height-adjustable feet at front
- · Reversible door hinging

Chest freezers CFf 2080 ○ Pure-Serie 152

Quality in every detail



StopFrost

StopFrost prevents a vacuum from building up, ensuring the lid opens easily. Frosting over of the freezer and frozen food is reduced, which limits the number of times you need to defrost the freezer.



SoftSystem

Chest freezers in the Plus range benefit from the SoftSystem closing mechanism, a convenient and desirable feature for everyday use. Integrated into the hinges on the freezer lid, SoftSystem allows the lid to close gently and prevents slamming.



Condenser

The heat-exchange condenser is embedded in foam along the exterior wall, minimising vibration and promoting quieter operation.

No condensation forms on the easy-to-clean outside walls.



FrostProtect

Due to their shape and size, many chest freezers are kept outside of the normal household environment so Liebherr has developed FrostProtect to enable these models to work in low ambient temperatures. All chest freezer models will work in ambient temperatures as low as -15 °C.



LED interior light

The bright LED interior light allows a clear view of all your stored products even in low ambient lighting conditions. The one piece chest freezer lid and body is coated to ensure an excellent finish resilience and to prevent corrosion.



SuperFrost function


The automatic SuperFrost function quickly reduces the temperature to freeze your food while preserving the vitamins. As soon as the food is completely frozen, the automated SuperFrost function switches back to normal mode.

Chest freezers Chest freezers



CFd 2505

←168→















Controls

- · Electronic controls in the casing, key electronic
- Thermometer with digital temperature display
- FrostControl
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment *****

- · Low vibration, low noise, easy-to-clean foam-embedded condenser
- · LED lighting
- Temperature rise time: 50 h
- Freezing capacity in 24 hrs: 15 kg
- 1 Cold storage accumulator
- Defrost drain
- Removable freezer tray as partition wall can be used as a drip tray
- 5 Suspension baskets as standard, 1 retrofittable

Key features

- · Recessed handle
- Replaceable door seal
- Concealed hinge with restricted opening
- Lock

154



←126→

CFd 2085

Energy efficiency class:	D A
Energy consumption year / 24 hrs:	162 / 0.443 kWh
Total volume 1:	248 l
Noise output/noise class:	33 dB(A)/B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures as	low as -15 °C
Door/side walls:	white/white
Exterior dimensions in cm (h/w/d):	82.5/125.5/72.2

















- · Electronic controls in the casing, key electronic
- Thermometer with digital temperature display
- FrostControl
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment *****


- · Low vibration, low noise, easy-to-clean foam-embedded condenser
- · LED lighting
- · Temperature rise time: 50 h
- · Freezing capacity in 24 hrs: 10 kg
- 1 Cold storage accumulator
- Defrost drain
- · Removable freezer tray as partition wall can be used as a drip tray
- 3 Suspension baskets as standard, 1 retrofittable


Key features

- · Recessed handle
- Replaceable door seal
- · Concealed hinge with restricted opening
- Lock









Controls

- · Electronic controls in the casing, key electronic
- · Thermometer with digital temperature display
- FrostControl
- · Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment ** * * *


- · Low vibration, low noise, easy-to-clean foam-embedded condenser
- · LED lighting
- Temperature rise time: 40 h
- · Freezing capacity in 24 hrs: 20 kg
- Defrost drain
- Removable freezer tray as partition wall can be used as a drip tray
- 2 Suspension baskets as standard, 5 retrofittable

Key features

- · Recessed handle
- · Replaceable door seal
- · Concealed hinge with restricted opening



CFf 2080





Controls

- · Electronic controls in the casing, key electronic
- Thermometer with digital temperature display
- FrostControl
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment *****

- · Low vibration, low noise, easy-to-clean foam-embedded condenser
- LED lighting
- Temperature rise time: 40 h · Freezing capacity in 24 hrs: 15 kg
- Defrost drain
- Removable freezer tray as partition wall can be used as a drip tray
- 2 Suspension baskets as standard, 3 retrofittable

- Key features · Recessed handle
- Replaceable door seal
- Concealed hinge with restricted opening



←105→

CFf 1870

Energy efficiency class: Energy consumption year / 24 hrs: 249 / 0.682 kWh Total volume 1: 281 l Noise output / noise class: 32 dB(A) / B, SuperSilent SN-T (from +10 °C to +43 °C) Climate rating: Designed to operate in ambient temperatures as low as -15°C Door/side walls: white/white Exterior dimensions in cm (h/w/d): 82.5/104.5/72.2

Controls

- · Electronic controls in the casing, key electronic
- Thermometer with digital temperature display
- FrostControl
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic

Freezer compartment *****

- Low vibration, low noise, easy-to-clean foam-embedded

- condenser LED lighting
- Temperature rise time: 40 h
- · Freezing capacity in 24 hrs: 10 kg
- Defrost drain
- Removable freezer tray as partition wall can be used as a drip tray

- 2 Suspension baskets as standard, 2 retrofittable

- Key features
- Recessed handle • Replaceable door seal
- Concealed hinge with restricted opening



Quality in every detail



LED lighting

The LED lighting in the wine storage compartments can be dimmed to give a pleasing ambient light inside the appliance. All Vinidor appliances are equipped with no-heat LED lighting. The LED lighting system can be adjusted to activate during door openings or to be on continuously at various intensity settings (depending on model).



SoftSystem

The SoftSystem feature provides added safety and convenience. Integrated within the door, the SoftSystem cushions movement when the door is closed. This SoftSystem ensures that the door closes gently even when fully loaded inside. The door automatically closes from an angle of approximately 45°.



Presentation shelf

The practical presentation shelf of the Vinidor models fulfills both bottle storage and bottle presentation functions. The bottles can be stored horizontally at the back of the interior.



Door handle, with integrated opening mechanism

The tinted safety glass in Liebherr wine cabinets guarantees the essential UV protection for your fine wines. The practical aluminium door handle, with integrated opening mechanism, allows the door of the appliance to be opened conveniently with a minimum of effort.



Touch-electronic

The electronic LCD display offers clear menu navigation and a Touch-electronic control system provides bespoke storage conditions. The digital temperature display can be read from the outside of appliances with glass doors. The Touch-electronic navigation ensures easy selection and use of the numerous control functions. The Vinidor 2 and 3 zone models feature an integrated door seal in the dividing shelf to maintain correct individual temperatures.



Clip-on labelling system


The Vinidor appliances are equipped with solid wooden shelves mounted on telescopic rails. The handcrafted shelves made from untreated wood are ideal for storing Bordeaux bottles safely, providing a clear view and easy access. The clip-on labelling system provides a quick and clear overview of your wine store.

The features shown are model dependent; look for these features in your model choice.

←70→



WTes 5872







- · LCD display in the interior, touch electronic
- Digital temperature display for 3 wine zones
- Alarm in case of malfunction: visual and acoustic
- · Door alarm: acoustic
- Child lock

Wine compartment

- 3 Temperature zones, which can set from +5 °C to +20 °C
- 3 independently controllable zones
- · Convection cooling, fresh air supply via FreshAir activated charcoal filter
- · Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- · Beech wood fittings
- 13 Shelves, of which 10 set on telescopic rails, of which 1 is a presentation shelf

Key features

- HardLine
- Aluminium handle with integrated opening mechanism
- Reversible door hinging • Replaceable door seal
- Concealed hinge with restricted opening
- Lock

160



WTes 5972

Energy efficiency class:	G
Energy consumption year / 24	hrs: 191/0.523 kWh ²
Max. Bordeaux bottles 0.75 l:	211 1
Total volume 3:	521 l
Noise output/noise class:	38 dB(A)/C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door / side walls:	Glass door with stainless steel frame / stainless steel
Exterior dimensions in cm (h/	w/d): 192/70/74.2°



- · LCD display in the interior, touch electronic
- Digital temperature display for both wine zones
- · Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 2 Temperature zones, which can set from +5°C to +20°C
- 2 independently controllable zones
- · Convection cooling, fresh air supply via FreshAir activated charcoal filter
- · Humidity regulation via adjustable fan
- · LED lighting permanently on, dimmable
- · Beech wood fittings
- 10 Shelves, of which 8 set on telescopic rails, of which 1 is a presentation shelf

Key features

- HardLine
- Aluminium handle with integrated opening mechanism
- Reversible door hinging
- Replaceable door seal
- · Concealed hinge with restricted opening
- Lock



LED lighting

The LED lighting in the wine storage compartments can be dimmed to give a pleasing ambient light inside the appliance. The LED lighting system can be adjusted to activate during door openings or to be on continuously at various intensity settings (depending on model).



Touch-electronic control system

The electronic LCD display is an innovative design feature. Clear menu navigation and a Touch-electronic control system provides yet more information for tailored storage conditions. The Touch-electronic navigation ensures easy selection and use of the numerous control functions.



Wine storage cabinets Vinidor

←60→

WTes 1672

Energy efficiency class:	G
Energy consumption year / 24	hrs: 147/0.402 kWh
Max. Bordeaux bottles 0.75 l:	34¹
Total volume 3:	95 l
Noise output/noise class:	36 dB(A)/C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door/side walls:	Glass door with stainless steel frame / stainless steel
Exterior dimensions in cm (h/	w/d): 82.2/59.8/57.5





- · MagicEye control in interior, touch electronic
- Digital temperature display for both wine zones
- Alarm in case of malfunction: visual and acoustic
- · Door alarm: acoustic
- Child lock


Wine compartment

- 2 Temperature zones, which can set from +5°C to +20°C
- 2 independently controllable zones
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 5 Shelves, of which 3 set on telescopic rails

- HardLine
- Aluminium handle
- · Reversible door hinging
- Replaceable door seal
- Lock

Wine storage cabinets GrandCru Wine storage cabinets Vinothek







Controls

- MagicEye on front, key electronic
- Digital temperature display
- · Alarm in case of malfunction: visual and acoustic
- · Door alarm: acoustic
- Child lock

Wine compartment

- 1 Temperature zone, which can set from +5 °C to +20 °C
- · Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED interior lighting
- Adjustable beech wood shelves
- 7 Shelves

Key features

- SwingLine design
- Aluminium handle with integrated opening mechanism
- · Reversible door hinging
- Replaceable door seal
- Lock

162



Energy efficiency class:	G
Energy consumption year / 24 hrs:	147 / 0.402 kWh
Max. Bordeaux bottles 0.75 l:	253 1
Total volume ² :	526 l
Noise output/noise class:	39 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door/side walls:	Glass door, frame terra / terra
Exterior dimensions in cm (h/w/d):	192 / 70 / 74.2



- · MagicEye in the interior, key electronic
- Digital temperature display
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 1 Temperature zone, which can set from +5 °C to +20 °C
- · Convection cooling, fresh air supply via FreshAir activated charcoal filter
- · Humidity regulation via adjustable fan
- LED lighting permanently on
- Adjustable beech wood shelves
- 7 Shelves


Key features

- Aluminium handle with integrated opening mechanism
- · Reversible door hinging
- · Replaceable door seal Lock














Full door, burgundy / black

165 / 60 / 73.9

Vinothek



WKb 1812 Vinothek

Energy efficiency class:	G A G
Energy consumption year / 24 hrs:	123 / 0.337 kWh
Max. Bordeaux bottles 0.75 l:	66 ¹
Total volume 2:	135 l
Noise output/noise class:	38 dB(A)/C
Climate rating: SN-ST (fr	om +10 °C to +38 °C)
Door/side walls: Glass door,	frame black / black
Exterior dimensions in cm (h/w/d):	89/60/61.3

Controls

- MagicEye on front, key electronic
- · Digital temperature display
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 1 Temperature zone, which can set from +5 °C to +20 °C
- · Convection cooling, fresh air supply via FreshAir activated charcoal filter
- · Humidity regulation via adjustable fan
- Interior lighting permanently on
- · Adjustable beech wood shelves
- 6 Shelves

Key features

- HardLine
- Ergonomically designed slimline handle, black
- · Reversible door hinging
- · Replaceable door seal

Controls

- MagicEye on front, key electronic
 - · Digital temperature display
 - Alarm in case of malfunction: visual and acoustic
 - Door alarm: acoustic
 - Child lock

Wine compartment

- 1 Temperature zone, which can set from +5 °C to +20 °C
- · Convection cooling, fresh air supply via FreshAir activated charcoal filter
- · Humidity regulation via adjustable fan
- Adjustable beech wood shelves
- 6 Shelves

Key features

- Ergonomically designed slimline handle, black
- Reversible door hinging
- Replaceable door seal

Controls

- MagicEye on front, key electronic
- Digital temperature display
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 1 Temperature zone, which can set from +5°C to +20°C
- · Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- Interior lighting permanently on
- · Adjustable grid shelves - 3 Shelves

Key features HardLine

- Ergonomically designed slimline handle, black
- Reversible door hinging
- Replaceable door seal

←43→







←43→

WKes 653

GrandCru

Energy efficiency class:	E Ĝ
Energy consumption year / 24 hrs	78 / 0.213 kWh
Max. Bordeaux bottles 0.75 l:	12 1
Total volume 2:	48 l
Noise output / noise class:	37 dB(A) / C
Climate rating:	SN (from +10 °C to +32 °C)
Door: 0	Glass door with stainless steel frame and SmartSteel
Side walls:	stainless steel with SmartSteel
Exterior dimensions in cm (h/w/	d): 61.2/42.5/47.8



Controls

- LCD display in the interior, touch electronic
- · Digital temperature display
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Wine compartment

- 1 Temperature zone, which can set from +5°C to +20°C
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Beech wood fittings
- 3 Shelves

Key features

- HardLine
- Fixed door hinge, right
- Replaceable door seal
- Utensil drawer
- Suitable for wall mounting
- Lock



ZKes 453

Energy efficiency class:

chergy enrichency class.	
Energy consumption year / 24 h	rs: 162/0.443 kWh
Total net capacity:	39
Noise output:	40 dB(A)
Climate rating:	N (from +16 °C to +32 °C
Door:	Glass door with stainless steel frame and SmartStee
Side walls:	stainless steel with SmartStee
Exterior dimensions in cm (h/w	/d): 61.2/42.5/47.8



- LCD display in the interior, touch electronic
- Digital display of temperature and humidity
- Alarm in case of malfunction: visual and acoustic
- Door alarm: acoustic
- Child lock

Humidor

- 1 Temperature zone, which can set from +16°C to +20°C
- Humidity range, adjustable between 68% to 75%
- Convection cooling, fresh air supply via FreshAir activated charcoal filter
- Humidity regulation via adjustable fan
- LED lighting permanently on, dimmable
- Spanish cedar wood fittings
- 2 Shelves

- HardLine
- · Fixed door hinge, right
- Replaceable door seal
- 2 presentation boxes
- Suitable for wall mounting
- Lock

¹ These models are only bound for storing wine. Maximum DIN norm bordeaux bottles capacity (0.75 l) as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm)

2 In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

You can find the full range of efficiency classes at page 13. According to (EU) 2017/1369 6a.





Outdoor

Outdoor kitchens with refrigerators – whether freestanding or built-in - also provide convenience and perfect storage outdoors. The Outdoor Cooler is ideally suited to outdoor use thanks to its rust- and weatherproof materials, robust construction and high-quality components as well as its automatic shut-down function and integrated lock.



Flexible and ergonomic interior layout

With bottles stored at the bottom, the two storage racks are ideal for smaller packages. The glass shelf on telescopic rails provides an overview of foodstuffs stored at the back. Depending on the size, containers can also be stored on two height-adjustable glass shelves. And a separable glass shelf means that larger and open bottles can easily be stored upright.



←60→

OKes 1750

Energy efficiency class:	В
Energy consumption year / 24 hrs:	177 / 0.484 kW
Total volume 1:	109
Door/side walls:	Stainless steel / stainless ste
Exterior dimensions in cm (h/w/d):	81.8 / 59.8 / 57







Controls

- · LCD display in the interior
- Alarm in case of malfunction: visual and acoustic
- Door alarm: visual and acoustic
- Child lock

Outdoor Cooler

- LED lighting
- 1 Temperature zone, which can set from +2 °C to +14 °C
- · Safety shut-down
- Ambient temperature range: +2°C to +35°C

- Can be installed underneath counters (ventilation via the base)
- Stainless steel slimline door handle
- Height-adjustable feet at front and back
- · Reversible door hinging
- · Concealed hinge with restricted opening
- Lock

Technology descriptions:

Bio Fresh Professional

BioFresh-Professional offers even more flexibility for individual food storage.

Hydro Breeze Cooling like a pro: Cold mist and a temperature in the safe of around 0 $^{\circ}$ C ensure a longer storage time and create a fabulous visual effect.

Fish & Seafood The Fish & Seafood Safe stores fish and seafood at the optimum temperature of -2 °C; as professionally as your fishmonger.

Bio Fresh The reliable BioFresh technology stores groceries at a temperature just above 0 $^{\circ}$ C, much cooler than in the rest of the appliance.

Easy Fresh The air-tight safe allows humidity to rise keeping food fresher for longer.

Duo Cooling Two separately controlled refrigeration circuits.
The temperatures within the refrigerator and freezer
compartments can be controlled independently.

No Frost Defrosting is never needed as the freezer automatically defrosts itself.

Smart Frost

Defrosting is required much less often.

Vario Temp Freezer section becomes alternative additional cooling zone by setting an accurate temperature of between -2 °C and +14 °C.

Glass & Steel Interior

The interior features elegant glass and stainless steel elements.

Light Tower The new LightTower lighting concept evenly illuminates the interior while supporting the glass shelves. Flexible, space-saving, unique.

Infinity Spring

Ice-cold water on tap with no heavy lifting of bottles and is better for our environment.

lce Tower

Perfect for Parties: You will never run out of cold drinks. The 8 kg supply of ice cubes makes sure of that.

lce Maker

 $\label{prop:linear} \textbf{Automatic IceMaker with fixed water connection.}$

Ice Maker Water tank

If no fixed water connection is available, there is an IceMaker with a water tank in the fridge compartment.

Technology descriptions:

Easy Twist Ice Conjure up ice cubes quickly: Fill the tank with water, let it freeze and then release the finished ice cubes with a twist.

Soft System The door closes gently even when fully loaded inside. The door automatically closes from an angle of approximately 30°/45°.

Soft-Telescopic Rails Fully extendible drawers run on telescopic rails and feature a convenient self-retraction mechanism with soft-closing.

Telescopic Rails Drawers set on high-quality, smooth-running telescopic rails for reliable and secure opening and closing.

Touch & Swipe-Display

Intuitive control – simply by touching and swiping on the colour display.

Touch-Display

A Liebherr is really simple to use with a gentle tap of a finger on the clear touch display.

Vario Space For extra high storage space: Simply take out the individual freezer drawers and the glass horizontal dividers below and make space for extra tall frozen items.

Easy Open EasyOpen means the freezer door can be opened multiple times one after another, conveniently and easily.

Space Box For flexible food storage: At a height of 250 mm, the space box offers lots of extra room even for really large frozen items.

Super Cool SuperCool boosts the cooling power until the food recently placed inside reaches the temperature of the rest of the contents.

Super Frost SuperFrost increases the cooling power for a short time – this means the temperature remains constant when you place in unfrozen food.

Stop Frost Frosting over of the freezer and frozen food is reduced, reducing the number of times you need to defrost the freezer

Frost Protect FrostProtect models will work in ambient temperatures as low as -15 $^{\circ}\text{C}$ for example in an unheated garage or outbuilding.

Smart Device The SmartDeviceBox allows the appliance to be controlled and used via mobile devices. The SmartDeviceBox is already included.

Smart Device ready The SmartDeviceBox allows the appliance to be controlled and used via mobile devices.
The SmartDeviceBox can be ordered as an accessory.

Our catalogue programme

Ask your Liebherr dealer for our main catalogues for freestanding and fully integrated appliances and for our specials. All catalogues are also available for download at home.liebherr.com.



SmartDevice app: The smart companion for your Liebherr. Operate your appliances conveniently via app, receive important status messages and benefit from many other services relating to your fridge.



HNGRY: The smart every-day assistant for shopping, storage and supplies. The app helps you organise your shopping perfectly, keep an eye on your supplies at all times, and store them correctly.



You can download our apps here.









