
Core Range 2023

LIEBHERR

Refrigeration and freezing



Tasty for longer.

You don't compromise when you're shopping. You look for natural ingredients, the best quality and maximum freshness. Of course, anyone who values good food wants to keep it fresh for as long as possible. That is precisely why we have developed innovative freshness technologies and improve them year after year, so your food still tastes fresh after some time in the refrigerator.



EasyFresh. Ideal for fruit and vegetables.
Unpackaged fruit and vegetables feel right at home here. Stored at the same temperature as the fridge compartment and sealed airtight in the safe, lettuce, for example, is still crisp and fresh after 7 days.



BioFresh. Our all-rounder.
The reliable BioFresh technology stores groceries at a temperature just above 0 °C, much cooler than in the rest of the appliance. With the perfect humidity, fruit and vegetables stay fresh even longer in the airtight Fruit & Vegetable safe. Meat, fish and dairy products can enjoy ideal conditions in the Meat & Dairy safe.



BioFresh Professional with HydroBreeze. Refrigerate like the professionals.
A cold mist that covers fruit and vegetables like a protective balm. It ensures crisp freshness and improves structure - the special wow effect for fruit and vegetables in the BioFresh Professional Safe.



BioFresh Professional with Fish & Seafood Safe. Like freshly caught fish from the market.
Particularly delicate foods like fish and seafood are best stored in icy temperatures and at low humidity. The constant temperature of -2 °C in the Fish & Seafood Safe is therefore ideal to keep items tasting fresh for longer.



DuoCooling. No drying out.
Our basic technology in selected models. The two completely separate refrigeration circuits ensure that there is no air exchange between the fridge and freezer compartments. Groceries do not dry out nor spread odour.



NoFrost. No more defrosting.
The automatic defrosting function guarantees that frozen foods remain fresh. There is no longer a need to store frozen food temporarily during manual defrosting. The constant optimal freezing remains the same without interruptions.



Specifications made in days are comparisons to the normal fridge compartment.



Even the smallest detail deserves the utmost attention.

We prioritise uncompromising quality – down to the tiniest screw. And we have done so from the very start. We have been manufacturing high-quality refrigerators and freezers and selling them worldwide since 1954. However, at heart we are still a family business with deep roots in Germany. It is here that we continue to develop all our products just as before. German engineering – out of loyalty to our founder and with the knowledge built up by generations of engineers.

Convenience for everybody.

Our new freestanding units are available in different series: Pure, Plus, Prime and Peak. But whatever series you opt for, every single Liebherr comes with uncompromising Liebherr quality. This is because even in the Pure series, every appliance comes with a wide range of features. One example is NoFrost – the automatic defrosting function. Another is our EasyFresh technology for storing fruit and vegetables. Then there is our DuoCooling feature. With two separate refrigerant circuits, it ensures that no air is exchanged between the fridge and freezer compartments. The stored groceries do not dry out and no odours are transferred.



EasyFresh for fruit and vegetables from the Pure series upwards.



Magnetic door gasket ensures safe closing.



CNd 5704 O Pure series

Built to last.

You can experience our quality standards in the smallest of details. For example, before a door hinge is approved by us, it must pass through at least 100,000 opening cycles. We also test all other functional parts to ensure that they can last just as long.

And if, contrary to expectations, a small detail no longer meets your requirements, you or our premium service partners can usually correct it quickly. Because all our appliances are extremely repair-friendly. We keep all essential spare parts in stock for well over 10 years. This practice is not just sustainable, it also saves you money on minor repairs or the purchase of a new appliance.

We don't just say it. We also guarantee it.

During manufacturing we inspect all components of our refrigerators with great care and test them far more rigorously than required by law – and we do this for the last time just before they are packaged. It is only then that our appliances can relax a little. All of our manufacturing sites are certified in accordance with the international standards for quality ISO 9001, energy management ISO 50001 and environmental management ISO 14001. Therefore, nothing could be easier for us than to guarantee for at least two years that our products are free of material and manufacturing faults and are particularly easy to install.

In short: one thing is certain – you will be able to enjoy your Liebherr for a long time.

Thinking beyond just today.

We are fastidious in adopting a holistic approach to sustainability when designing our appliances. The key elements of this are the durability of our appliances, maximum energy efficiency and reducing food waste. Why do we do all this? Because a holistic approach is needed to protect both people and the environment in equal measure.

Reducing food waste.

Everyone who stores food in the optimum climate plays a big part in reducing unnecessary food waste. Our appliances make this possible – with a combination of innovative features:

First: Our freshness technologies. DuoCooling in our fridge-freezers, for example, prevents your groceries from drying out faster than need be. Innovative freshness technologies such as BioFresh ensure perfect storage conditions that significantly extend product life and freshness. So there’s no need to throw food away before its time, and you don’t need to go shopping so often. And the largest zero-degree compartments on the market provide enough space for extra-large amounts of groceries.

*Second: Our SmartDevice app also helps you to store your food properly, giving your food a longer shelf life so you can enjoy it for even longer.

*Third: Our appliances are intelligent and let you know if perfect storage for your groceries is at risk. For example, by using a door alarm to tell you if the appliance door is still open.

*on selected Models only

Quality that has an impact on the climate.

We work exclusively with long-life vacuum panels and natural refrigerants, and we will use absolutely no HFO propellants until their environmental effects are fully understood. We also bear the environment in mind during production. Mostly we install materials that can be recycled after the appliance is scrapped. We also ensure that excess plastic is consistently reused.

Efficient, more efficient, Liebherr.

This year’s range once again has a great many appliances with the best energy efficiency classes on the market – and that is true for all our product groups: fridges, freezers and fridge-freezers from the new generation of freestanding units.

But of course there are plenty of other details, some very minor, that make a significant difference to a Liebherr in terms of efficiency. The four energy-saving modes, for example. Like EnergySaver, which increases the standard temperature to +7 °C. Or HolidayMode, which cools only the essentials while you are on holiday. Then there is CleaningMode, which saves energy while you clean your appliance.



For water without plastic.

Our InfinitySpring provides cold, perfectly filtered water in your kitchen. So you no longer need to buy bottled water, and carry bottles and crates around.

Perfectly thought out: a powerful, complete package.

Our fridges are real all-rounders. Along with their low power consumption, they also have impressively low noise levels, plenty of space for groceries, a long service life and decent power reserves for when it really matters. We take account of a great many factors during the development stage and can offer a perfectly balanced appliance. Or to put it another way: all good things come in fours.



Energy consumption

Our new freestanding units occupy top positions in the efficiency rankings. In this way, they protect the precious resources of our environment and – thanks to low electricity costs – your wallet too.

Cooling volume

We have the perfect appliance for all family sizes, lifestyles and niche heights. We make sure that we do not waste a single litre of capacity in the extra-large drawers – right down to the smallest detail, for example with the lighting solutions that have been integrated in the housing to save space.

Noise level

The boundaries between the kitchen and living areas are becoming ever more blurred in modern households. This underlines the importance of particularly quiet appliances. Our new freestanding range therefore offers a wide selection of extremely quiet appliances. In some cases, it even reaches the ultra-quiet noise level of 32 db.



High efficiency: This is how economical a Liebherr can be

You can find out how efficient our appliances are using the online tool from the EU-financed projects LABEL2020 and BELT. At this site (tool.label2020.eu) you can view and compare the electricity consumption and lots of other product data for electrical appliances. The calculator also takes account of local electricity prices and shows the costs for the entire period of use. The comparison shows that a Liebherr is worth it!

Cooling performance


Intelligent sensor technology constantly adapts the cooling performance to current use, making our freestanding units very energy-efficient and economical in everyday use. At the same time they also have plenty of power in reserve, for example to cool down a large quantity of groceries after the weekly shop.



Performance in balance perfected: Our BluPerformance technology

What is innovative about our BluPerformance models? We have integrated all of the refrigeration technology in the appliance base. As a result, the appliances of the same size have a considerably greater net capacity. So you have noticeably more space for your food and drink. In addition, we were able to further improve energy efficiency thanks to improved ventilation and extraction in the base. Our appliances are now even quieter. We are certain that this technology will appeal not only to fans of new technology.

The current EU energy label for electronic appliances



- 1. The QR code for identifying the product in the EU's EPREL database (European Product Database for Energy Labelling).
- 2. The model identifier for manual identification of the product in the EU's EPREL database, e.g. using the article number.
- 3. The new A to G efficiency scale. Note: G is solely used for wine cabinets.
- 4. The total volume* of all freezer compartments.
- 5. The total volume* of all cold storage and refrigerator compartments.
- 6. The noise level is now classified in classes A to D.

The term "volume" is defined in current Regulation (EU) 2019/2016.



BLU

Performance

SBSes 8496

PremiumPlus

←121→

SWTNes 4285	
Energy efficiency class:	<div><div>D</div><div>A</div><div>G</div></div> ¹
Energy consumption year / 24 hrs:	187 / 0.512 kWh ¹
Total volume ² :	289 l
Volume:	Wine compartment: 156.4 l / Freezer compartment: 133 l
Noise output / noise class:	37 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door / side walls:	SmartSteel / SmartSteel
Exterior dimensions in cm (h / w / d):	185 / 60 / 66.5 ¹

Duo Cooling

No Frost

Super Frost

Soft System

Vario Space

Ice Maker

Smart Device ready

Wine

Fish & Seafood

Bio Fresh Plus

Super Cool

Soft System

Soft-Telescopic Rails

Smart Device ready



IceMaker with fixed water connection

Are there any ice cubes left? The IceMaker means you never have to ask. With the IceMaker with fixed water connection, the water comes directly from the tap. The MaxIce function allows you to produce up to 1.5 kg of ice cubes a day. The versatile ice compartment divider lets you choose the amount of ice cubes you want to store; easy and just as you like it.



BioFresh with HydroBreeze

Do you want to cool fruit and vegetables like professionals? You'll be inspired by HydroBreeze. The cold mist combined with a temperature in the safe of around 0 °C gives food that extra a boost for longer shelf life. And it creates a genuine visual wow effect. HydroBreeze is activated every 90 min. for 4 seconds and for 8 seconds when the door is opened.



BLU

Performance

XRFbs 5295

Peak

←121→

SFNbsd 529i	
Energy efficiency class:	<div><div>D</div><div>A</div><div>G</div></div> ¹
Energy consumption year / 24 hrs:	198 / 0.542 kWh ¹
Total volume ² :	277 l
Noise output / noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures as low as 0 °C	
Door / side walls:	BlackSteel / BlackSteel
Exterior dimensions in cm (h / w / d):	185.5 / 59.7 / 67.5 ¹

No Frost

Super Frost

Soft System

Telescopic Rails

Touch & Swipe-Display

Space Box

Vario Space

Easy Open

LED

Ice Tower

Ice Maker

Smart Device

SRBbsd 529i| | |
| --- | --- |
| Energy efficiency class: | D A G ¹ |
| Energy consumption year / 24 hrs: | 134 / 0.367 kWh ¹ |
| Total volume²: | 386 l |
| Volume: | Fridge: 246.2 l / BioFresh compartment: 140.6 l |
| Noise output / noise class: | 35 dB(A) / B, SuperSilent |
| Climate rating: | SN-T (from +10 °C to +43 °C) |
| Door / side walls: | BlackSteel / BlackSteel |
| Exterior dimensions in cm (h / w / d): | 185.5 / 59.7 / 67.5 ¹ |

Bio Fresh Professional

Hydro Breeze

Super Cool

Soft System

Soft-Telescopic Rails

Touch & Swipe-Display

Glass & Steel Interior

Light Tower

Infinity Spring

Smart Device

² In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point. You can find the full range of efficiency classes at page 11. According to (EU) 2017/1369 6a.

13

Side-by-Side fridge-freezer



LED freezer compartment lighting

When you open the drawers in your Liebherr freezer, not only are you welcomed by the sight of your food, but also by the attractive lighting. This is provided by powerful, long-life, environmentally-friendly LEDs. The lighting makes it even easier to see all of the contents and is also a unique design element.



Bottle shelf above the BioFresh safe

Expecting guests and want to chill a few more drinks than usual? The bottle shelf above the BioFresh safes exists for this very reason. Simply remove the glass shelf above the bottle shelf in one easy step – and you can now safely store and cool bottles of various sizes.




XRFsd 5265


Prime

←121→





SFNsdd 5267

Energy efficiency class:	
Energy consumption year / 24 hrs:	198 / 0.542 kWh
Total volume ² :	277 l
Noise output / noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures as low as 0 °C	
Door / side walls:	SmartSteel / silver
Exterior dimensions in cm (h / w / d):	185.5 / 59.7 / 67.5



SRBsdd 5260

Energy efficiency class:	
Energy consumption year / 24 hrs:	134 / 0.367 kWh
Total volume ² :	384 l
Volume:	Fridge: 245.8 l / BioFresh compartment: 138.4 l
Noise output / noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Door / side walls:	SmartSteel / silver
Exterior dimensions in cm (h / w / d):	185.5 / 59.7 / 67.5



1 To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

Side-by-Side fridge-freezer



NoFrost

When you open your freezer, you want to see frozen food – and certainly not ice and frost. NoFrost protects the freezer compartment from unwanted icing, which consumes a lot of energy and can be expensive. NoFrost means no more tedious and time-consuming defrosting of the freezer compartment, more time for other things – and saving money.



PowerCooling

Do you want to be sure that the cold is distributed as evenly as possible in your refrigerator? If so, the PowerCooling system is what you need. The fan – as powerful as it is quiet – distributes the cold air efficiently throughout the entire refrigeration compartment.




XRCsd 5255


Prime

←121→



SBNsdd 5264

Energy efficiency class:	
Energy consumption year / 24 hrs:	171 / 0.468 kWh
Total volume ² :	313 l
Volume:	BioFresh compartment: 180.7 l / Freezer compartment: 133 l
Noise output / noise class:	34 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Door / side walls:	SmartSteel / silver
Exterior dimensions in cm (h / w / d):	185.5 / 59.7 / 67.5



2 In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.
You can find the full range of efficiency classes at page 11. According to [EU] 2017/1369 6a.



SpaceBox

Accommodate the “big stuff” in your Liebherr: An XL turkey or a multi-layered ice cream cake simply needs more space. Your Liebherr has the SpaceBox for exactly that purpose: At a generous height of 250 mm, it offers lots of extra space, even for large frozen goods. Helpful for you when storing food flexibly.



EasyFresh

The guarantee of market freshness in the home is our EasyFresh-Safe. Whether it's unpackaged vegetables or fruit, this ensures optimal storage for everything. Thanks to the air-tight closure, the food causes the humidity in the safe to rise. This keeps the food fresh for a long time.



XRFsf 5220
Plus

← 123 →



SFNsfe 5227	
Energy efficiency class:	<div><div></div><div>E</div><div>A</div><div>G</div></div> ¹
Energy consumption year / 24 hrs:	248 / 0.679 kWh ¹
Total volume ² :	277 l
Noise output / noise class:	38 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures as low as -15 °C	
Door / side walls:	SteelFinish / silver
Exterior dimensions in cm (h / w / d):	185.5 / 59.7 / 67.5 ¹

- No Frost
- Super Frost
- Touch-Display
- Space Box
- Vario Space
- Easy Open
- Smart Device ready

SRsfe 5220	
Energy efficiency class:	<div><div></div><div>E</div><div>A</div><div>G</div></div> ¹
Energy consumption year / 24 hrs:	123 / 0.337 kWh ¹
Total volume ² :	399 l
Noise output / noise class:	36 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door / side walls:	SteelFinish / silver
Exterior dimensions in cm (h / w / d):	185.5 / 59.7 / 67.5 ¹

- Easy Fresh
- Super Cool
- Touch-Display
- Smart Device ready



CBNes 6256
PremiumPlus

← 91 →



Energy efficiency class:	<div><div></div><div>F</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	341 / 0.934 kWh
Total volume ² :	522 l
Volume:	Fridge: 292.2 l / BioFresh compartment: 70.6 l / Freezer compartment: 160 l
Noise output / noise class:	42 dB(A) / D
Climate rating:	SN-T (from +10 °C to +43 °C)
Door / side walls:	Stainless steel / stainless steel
Exterior dimensions in cm (h / w / d):	203.9 / 91 / 61.5

- Bio Fresh
- Duo Cooling
- No Frost
- Super Cool
- Super Frost
- Ice Maker

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.

² In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point. You can find the full range of efficiency classes at page 11. According to (EU) 2017/1369 6a.



BioFresh

At a temperature of just over 0 °C and with the ideal humidity, fresh food can keep its appetising appearance and retain healthy vitamins and minerals for considerably longer than in a normal fridge compartment.



EasyTwist-Ice

Whether it's a summer day or a party: Thanks to EasyTwist-Ice, you can prepare a supply of ice cubes quickly and easily – without the need for a fixed water connection. Simply fill the tank with water, let it freeze and then release the finished ice cubes with a simple twist – and you're ready to serve cool drinks. The EasyTwist Ice is easy to clean and ensures hygienic ice cube production at all times.



← 60 →



CBNsfd 5223
Plus

Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div> ¹
Energy consumption year / 24 hrs:	213 / 0.583 kWh ¹
Total volume ² :	320 l
Volume:	Fridge: 164.7 l / BioFresh compartment: 52.9 l / Freezer compartment: 103 l
Noise output / noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Door / side walls:	SteelFinish / silver
Exterior dimensions in cm (h / w / d):	185.5 / 59.7 / 67.5 ¹

Bio Fresh	Duo Cooling	No Frost	Super Cool	Super Frost	Touch-Display	Vario Space	Easy Twist Ice	Smart Device ready
-----------	-------------	----------	------------	-------------	---------------	-------------	----------------	--------------------

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.



EasyFresh

The guarantee of market freshness in the home is our EasyFresh Safe. Whether it's unpackaged vegetables or fruit, this ensures optimal storage for everything. Thanks to the air-tight closure, the food causes the humidity in the safe to rise. This keeps the food fresh for a long time.



Replaceable door seal

Do you think the door seal on your Liebherr needs to be replaced after a few years? This is very easy to do yourself. The replaceable door seal can be removed in a few simple steps – and the new seal is just as easy to insert. As a result, this part of the refrigerator is always spotless and hygienically clean.



← 60 →



CND 5704
Pure

Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div> ¹
Energy consumption year / 24 hrs:	210 / 0.575 kWh ¹
Total volume ² :	359 l
Volume:	Fridge: 227.1 l / Freezer compartment: 132 l
Noise output / noise class:	36 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door / side walls:	white / white
Exterior dimensions in cm (h / w / d):	201.5 / 59.7 / 67.5 ¹

Easy Fresh	Duo Cooling	No Frost	Super Cool	Super Frost	Touch-Display	Vario Space	Smart Device ready
------------	-------------	----------	------------	-------------	---------------	-------------	--------------------

² In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point. You can find the full range of efficiency classes at page 11. According to (EU) 2017/1369 6a.



← 60 →



Cnsff 5203
Pure

Energy efficiency class:	<div><div></div><div>F</div><div>A</div><div>G</div></div> ¹
Energy consumption year / 24 hrs:	314 / 0.860 kWh ¹
Total volume ² :	330 l
Volume:	Fridge: 227.1 l / Freezer compartment: 103 l
Noise output / noise class:	37 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door / side walls:	SteelFinish / silver
Exterior dimensions in cm (h / w / d):	185.5 / 59.7 / 67.5 ¹

Easy Fresh	Duo Cooling	No Frost	Super Cool	Super Frost	Touch-Display	Vario Space	Smart Device ready
------------	-------------	----------	------------	-------------	---------------	-------------	--------------------



LED ceiling lighting

The LED ceiling lighting illuminates the interior from above – providing a good overview of your food. Another highlight: the LEDs are positioned in front of the glass shelves so that even a full refrigerator is well lit.



NoFrost

When you open your freezer, you want to see frozen food – and certainly not ice and frost. NoFrost protects the freezer compartment from unwanted icing, which consumes a lot of energy and can be expensive. NoFrost means no more tedious and time-consuming defrosting of the freezer compartment, more time for other things – and saving money.



CNd 5203
Pure

← 60 →

Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div> ¹
Energy consumption year / 24 hrs:	201 / 0.550 kWh ¹
Total volume ² :	330 l
Volume:	Fridge: 227.1 l / Freezer compartment: 103 l
Noise output / noise class:	36 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door / side walls:	white / white
Exterior dimensions in cm (h / w / d):	185.5 / 59.7 / 67.5 ¹

- Easy Fresh
- Duo Cooling
- No Frost
- Super Cool
- Super Frost
- Touch-Display
- Vario Space
- Smart Device ready

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.



Bottle shelf

The bottle shelf is the practical and elegant answer for storing drinks. As many as five bottles can be chilled and stored neatly.



LED light

The space-saving integrated LED light ensures that the whole interior of the refrigerator is evenly and harmoniously lit. With its low energy consumption, the long-lasting LED light is an environmentally friendly solution for a perfect overview of the food in the fridge.



← 55 →

CUel 2831

Energy efficiency class:	<div><div></div><div>F</div><div>A</div><div>G</div></div> ²
Energy consumption year / 24 hrs:	240 / 0.657 kWh
Total volume ² :	265 l
Volume:	Fridge: 212.4 l / Freezer compartment: 54 l
Noise output / noise class:	39 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door / side walls:	Stainless steel look / silver
Exterior dimensions in cm (h / w / d):	161.2 / 55 / 63

- Smart Frost
- Vario Space

² In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point. You can find the full range of efficiency classes at page 11. According to (EU) 2017/1369 6a.



← 55 →

CU 2831

Energy efficiency class:	<div><div></div><div>F</div><div>A</div><div>G</div></div> ²
Energy consumption year / 24 hrs:	240 / 0.657 kWh
Total volume ² :	265 l
Volume:	Fridge: 212.4 l / Freezer compartment: 54 l
Noise output / noise class:	39 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door / side walls:	white / white
Exterior dimensions in cm (h / w / d):	161.2 / 55 / 63

- Smart Frost
- Vario Space



SmartFrost

With the SmartFrost technology, ice build-up is greatly reduced. This makes defrosting rarely necessary. The interior walls of the freezer compartment are smooth and easy to clean. Freezer drawers and glass shelves made of safety glass can be removed easily.



LED light

The space-saving integrated LED light ensures that the whole interior of the refrigerator is evenly and harmoniously lit. With its low energy consumption, the long-lasting LED light is an environmentally friendly solution for a perfect overview of the food in the fridge.



GlassLine

The distinctive GlassLine equipment puts the finishing touches to the high quality interior. The shelves are made of safety glass. The sectioned, slide-under glass shelf lends itself to versatile use as it can be inserted at different heights, as required.



Vegetable compartment

Ergonomically designed, the extra deep transparent vegetable compartment is easy-to-clean and provides ample storage for fruit and vegetables.



← 55 →

CT 2931

Energy efficiency class:	<div><div>F</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	231 / 0.632 kWh
Total volume ¹ :	270 l
Volume:	Fridge: 218.6 l / Freezer compartment: 52 l
Noise output / noise class:	37 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door / side walls:	white / white
Exterior dimensions in cm (h / w / d):	157.1 / 55 / 63



← 55 →

CTel 2531

Energy efficiency class:	<div><div>F</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	212 / 0.580 kWh
Total volume ¹ :	233 l
Volume:	Fridge: 189.5 l / Freezer compartment: 44 l
Noise output / noise class:	37 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door / side walls:	Stainless steel look / silver
Exterior dimensions in cm (h / w / d):	140.1 / 55 / 63



← 55 →

CT 2531

Energy efficiency class:	<div><div>F</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	212 / 0.580 kWh
Total volume ¹ :	233 l
Volume:	Fridge: 189.5 l / Freezer compartment: 44 l
Noise output / noise class:	37 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door / side walls:	white / white
Exterior dimensions in cm (h / w / d):	140.1 / 55 / 63



← 55 →

CTel 2131

Energy efficiency class:	<div><div>F</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	198 / 0.542 kWh
Total volume ¹ :	196 l
Volume:	Fridge: 152.2 l / Freezer compartment: 44 l
Noise output / noise class:	37 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door / side walls:	Stainless steel look / silver
Exterior dimensions in cm (h / w / d):	124.1 / 55 / 63



← 55 →

CT 2131

Energy efficiency class:	<div><div>F</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	198 / 0.542 kWh
Total volume ¹ :	196 l
Volume:	Fridge: 152.2 l / Freezer compartment: 44 l
Noise output / noise class:	37 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door / side walls:	white / white
Exterior dimensions in cm (h / w / d):	124.1 / 55 / 63





RBsdd 5250 ○ Prime series



SoftTelescopic

Look forward to opening your BioFresh safes. And this is not just because of the fresh food – but also because opening is so easy, and closing is automatic and cushioned. The telescopic rails slide the safe gently towards you. Because these extend fully, you have the best overview of the contents.



LightTower

Enjoy an optimally illuminated interior: the LightTower shows off the food in its best light and is positioned so that all of your filled fridge is illuminated at all times. The flush mounting of the LightTower in the side walls means there is also more space for your food.


¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 1.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.



← 60 →



RBsdd 5250
Prime

Energy efficiency class:	 ¹
Energy consumption year / 24 hrs:	134 / 0.367 kWh ¹
Total volume ² :	386 l
Volume:	Fridge: 245.8 l / BioFresh compartment: 140.9 l
Noise output / noise class:	33 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Door / side walls:	SmartSteel / silver
Exterior dimensions in cm (h / w / d):	185.5 / 59.7 / 67.5 ¹

- Bio Fresh
- Super Cool
- Soft System
- Soft-Telescopic Rails
- Touch & Swipe-Display
- Glass & Steel Interior
- Light Tower
- Smart Device ready

² In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point. You can find the full range of efficiency classes at page 11. According to (EU) 2017/1369 6a.



3 bottle shelf

Now your bottles stay where they should. The 3 bottle shelf securely holds three bottles in your fridge ready to be used. The bottle shelf fits on every glass shelf and is therefore very flexible. And if you need the space for other reasons, simply take the bottle shelf out of the fridge.



EasyFresh

The guarantee of market freshness in the home is our EasyFresh Safe. Whether it's unpackaged vegetables or fruit, this ensures optimal storage for everything. Thanks to the air-tight closure, the food causes the humidity in the safe to rise. This keeps the food fresher for longer.



Rf 5000
Pure

← 60 →

Energy efficiency class:	<div><div>F</div><div>A</div><div>G</div></div> ¹
Energy consumption year / 24 hrs:	146 / 0.400 kWh ¹
Total volume ² :	348 l
Noise output / noise class:	38 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Door / side walls:	white / white
Exterior dimensions in cm (h / w / d):	165.5 / 59.7 / 67.5 ¹

- Easy Fresh
- Super Cool
- Touch-Display
- Smart Device ready

¹ To achieve the indicated energy consumption level, the wall spacers provided with the appliance must be used. These increase the appliance depth by approximately 3.5 cm. If the wall spacers are not used, the appliance will remain fully functional, but will have a slightly higher energy consumption level.



Vegetable compartment

Ergonomically designed, the extra deep transparent vegetable compartment is easy-to-clean and provides ample storage for fruit and vegetables.



4-star freezer compartment

You can freeze fresh food and store frozen food for long periods in appliances with the 4-star freezer compartment. Temperatures of -18°C and lower ensure food is stored with all the vital vitamins and minerals preserved.



← 55 →

T 1700

Energy efficiency class:	<div><div>F</div><div>A</div><div>G</div></div> ¹
Energy consumption year / 24 hrs:	116 / 0.317 kWh ¹
Total volume ² :	149 l
Noise output / noise class:	37 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door / side walls:	white / white
Exterior dimensions in cm (h / w / d):	85 / 55.4 / 62.3 ¹

² In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point. You can find the full range of efficiency classes at page 11. According to (EU) 2017/1369 6a.



← 55 →

T 1504

Energy efficiency class:	<div><div>F</div><div>A</div><div>G</div></div> ¹
Energy consumption year / 24 hrs:	180 / 0.493 kWh ¹
Total volume ² :	133 l
Volume:	Fridge: 116.9 l / Freezer compartment: 17 l
Noise output / noise class:	40 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door / side walls:	white / white
Exterior dimensions in cm (h / w / d):	85 / 55.4 / 62.3 ¹



NoFrost

When you open your freezer, you want to see frozen food – and certainly not ice and frost. NoFrost protects the freezer compartment from unwanted icing, which consumes a lot of energy and can be expensive. NoFrost means no more tedious and time-consuming defrosting of the freezer compartment, more time for other things – and saving money.



EasyOpen

Thanks to the new EasyOpen technology, our freezers can be opened smoothly and easily at any time. Even without a handle. How do we do it? With the help of an innovative door gasket and the new BluPerformance technology module, we have managed to reduce the door-opening force by half. Space-saving, simple, convenient.



SpaceBox

Accommodate the “big stuff” in your Liebherr: An XL turkey or a multi-layered ice cream cake simply needs more space. Your Liebherr has the SpaceBox for exactly that purpose: At a generous height of 250 mm, it offers lots of extra space, even for large frozen goods. Helpful for you when storing food flexibly.




SmartFrost

With the SmartFrost technology, ice build-up is greatly reduced. This makes defrosting rarely necessary. The interior walls of the freezer compartment are smooth and easy to clean. Freezer drawers and glass shelves made of safety glass can be removed easily.




FNe 5227

Plus

Energy efficiency class:	
Energy consumption year / 24 hrs:	248 / 0.679 kWh
Total volume ² :	277 l
Noise output / noise class:	38 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures as low as -15 °C	
Door / side walls:	white / white
Exterior dimensions in cm (h / w / d):	185.5 / 59.7 / 67.5

**FNe 5026**


Plus

Energy efficiency class:	
Energy consumption year / 24 hrs:	234 / 0.641 kWh
Total volume ² :	238 l
Noise output / noise class:	38 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures as low as -15 °C	
Door / side walls:	white / white
Exterior dimensions in cm (h / w / d):	165.5 / 59.7 / 67.5



FNe 4625


Plus

Energy efficiency class:	
Energy consumption year / 24 hrs:	221 / 0.605 kWh
Total volume ² :	199 l
Noise output / noise class:	38 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures as low as -15 °C	
Door / side walls:	white / white
Exterior dimensions in cm (h / w / d):	145.5 / 59.7 / 67.5



GP 1213

Comfort

Energy efficiency class:	
Energy consumption year / 24 hrs:	170 / 0.465 kWh ¹
Total volume ² :	97 l
Noise output / noise class:	39 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Designed to operate in ambient temperatures as low as -15 °C	
Door / side walls:	white / white
Exterior dimensions in cm (h / w / d):	85.1 / 55.3 / 62.4 ¹





ECBN 6256
PremiumPlus

← 91 → 203

Fixed door / Built-in appliance for integrated use	
Energy efficiency class:	F
Energy consumption year / 24 hrs:	341 / 0.934 kWh
Total volume ¹ :	522 l
Volume:	Fridge: 292.2 l / BioFresh compartment: 70.6 l / Freezer compartment: 160 l
Noise output / noise class:	40 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h / w / d):	203.2-207.2 / 91.5 / min. 63.5

- Bio Fresh
- Duo Cooling
- No Frost
- Super Cool
- Super Frost
- Soft System
- Ice Maker

¹ In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.



ECBN 6156
PremiumPlus

← 91 → 203

Fixed door / Built-in appliance for integrated use	
Energy efficiency class:	F
Energy consumption year / 24 hrs:	414 / 1.134 kWh
Total volume ¹ :	522 l
Volume:	Fridge: 292.2 l / BioFresh compartment: 70.6 l / Freezer compartment: 160 l
Noise output / noise class:	41 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h / w / d):	203.2-207.2 / 91.5 / min. 63.5

- Bio Fresh
- Duo Cooling
- No Frost
- Super Cool
- Super Frost
- Ice Maker

You can find the full range of efficiency classes at page 11. According to (EU) 2017/1369 6a.

Fridge-freezers for integrated use



IceMaker

Are there any ice cubes left? An IceMaker means you never have to ask. With the IceMaker with fixed water connection, the water comes directly from the tap. The MaxIce function allows you to produce up to 1.5 kg of ice cubes a day. The ice cube separator helps to divide the drawer into any size you want – for example, ice cubes on the left, ice cream on the right – or just for ice cubes.



ICBNd 5163
Prime

Fixed door / Built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	208 / 0.569 kWh
Total volume ¹ :	246 l
Volume:	Fridge: 104.1 l / BioFresh compartment: 71.2 l / Freezer compartment: 71 l
Noise output / noise class:	34 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h / w / d):	177.2-178.8 / 56-57 / min. 55

Bio Fresh	Duo Cooling	No Frost	Super Cool	Super Frost	Soft System	Soft-Telescopic Rails	Touch & Swipe-Display	Vario Space
Glass & Steel Interior	Light Tower	Ice Maker	Smart Device ready					



LightTower

Enjoy an optimally illuminated interior: the LightTower shows off the food in its best light and is positioned so that all of your filled fridge is illuminated at all times. The flush mounting of the LightTower in the side walls means there is also more space for your food.



ICBNd 5153
Prime

Fixed door / Built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	207 / 0.567 kWh
Total volume ¹ :	245 l
Volume:	Fridge: 104.1 l / BioFresh compartment: 71.2 l / Freezer compartment: 70 l
Noise output / noise class:	34 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h / w / d):	177.2-178.8 / 56-57 / min. 55

Bio Fresh	Duo Cooling	No Frost	Super Cool	Super Frost	Soft System	Soft-Telescopic Rails	Touch & Swipe-Display	Vario Space
Glass & Steel Interior	Light Tower	Smart Device ready						



DuoCooling

Accurate and independent temperature control of the fridge and freezer compartments is facilitated by DuoCooling: two separately adjustable cooling circuits. There is no air exchange between the fridge and freezer compartment, so that odours cannot be transferred and the stored food is prevented from drying out.



ICNSf 5103
Pure

Sliding door / Built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>F</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	284 / 0.778 kWh
Total volume ¹ :	253 l
Volume:	Fridge: 183.3 l / Freezer compartment: 70 l
Noise output / noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h / w / d):	177.2-178.8 / 56-57 / min. 55

Easy Fresh	Duo Cooling	No Frost	Super Cool	Super Frost	Touch-Display	Vario Space	Smart Device ready
------------	-------------	----------	------------	-------------	---------------	-------------	--------------------

Fridge-freezers for integrated use



Transparent FrostSafe drawers

All transparent FrostSafe drawers are extra deep. They are designed so that all frozen foods, from a duck to a boxed pizza, will fit conveniently and neatly, and are easy to remove. Every drawer can be used for both freezing and storage, so there's no need to repack the food once it has been frozen.



ICSe 5103
Pure

Sliding door / Built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	228 / 0.624 kWh
Total volume ¹ :	264 l
Volume:	Fridge: 183.3 l / Freezer compartment: 81 l
Noise output / noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h / w / d):	177.2-178.8 / 56-57 / min. 55

Easy Fresh	Duo Cooling	Smart Frost	Super Cool	Super Frost	Touch-Display	Vario Space	Smart Device ready
------------	-------------	-------------	------------	-------------	---------------	-------------	--------------------



IRBPdi 5170
Peak

178

Fixed door / Built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	125 / 0.342 kWh
Total volume ¹ :	297 l
Volume:	Fridge: 199 l / BioFresh compartment: 98.4 l
Noise output / noise class:	33 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h / w / d):	177.2-178.8 / 56-57 / min. 55

- Bio Fresh

Super Cool

Soft System

Soft-Telescopic Rails

Touch & Swipe-Display

Open Stage

Glass & Steel Interior

Light Tower

Smart Device

¹ In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.



InfinitySpring

A source of fresh, cool drinking water in your kitchen. InfinitySpring sounds like something from a fairy tale. The water dispenser enables water dispensing and provides fresh, cold water. Simply press the panel with the carafe or glass, and enjoy the water. This enables you to save on purchasing bottles of water and to live more sustainably.



IRBdi 5180
Peak

178

Fixed door / Built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	125 / 0.342 kWh
Total volume ¹ :	296 l
Volume:	Fridge: 198.1 l / BioFresh compartment: 97.9 l
Noise output / noise class:	32 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h / w / d):	177.2-178.8 / 56-57 / min. 55

- Bio Fresh Professional

Hydro Breeze

Super Cool

Soft System

Soft-Telescopic Rails

Touch & Swipe-Display

Glass & Steel Interior

Light Tower

Infinity Spring

- Smart Device

You can find the full range of efficiency classes at page 11. According to (EU) 2017/1369 6a.



LED BioFresh lighting

Experience the pleasure of brightly lit fresh fruit and vegetables. The LED BioFresh lighting shows off the contents of your BioFresh safe in its best light. The lighting is positioned centrally above the BioFresh safes and supplemented by LED light columns on both sides. These extend into the topmost BioFresh safe ensuring bright illumination.



IRBd 5151
Prime

178

Fixed door / Built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	164 / 0.449 kWh
Total volume ¹ :	276 l
Volume:	Fridge: 151.3 l / BioFresh compartment: 98.4 l / Freezer compartment: 27 l
Noise output / noise class:	34 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h / w / d):	177.2-178.8 / 56-57 / min. 55

- Bio Fresh

Super Cool

Soft System

Soft-Telescopic Rails

Touch & Swipe-Display

Glass & Steel Interior


Light Tower

Smart Device ready

The two detachable, fridge-to-table VarioBoxes are perfect for storing ready-to-serve foods in the refrigerator. The Liebherr egg tray for 12 eggs fits perfectly in the large VarioBox. The accessories set comprises of two VarioBoxes and a robust stainless steel securing rail. VarioBoxes can be securely attached to the door interior at various levels.



Prime


Energy efficiency class:	
Energy consumption year / 24 hrs:	125 / 0.342 kWh
Total volume ¹ :	296 l
Volume:	Fridge: 197.7 l / BioFresh compartment: 98.4 l
Noise output / noise class:	32 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h / w / d):	177.2-178.8 / 56-57 / min. 55



The stylish white SoftSystem mechanism, integrated in the door, conveniently cushions door movement to ensure extremely soft closure even when the door shelves are fully loaded. The door closes automatically from an opening angle of about 30°.



Plus


Energy efficiency class:	
Energy consumption year / 24 hrs:	156 / 0.427 kWh
Total volume ¹ :	294 l
Volume:	Fridge: 195.8 l / BioFresh compartment: 98.2 l
Noise output / noise class:	37 dB(A) / C
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h / w / d):	177.2-178.8 / 56-57 / min. 55



The guarantee of market freshness in the home is our EasyFresh-Safe. Whether it's unpackaged vegetables or fruit, this ensures optimal storage for everything. Thanks to the air-tight closure, the food causes the humidity in the safe to rise. This keeps the food fresh for a long time.



Pure


Energy efficiency class:	
Energy consumption year / 24 hrs:	114 / 0.312 kWh
Total volume ¹ :	308 l
Noise output / noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h / w / d):	177.2-178.8 / 56-57 / min. 55



Do you want to be sure that the cold is distributed as evenly as possible in your refrigerator? If so, the PowerCooling system is what you need. The fan – as powerful as it is quiet – distributes the cold air efficiently throughout the entire refrigeration compartment.



Plus

Energy efficiency class:	
Energy consumption year / 24 hrs:	106 / 0.290 kWh
Total volume ¹ :	235 l
Noise output / noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h / w / d):	139.7-141.3 / 56-57 / min. 55



Freezer for integrated use



IceTower

You will never run out of cold drinks at your party. The IceTower, which holds 8 kg of ice cubes, makes sure of that. The ice cube scoop and the pull-out tray on telescopic rails allow easy access to the ice cubes. An extra insert tray means you can also store less ice and make room for frozen food underneath. The adjacent drawer provides storage space for frozen goods.



Touch & Swipe display

Control of your Liebherr at your fingertips: thanks to the Touch & Swipe display, you can operate your freezer intuitively and with ease. Simply select functions such as SuperFrost on the colour display by tapping and swiping. The temperature is controlled just as easily. And, what if you are not actively using the display? Well, it then shows you the actual temperature.



Side
by
Side
↑
178
↓

SIFNe 5188
Peak

Fixed door / Built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	237 / 0.649 kWh
Total volume ¹ :	213 l
Noise output / noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h / w / d):	177.2-178.8 / 56-57 / min. 55

No Frost	Super Frost	Soft System	Telescopic Rails	Touch & Swipe-Display	Vario Space	LED	Ice Tower	Ice Maker
Smart Device ready								

¹ In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

Freezers for integrated use



Freezer drawers

The top drawer in the freezer is often a bit of a mystery because you just can't see what's up there. A simple tilting function on the drawer allows it to be angled downwards when opened. This gives you a complete overview all the time. It also makes it easier to add and remove frozen goods. And the pull-out stop ensures the compartment does not fall out.



Side
by
Side
↑
178
↓

SIFNf 5128
Plus

Fixed door / Built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>F</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	296 / 0.811 kWh
Total volume ¹ :	213 l
Noise output / noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h / w / d):	177.2-178.8 / 56-57 / min. 55

No Frost	Super Frost	Soft System	Touch-Display	Vario Space	Smart Device ready
----------	-------------	-------------	---------------	-------------	--------------------

You can find the full range of efficiency classes at page 11. According to (EU) 2017/1369 6a.



LED-lighting

The LED lighting is positioned above the drawers in order to save space. It ensures the best overview of your goods, saves energy and has a long life.



Side
by
Side
↑
140
↓

SIFNd 4556
Prime

Fixed door / Built-in appliance for integrated use	
Energy efficiency class:	<div><div></div><div>D</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	173 / 0.474 kWh
Total volume ¹ :	156 l
Noise output / noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h / w / d):	139.7-141.3 / 56-57 / min. 55

No Frost	Super Frost	Soft System	Touch & Swipe-Display	Vario Space	LED	Smart Device ready
----------	-------------	-------------	-----------------------	-------------	-----	--------------------

Under-worktop freezer for integrated use



SoftSystem

The stylish white SoftSystem mechanism, integrated in the door, conveniently cushions door movement to ensure extremely soft closure even when the door shelves are fully loaded. The door closes automatically from an opening angle of about 30°.



NoFrost

The NoFrost system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, longterm storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free.



VarioSpace

Want to store a multi-layer ice cream cake safely until the summer party? No problem for your Liebherr freezer: Sometimes you just need more space and it's prepared for just that. With VarioSpace you can remove individual freezer drawers and the horizontal glass dividers below them, and hey presto, you have an extra large storage space.



SUIGN 1554
Premium

Fixed door / Under-worktop appliance for integrated use	
Energy efficiency class:	<div><div></div><div>E</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	181 / 0.495 kWh
Total volume ¹ :	79 l
Noise output / noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-T (from +10 °C to +43 °C)
Aperture dimensions in cm (h / w / d):	82-88 / 60 / min. 55

- No Frost
- Super Frost
- Soft System
- Vario Space

¹ In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point.

Under-worktop fridges for integrated use



LED ceiling light

The LED ceiling light creates a high-class ambience within the refrigerator. Its beautifully designed, space-efficient housing is centrally positioned to provide a delightfully even illumination.



Bottle baskets

If more space is needed for beverages, removable bottle baskets (optional accessory) can be inserted*. They provide plenty of space for bottles (up to 1.5 l) and drinks packages. The integrated handle makes them easy to carry and the adjustable holders ensure the bottles are held securely. *In exchange for a removable storage shelf.



UIKo 1550
Premium

Fully extendible pull-out drawer / Under-worktop appliance for integrated use	
Energy efficiency class:	<div><div></div><div>F</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	114 / 0.312 kWh
Total volume ¹ :	132 l
Noise output / noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h / w / d):	82-88 / 60 / min. 55

- Super Cool
- Soft System
- Soft-Telescopic Rails

You can find the full range of efficiency classes at page 11. According to (EU) 2017/1369 6a.



UIK 1510
Comfort

Fixed door / Under-worktop appliance for integrated use	
Energy efficiency class:	<div><div></div><div>F</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	115 / 0.315 kWh
Total volume ¹ :	136 l
Noise output / noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Aperture dimensions in cm (h / w / d):	82-88 / 60 / min. 55

- Super Cool



WTes 5972
Vinidor

← 70 →

Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	191 / 0.523 kWh
Max. Bordeaux bottles 0.75 l:	211 ¹
Total volume ² :	521 l
Noise output / noise class:	38 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Door:	Glass door with Stainless steel frame
Side walls:	Stainless steel
Exterior dimensions in cm (h / w / d):	192 / 70 / 74.2

- 2 Zones
- Humidity Select
- Fresh Air
- UV Protect
- Vibrate Safe
- Soft System
- Telescopic Rails
- Presentation Board
- LED
- Steel Interior



LED lighting

All wine fridges feature dimmable LED lighting, which evenly illuminates the interior and can be left on permanently if desired. Because LEDs generate minimal heat, wines can be sympathetically illuminated and beautifully presented for an extended period of time.



Wooden shelves mounted on telescopic rails

The Vinidor appliances are equipped with solid wooden shelves mounted on telescopic rails. The handcrafted shelves made from untreated wood are ideal for storing Bordeaux bottles safely, providing a clear view and easy access. Storing bottles neck to neck facilitates maximum storage capacity.



EWTdf 3553
Vinidor

Fixed door / Built-in appliance with decor panel	
Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	176 / 0.482 kWh
Max. Bordeaux bottles 0.75 l:	80 ¹
Total volume ² :	254 l
Noise output / noise class:	32 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Insulated glass door prepared for cabinet door or stainless steel front	
Aperture dimensions in cm (h / w / d):	177.2-178 / 56-57 / min. 55

- 2 Zones
- Humidity Select
- Fresh Air
- Soft System
- Telescopic Rails
- Presentation Board
- LED
- Steel Interior



Door requires furniture or
s/steel frame & handle kit -
Order no. 9901573

↑
178
↓



UWTgb 1682
Vinidor

Flush / Under-worktop appliance	
Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	138 / 0.378 kWh
Max. Bordeaux bottles 0.75 l:	34 ¹
Total volume ² :	94 l
Noise output / noise class:	35 dB(A) / B, SuperSilent
Climate rating:	SN-ST (from +10 °C to +38 °C)
Black Insulated glass door, handle and frame free	
Aperture dimensions in cm (h / w / d):	82-87 / 60 / min. 58

- 2 Zones
- Humidity Select
- Fresh Air
- Soft System
- Telescopic Rails
- Tip Open
- LED
- Steel Interior



↑
82-87
↓



UWTes 1672
Vinidor

Flush / Under-worktop appliance	
Energy efficiency class:	<div><div></div><div>G</div><div>A</div><div>G</div></div>
Energy consumption year / 24 hrs:	142 / 0.389 kWh
Max. Bordeaux bottles 0.75 l:	34 ¹
Total volume ² :	94 l
Noise output / noise class:	38 dB(A) / C
Climate rating:	SN-ST (from +10 °C to +38 °C)
Glass door with Stainless steel frame	
Aperture dimensions in cm (h / w / d):	82-87 / 60 / min. 58

- 2 Zones
- Humidity Select
- Fresh Air
- Telescopic Rails
- LED
- Steel Interior

¹ These models are only bound for storing wine. Maximum DIN norm bordeaux bottles capacity (0.75 l) as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm)

² In accordance with Regulation EU 2019/2016 we indicate the total volume to the nearest integer (rounded off) and the volume of the frozen compartments and refrigeration compartments to one place after the decimal point. You can find the full range of efficiency classes at page 11. According to (EU) 2017/1369 6a.

Liebherr After Sales & Customer Care



2 Year Warranty

All Liebherr appliances have a full 2 year warranty covering parts and labour. If any part of the machine fails or a fault develops through normal use, it will be repaired free of charge (in accordance with terms and conditions on our warranty card).

Customer must install appliance as per manufacturer's instructions. Accidental damages to parts are not covered. For further information please go to www.myliebherr.ie.



Customer Care

Our National Customer Care Centre can be contacted should you require instructions or service.


Please call 01 4600064 or you can email liebherr@naa.ie.

Spare Parts Direct

To order spare parts or accessories please call 01 4600064 or email liebherr@naa.ie with the model and 9 digit service number.

The parts or accessories can be quickly despatched direct to your home.

Liebherr's Killarney Hotels Ltd.



Ard na Sidhe Country House



Hotel Dunloe Castle



The Europe Hotel & Resort

Liebherr's Killarney Hotels Ltd. owns and operates two five-star luxury hotels in Killarney, including The Europe Hotel & Resort, situated on the famous Lakes of Killarney and Hotel Dunloe Castle overlooking the Gap of Dunloe. The company also owns and manages Ard na Sidhe Country House, a delightful Victorian style manor house, which is situated on the shores of Caragh Lake just outside Killorglin. The Liebherr Group has been active in Ireland since 1958, when Liebherr (Ireland) Ltd. was founded in Killarney, Co. Kerry. Initially, this company manufactured large tower cranes. During the following decades, Liebherr's portfolio in Ireland has been significantly enlarged. Today, the Liebherr Group comprises three Irish companies operating in the sectors of maritime cranes, construction machinery and hotels, which are employing a total workforce of about 1200 people.